

Alberta Swine Improvement Program

CANADIANA

FEB 24 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

January 1 - 15, 1988

AL-1.827

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-------|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | INDEX | |
| YORKSHIRE | | | | | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 12 month average | | | | | (Not Available) | | | | |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | ACA 43W | 14.2 | 136 | | |
| | " | " | " | " | " | " 44W | 11.3 | 150 | | |
| | JKAA 13804U | | | | | " 50W | 13.4 | 143 | | |
| | " | | | | | " 51W | 15.3 | 133 | | |
| | " | | | | | " 52W | 15.0 | 146 | | |
| | " | | | | | " 55W | 13.6 | 141 | | |
| | ARHL 890U | | | | | " 60W | 15.7 | 139 | | |
| | " | | | | | " 61W | 15.0 | 138 | | |
| | " | | | | | " 78W | 15.9 | 135 | | |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | " 90W | 13.7 | 141 | | |
| Agra Farms Ltd. Okotoks 938-7741 | 12 month average | | | | | 115 pigs | (13.4) | (154) | | 100 |
| | JKAA 13804U | | | | | ARHL 475W | 13.2 | 150 | | 109 |
| | " | | | | | " 503W | 12.4 | 138 | | 139 |
| | " | | | | | " 504W | 10.7 | 143 | | 149 |
| Barrett, R. & A. Ponoka 783-5192 | 12 month average | | | | | (Not Available) | | | | |
| | ROYS 431U | | | | | ROYS 259W | 11.5 | 157 | | |
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 12 month average | | | | | 46 pigs | (15.1) | (151) | | 100 |
| | WM 2505U | | | | | WM 5206W | 16.5 | 142 | | 96 |
| | " | | | | | " 5207W | 15.7 | 151 | | 94 |
| | " | | | | | " 5208W | 15.0 | 156 | | 95 |
| | WM 804U | +1.1 | -7.8 | 111 | 59 | " 5507W | 14.3 | 151 | | 107 |
| | " | " | " | " | " | " 5509W | 11.4 | 153 | | 133 |
| | WM 2505U | | | | | " 5707W | 18.5 | 144 | | 74 |
| | " | | | | | " 5709W | 13.5 | 147 | | 120 |
| | WM 804U | +1.1 | -7.8 | 111 | 59 | " 5807W | 15.5 | 126 | | 124 |
| | " | " | " | " | " | " 5808W | 17.5 | 140 | | 89 |
| | " | " | " | " | " | " 5809W | 17.4 | 137 | | 93 |
| | " | " | " | " | " | " 5810W | 14.7 | 131 | | 127 |
| | " | " | " | " | " | " 5811W | 17.3 | 139 | | 92 |
| | " | " | " | " | " | " 5812W | 15.9 | 132 | | 114 |
| | " | " | " | " | " | " 5908W | 14.7 | 133 | | 124 |
| | " | " | " | " | " | " 5910W | 12.6 | 137 | | 140 |
| | " | " | " | " | " | " 5911W | 12.9 | 129 | | 147 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | 88 pigs | (12.0) | | (148) | | 100 |
| | ANZI 3863P | -2.0 | +9.6 | 99 | 97 | ARBF 488W | 10.9 | | 171 | | 70 |
| | " | " | " | " | " | " 512W | 10.5 | | 156 | | 101 |
| | " | " | " | " | " | " 526W | 9.0 | | 139 | | 148 |
| | " | " | " | " | " | " 548W | 10.6 | | 141 | | 128 |
| | " | " | " | " | " | " 549W | 12.8 | | 136 | | 114 |
| | " | " | " | " | " | " 553W | 13.2 | | 149 | | 87 |
| | " | " | " | " | " | " 554W | 10.8 | | 144 | | 120 |
| Brownlee, J. Hairy Hill 768-2313 | 12 month average | | | | | 60 pigs | (14.2) | | (163) | | 100 |
| | KKEF 1930T | -0.4 | -2.7 | 119 | 56 | AHKP 516W | 13.6 | | 161 | | 107 |
| | " | " | " | " | " | " 525W | 12.6 | | 162 | | 115 |
| Carrich Stock Farm Ponoka 783-5181 | 12 month average | | | | | (Not Available) | | | | | |
| | KKEF 2332T (1) | 0.0 | -8.4 | 133 | 89 | DICK 1915W | 10.3 | | 190 | | |
| | " | " | " | " | " | " 1917W | 11.1 | | 183 | | |
| | RITR 924T (1) | -1.1 | -12.8 | 169 | 64 | " 2011W | 9.9 | | 176 | | |
| Five Lakes Farms Mayerthorpe 786-4373 | 12 month average | | | | | 198 pigs | (12.5) | | (158) | | 100 |
| | AOET 1395S | -0.4 | -0.4 | 109 | 92 | JKAA 12401W | 10.6 | | 184 | | 86 |
| | RITR 964T | +1.2 | +1.1 | 74 | 87 | " 13405W | 11.5 | | 175 | | 88 |
| | " | " | " | " | " | " 13406W | 11.7 | | 169 | | 93 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | " 13504W | 11.5 | | 171 | | 93 |
| | " | " | " | " | " | " 13509W | 13.2 | | 177 | | 66 |
| | " | " | " | " | " | " 14304W | 10.7 | | 159 | | 118 |
| | " | " | " | " | " | " 15001W | 11.6 | | 149 | | 121 |
| | " | " | " | " | " | " 15003W | 12.3 | | 158 | | 101 |
| | " | " | " | " | " | " 15004W | 10.6 | | 149 | | 132 |
| | RITR 964T | +1.2 | +1.1 | 74 | 87 | " 15104W | 16.6 | | 167 | | 40 |
| | JKAA 9201U | | | | | " 15203W | 14.0 | | 165 | | 72 |
| | ARHL 707U | | | | | " 15801W | 12.1 | | 153 | | 110 |
| | " | | | | | " 15502W | 15.8 | | 158 | | 61 |
| Gwynne Vista Farms Gwynne 352-2998 | 12 month average | | | | | 56 pigs | (13.1) | | (169) | | 100 |
| | AMBW 514S (1) | -1.6 | +4.9 | 110 | 95 | GWYN 10402W | 10.3 | | 168 | | 123 |
| | " | " | " | " | " | " 10408W | 9.3 | | 168 | | 130 |
| | AOGK 741T | -1.6 | -3.8 | 144 | 88 | " 10501W | 12.4 | | 180 | | 91 |
| | GWYN 6303U | | | | | " 11101W | 8.9 | | 173 | | 126 |
| | " | | | | | " 11102W | 13.6 | | 161 | | 108 |
| | JKAA 4308U | | | | | " 11301W | 8.4 | | 151 | | 160 |
| | " | | | | | " 11302W | 11.3 | | 154 | | 133 |
| | " | | | | | " 11304W | 9.3 | | 160 | | 141 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------|----------|---------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Maschmeyer, G. Bruderheim 998-2845 | 12 month average | | | | | 32 pigs | (14.9) | | (145) | | 100 |
| | DOUG 334T | -1.9 | +5.4 | 113 | 72 | HILL 176W | 13.5 | | 154 | | 98 |
| | " | " | " | " | " | " 178W | 14.1 | | 150 | | 98 |
| | DOUG 10U | | | | | " 184W | 11.8 | | 120 | | 163 |
| | " | | | | | " 185W | 15.7 | | 124 | | 126 |
| | " | | | | | " 186W | 11.9 | | 122 | | 159 |
| Papenhuyzen, C. Stony Plain 963-4358 | 12 month average | | | | | 23 pigs | (17.2) | | (165) | | 100 |
| | TVW 252U | | | | | ASUS 352W | 14.1 | | 182 | | 116 |
| | " | | | | | " 355W | 13.5 | | 170 | | 142 |
| | " | | | | | " 362W | 12.2 | | 180 | | 143 |
| | DASA 1052T | +0.5 | +5.2 | 71 | 72 | " 400W | 14.0 | | 170 | | 136 |
| Vandenberg, J. Camrose 672-6177 | 12 month average | | | | | 22 pigs | (14.2) | | (163) | | 100 |
| | ASCG 180T | +0.6 | -3.4 | 101 | 67 | ASCG 532W | 14.2 | | 165 | | 94 |
| | " | " | " | " | " | " 533W | 17.1 | | 160 | | 73 |
| | " | " | " | " | " | " 541W | 17.1 | | 150 | | 92 |
| | " | " | " | " | " | " 544W | 13.7 | | 150 | | 131 |
| | " | " | " | " | " | " 0547W | 13.4 | | 153 | | 129 |
| | " | " | " | " | " | " 551W | 14.6 | | 155 | | 112 |
| | " | " | " | " | " | " 554W | 15.0 | | 171 | | 72 |
| | " | " | " | " | " | " 558W | 15.3 | | 164 | | 84 |
| | ASCG 175U | | | | | " 561W | 11.1 | | 164 | | 132 |
| | " | | | | | " 563W | 12.4 | | 160 | | 127 |
| | " | | | | | " 564W | 11.8 | | 162 | | 127 |
| | ASCG 180T | +0.6 | -3.4 | 101 | 67 | " 600W | 15.5 | | 136 | | 143 |
| | " | " | " | " | " | " 602W | 13.8 | | 148 | | 137 |
| | " | " | " | " | " | " 603W | 15.0 | | 141 | | 138 |
| | " | " | " | " | " | " 604W | 13.1 | | 147 | | 147 |
| | " | " | " | " | " | " 609W | 13.8 | | 148 | | 137 |
| | " | " | " | " | " | " 612W | 13.9 | | 137 | | 157 |
| | " | " | " | " | " | " 614W | 15.0 | | 146 | | 127 |
| | ZTF 1U | | | | | " 622W | 13.3 | | 141 | | 156 |
| West, N. & T.J. Radway 736-3790 | 12 month average | | | | | 31 pigs | (14.2) | | (157) | | 100 |
| | AREE 262U | | | | | ATED 146W | 11.1 | | 173 | | 108 |
| | " | | | | | " 147W | 14.9 | | 156 | | 96 |
| | " | | | | | " 149W | 16.8 | | 175 | | 58 |
| | " | | | | | " 152W | 15.2 | | 169 | | 79 |
| | KKEF 2104U | | | | | " 158W | 13.0 | | 154 | | 113 |
| | " | | | | | " 159W | 15.0 | | 155 | | 96 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | AGE | INDEX | |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|-----------------|-----------------|-------|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| <u>LANDRACE</u> | | | | | | | | | | |
| Acadia Breeders | 12 month average | | | | | | (Not Available) | | | |
| Lacombe | | | | | | | | | | |
| 782-2836 | ARHL 552U | | | | | ACA 12W | 12.7 | 151 | | |
| | " | | | | | " 13W | 12.9 | 149 | | |
| | " | | | | | " 15W | 14.5 | 146 | | |
| | ARHL 739U | | | | | " 24W | 15.7 | 145 | | |
| | AOUD 1803U | | | | | " 31W | 13.8 | 155 | | |
| | " | | | | | " 33W | 11.7 | 148 | | |
| | " | | | | | " 34W | 12.8 | 148 | | |
| | " | | | | | " 35W | 12.6 | 155 | | |
| | " | | | | | " 36W | 12.9 | 149 | | |
| | " | | | | | " 41W | 14.4 | 137 | | |
| Agra Farms Ltd. | 12 month average | | | | | 119 pigs | (13.4) | (157) | | 100 |
| Okotoks | | | | | | | | | | |
| 938-7741 | ARHL 552U | | | | | ARHL 464W | 12.4 | 164 | | 99 |
| | ARHL 739U | | | | | " 513W | 12.2 | 147 | | 126 |
| | " | | | | | " 514W | 12.9 | 141 | | 141 |
| Barrett, R. & A. | 12 month average | | | | | 105 pigs | (14.5) | (136) | | 100 |
| Ponoka | | | | | | | | | | |
| 783-5192 | ROYS 61U | -1.2 | -4.2 | 136 | 82 | ROYS 277W | 12.9 | 142 | | 103 |
| | " | " | " | " | " | " 278W | 12.8 | 141 | | 106 |
| | " | " | " | " | " | " 279W | 11.1 | 143 | | 116 |
| | ROYS 402T | -0.4 | -9.0 | 141 | 72 | " 291W | 10.3 | 142 | | 126 |
| | ROYS 61U | -1.2 | -4.2 | 136 | 82 | " 316W | 13.1 | 121 | | 144 |
| | ROYS 273U | | | | | " 327W | 9.8 | 120 | | 177 |
| Braat, J. | 12 month average | | | | | 23 pigs | (15.0) | (147) | | 100 |
| Coaldale | | | | | | | | | | |
| 327-9757 | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | ARBF 572W | 12.7 | 127 | | 152 |
| | " | " | " | " | " | " 573W | 11.9 | 134 | | 145 |
| Carrich Stock Farm | 12 month average | | | | | | (Not Available) | | | |
| Ponoka | | | | | | | | | | |
| 783-5181 | JBFA 2S (1) | -0.8 | -7.5 | 141 | 98 | DICK 1921W | 13.1 | 178 | | |
| | " | " | " | " | " | " 1922W | 12.3 | 184 | | |
| Duff, D. | 12 month average | | | | | 57 pigs | (14.6) | (149) | | 100 |
| Ft. Saskatchewan | | | | | | | | | | |
| 998-3101 | FLEV 351U | | | | | DUFF 462W | 12.6 | 155 | | 107 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Lakeland College Vermilion 853-8597, Ext. 597 | 12 month average | | | | | 98 pigs | (14.6) | | (160) | | 100 |
| | ATAT 400U | | | | | ATAT 340W | 13.8 | | 174 | | 89 |
| | ARHL 313T (1) | -0.5 | +1.4 | 103 | 92 | " 361W | 16.2 | | 163 | | 81 |
| | AVON 417U (1) | | | | | " 368W | 16.5 | | 153 | | 93 |
| | " | | | | | " 370W | 16.1 | | 151 | | 99 |
| | " | | | | | " 371W | 15.4 | | 150 | | 107 |
| <u>LACOMBE</u> | | | | | | | | | | | |
| Bloomsbury Farms Ltd. Bloomsbury 74-3307 | 12 month average | | | | | 70 pigs | (15.9) | | (142) | | 100 |
| | BL 2303U | | | | | BL 4808W | 16.6 | | 146 | | 90 |
| | " | | | | | " 4905W | 16.9 | | 142 | | 92 |
| | " | | | | | " 4906W | 14.8 | | 143 | | 108 |
| | " | | | | | " 4907W | 16.0 | | 138 | | 104 |
| | BL 1505T | -1.5 | -8.8 | 163 | 47 | " 5006W | 16.1 | | 148 | | 92 |
| | " | " | " | " | " | " 5007W | 15.9 | | 136 | | 108 |
| | " | " | " | " | " | " 5009W | 13.2 | | 141 | | 124 |
| | BL 2106U | | | | | " 5104W | 16.9 | | 151 | | 82 |
| | " | | | | | " 5107W | 16.4 | | 136 | | 103 |
| | " | | | | | " 5110W | 19.5 | | 147 | | 65 |
| | BL 1512T | -1.5 | -8.8 | 163 | 47 | " 5207W | 17.2 | | 135 | | 98 |
| | BL 2303U | | | | | " 5306W | 16.7 | | 144 | | 91 |
| | " | | | | | " 5307W | 15.8 | | 145 | | 98 |
| | " | | | | | " 5308W | 14.0 | | 140 | | 119 |
| | " | | | | | " 5309W | 18.2 | | 145 | | 78 |
| | " | | | | | " 5310W | 12.7 | | 133 | | 138 |
| | BL 1505T | -1.5 | -8.8 | 163 | 47 | " 5404W | 16.4 | | 133 | | 107 |
| | " | " | " | " | " | " 5405W | 14.7 | | 134 | | 120 |
| | " | " | " | " | " | " 5406W | 13.6 | | 144 | | 117 |
| | " | " | " | " | " | " 5407W | 11.0 | | 135 | | 149 |
| | " | " | " | " | " | " 5408W | 16.8 | | 144 | | 91 |
| | " | " | " | " | " | " 5409W | 15.0 | | 146 | | 103 |
| | " | " | " | " | " | " 5410W | 12.7 | | 133 | | 138 |
| | " | " | " | " | " | " 5411W | 12.5 | | 136 | | 136 |
| | BL 2303U | | | | | " 5505W | 17.1 | | 145 | | 87 |
| | " | | | | | " 5506W | 15.8 | | 144 | | 99 |
| | " | | | | | " 5507W | 14.3 | | 142 | | 114 |
| | " | | | | | " 5509W | 16.3 | | 144 | | 95 |
| | " | | | | | " 5609W | 18.2 | | 135 | | 90 |
| | " | | | | | " 5610W | 17.1 | | 139 | | 94 |
| | " | | | | | " 5611W | 18.1 | | 136 | | 89 |
| | " | | | | | " 5612W | 16.8 | | 133 | | 104 |
| | BL 2106U | | | | | " 5807W | 14.3 | | 135 | | 122 |
| | " | | | | | " 5809W | 17.1 | | 131 | | 103 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Bloomsbury Farms (continued) | BL 2202U | | | | | BL | 5903W | 14.4 | 126 | | 132 |
| | " | | | | | " | 5904W | 13.5 | 127 | | 138 |
| | " | | | | | " | 5905W | 16.4 | 127 | | 114 |
| | " | | | | | " | 5906W | 15.5 | 131 | | 117 |
| | BL 1512T | -1.5 | -8.8 | 163 | 47 | " | 6004W | 14.8 | 135 | | 118 |
| | " | " | " | " | " | " | 6005W | 18.3 | 131 | | 93 |
| | " | " | " | " | " | " | 6007W | 16.3 | 127 | | 115 |
| | " | " | " | " | " | " | 6008W | 14.8 | 138 | | 114 |
| | " | " | " | " | " | " | 6112W | 17.8 | 134 | | 94 |
| | " | " | " | " | " | " | 6113W | 15.6 | 132 | | 115 |
| | BL 2806U | | | | | " | 6207W | 19.9 | 124 | | 88 |
| | BL 1512T | -1.5 | -8.8 | 163 | 47 | " | 6306W | 17.3 | 126 | | 108 |
| | " | " | " | " | " | " | 6307W | 15.4 | 122 | | 128 |
| | " | " | " | " | " | " | 6310W | 13.8 | 128 | | 134 |
| Five Lakes Farms Mayerthorpe 786-4373 | 12 month average | | | | | 109 pigs | (12.4) | (158) | | | 100 |
| | JA 11201U | | | | | JA | 12201W | 10.8 | 190 | | 75 |
| | " | | | | | " | 13301W | 12.0 | 172 | | 85 |
| | KR 1303S | -2.1 | -1.5 | 151 | 94 | " | 14401W | 13.8 | 178 | | 55 |
| | " | " | " | " | " | " | 14904W | 10.3 | 168 | | 111 |
| | JA 5204U | | | | | " | 15602W | 13.8 | 145 | | 101 |
| | NE 36U (1) | | | | | " | 17201W | 12.9 | 144 | | 112 |
| Gwynne Vista Farms Gwynne 352-2998 | 12 month average | | | | | 97 pigs | (13.3) | (162) | | | 100 |
| | KR 6102U | | | | | KR | 9403W | 11.7 | 187 | | 73 |
| | NE 36U (1) | | | | | " | 9702W | 13.4 | 179 | | 81 |
| | " | | | | | " | 10201W | 12.9 | 174 | | 83 |
| | " | | | | | " | 10202W | 11.8 | 178 | | 89 |
| | KR 8904S | -2.3 | +1.8 | 143 | 89 | " | 10300W | 7.9 | 183 | | 123 |
| | NE 36U (1) | | | | | " | 11501W | 10.2 | 156 | | 147 |
| | " | | | | | " | 11502W | 11.3 | 160 | | 127 |
| | " | | | | | " | 11503W | 9.2 | 157 | | 155 |
| | " | | | | | " | 11504W | 12.0 | 154 | | 130 |
| | " | | | | | " | 11505W | 13.2 | 166 | | 94 |
| | " | | | | | " | 11506W | 11.3 | 156 | | 135 |
| | " | | | | | " | 12303W | 12.6 | 139 | | 150 |
| | " | | | | | " | 12304W | 11.0 | 147 | | 153 |
| | " | | | | | " | 12305W | 10.1 | 150 | | 159 |
| | " | | | | | " | 12306W | 12.0 | 151 | | 135 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-------|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | INDEX | |
| <u>HAMPSHIRE</u> | | | | | | | | | | |
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 12 month average | | | | | 49 pigs | (13.8) | (160) | | 100 |
| | WM 1606U | | | | | WM 5106W | 13.4 | 164 | | 100 |
| | " | | | | | " 5304W | 11.7 | 141 | | 136 |
| | " | | | | | " 5308W | 12.6 | 147 | | 122 |
| | WM 8304T | -0.1 | -6.2 | 124 | 63 | " 5404W | 12.4 | 147 | | 124 |
| | " | " | " | " | " | " 5405W | 11.7 | 157 | | 123 |
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | (Not Available) | | | | |
| | ARBF 656T | -1.0 | -7.1 | 155 | 67 | ARBF 534W | 12.7 | 150 | | |
| | " | " | " | " | " | " 535W | 12.4 | 149 | | |
| Brownlee, J. Hairy Hill 768-2313 | 12 month average | | | | | 29 pigs | (12.9) | (167) | | 100 |
| | BUFA 27U | | | | | AHKP 415W | 14.4 | 102 | | 47 |
| | " | | | | | " 416W | 11.4 | 194 | | 90 |
| | ASUS 121T | | | | | " 426W | 9.4 | 184 | | 122 |
| Five Lakes Farms Mayerthorpe 786-4373 | 12 month average | | | | | 82 pigs | (11.7) | (161) | | 100 |
| | JKAA 8106U | | | | | JKAA 10506W | 11.6 | 220 | | 9 |
| | " | | | | | " 11602W | 12.1 | 185 | | 58 |
| | JKAA 8103U | | | | | NP 12502W | 9.2 | 190 | | 83 |
| | " | | | | | " 12505W | 13.3 | 185 | | 41 |
| | " | | | | | " 12601W | 11.2 | 187 | | 65 |
| | " | | | | | " 12604W | 11.8 | 190 | | 53 |
| | AJCM 2425T | | | | | YAP 13003W | 13.4 | 197 | | 24 |
| | " | | | | | " 13005W | 11.0 | 183 | | 73 |
| | " | | | | | " 13006W | 11.5 | 186 | | 63 |
| | " | | | | | " 13007W | 13.4 | 197 | | 24 |
| | " | | | | | NP 13105W | 13.0 | 189 | | 41 |
| | JKAA 8103U | | | | | JKAA 13805W | 12.2 | 179 | | 66 |
| | " | | | | | YAP 14002W | 11.5 | 178 | | 75 |
| | " | | | | | " 14003W | 11.5 | 169 | | 89 |
| | " | | | | | " 14004W | 12.8 | 179 | | 59 |
| | " | | | | | " 14005W | 12.4 | 186 | | 53 |
| Papenhuyzen, C. Stony Plain 963-4358 | 12 month average | | | | | 21 pigs | (13.5) | (172) | | 100 |
| | ASUS 49S | +0.4 | +11.1 | 53 | 87 | ASUS 390W | 13.0 | 168 | | 112 |
| | " | " | " | " | " | " 392W | 14.7 | 172 | | 82 |
| | " | " | " | " | " | " 393W | 14.2 | 181 | | 78 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--------------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Papenhuyzen, C. (continued) | ASUS 49S | +0.4 | +11.1 | 53 | 87 | ASUS 394W | 12.8 | | 170 | | 113 |
| | " | " | " | " | " | " 395W | 12.3 | | 161 | | 131 |
| | " | " | " | " | " | " 396W | 13.6 | | 185 | | 82 |

DUROC

| | | | | | | | | | | | |
|--|------------------|------|------|-----|----|-----------------|--------|--|-------|--|-----|
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | (Not Available) | | | | | |
| | ARBF 64T | -1.1 | -0.6 | 130 | 63 | ARBF 562W | 15.0 | | 133 | | |
| | " | " | " | " | " | " 563W | 12.9 | | 143 | | |
| | " | " | " | " | " | " 564W | 12.8 | | 139 | | |
| | " | " | " | " | " | " 565W | 13.9 | | 139 | | |
| Maschmeyer, G. Bruderheim 998-2845 | 12 month average | | | | | 41 pigs | (13.8) | | (148) | | 100 |
| | AODU 858T (1) | | | | | HILL 151W | 14.1 | | 157 | | 81 |
| | " | | | | | " 153W | 14.6 | | 159 | | 74 |
| | " | | | | | " 154W | 13.4 | | 166 | | 72 |
| | " | | | | | " 155W | 14.7 | | 174 | | 47 |
| | " | | | | | " 156W | 14.1 | | 178 | | 46 |
| | HILL 123U | | | | | " 166W | 10.2 | | 170 | | 93 |
| Papenhuyzen, C. Stony Plain 963-4358 | 12 month average | | | | | (Not Available) | | | | | |
| | AIHO 54U | | | | | ASUS 410W | 12.2 | | 162 | | |
| | " | | | | | " 412W | 13.4 | | 167 | | |

CROSSBRED

| | | | | | | | | | | | |
|---|------------------|------|------|-----|----|-----------------|--------|--|-------|--|-----|
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 12 month average | | | | | 23 pigs | (15.5) | | (135) | | 100 |
| | BL 15613T | | | | | 8KJ 2409W | 16.3 | | 154 | | 62 |
| | BL 15611T | | | | | " 2503W | 13.7 | | 142 | | 100 |
| | " | | | | | " 2706W | 13.3 | | 151 | | 87 |
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | 85 pigs | (13.6) | | (141) | | 100 |
| | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | 544W | 13.3 | | 138 | | 110 |
| Carrich Stock Farm Ponoka 783-5181 | 12 month average | | | | | (Not Available) | | | | | |
| | ARHL 313T (1) | -0.5 | +1.4 | 103 | 92 | 8CS 1590W | 10.7 | | 200 | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | |
|--|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--|-----------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | INDEX |
| Groot, C. Neerlandia 674-4077 | 12 month average | | | | | 70 pigs | (13.7) | | (164) | 100 |
| | 4304 | | | | | 6210W | 10.5 | | 164 | 133 |
| | " | | | | | 6213W | 13.1 | | 172 | 93 |
| | 3991 | | | | | 6224W | 12.4 | | 153 | 130 |
| | 4775 | | | | | 6231W | 11.2 | | 165 | 123 |
| | " | | | | | 6238W | 14.8 | | 167 | 82 |
| | 3083 | | | | | 6262W | 12.1 | | 154 | 131 |
| | 4775 | | | | | 6302W | 15.9 | | 153 | 94 |
| | " | | | | | 6342W | 13.2 | | 153 | 121 |
| Ranchview Test Barn Bentley 748-3802 | 12 month average | | | | | 598 pigs | (13.5) | | (157) | 100 |
| | RFAA 3522T | | | | | 2912W | 10.6 | | 155 | 137 |
| | AMBW 514S (1) | -1.6 | +4.9 | 110 | 95 | 2943W | 14.2 | | 150 | 104 |
| | AOUD 858T (1) | | | | | 2961W | 14.8 | | 159 | 80 |
| | " | | | | | 2963W | 14.3 | | 159 | 86 |
| | RFAA 1791T | | | | | 2973W | 13.9 | | 163 | 82 |
| | " | | | | | 2974W | 13.0 | | 157 | 105 |
| | " | | | | | 2975W | 15.2 | | 168 | 58 |
| | KTDA 262T (1) | | | | | 2981W | 13.1 | | 149 | 121 |
| | AOUD 858T (1) | | | | | 3003W | 11.4 | | 159 | 120 |
| | " | | | | | 3005W | 12.5 | | 150 | 125 |
| | " | | | | | 3007W | 11.8 | | 159 | 118 |
| | KKEF 2332T (1) | 0.0 | -8.4 | 133 | 89 | 3043W | 13.4 | | 159 | 96 |
| | AJCM 2425T (1) | | | | | 3033W | 9.9 | | 148 | 160 |
| | RFAA 2165T | | | | | 3093W | 12.5 | | 142 | 140 |
| | RFAA 5711U | | | | | 3102W | 16.3 | | 140 | 100 |
| | RFAA 3522T | | | | | 3121W | 11.9 | | 145 | 141 |
| | " | | | | | 3125W | 13.1 | | 149 | 119 |
| | AMBW 514S (1) | -1.6 | +4.9 | 110 | 95 | 3132W | 14.0 | | 151 | 105 |
| | RITR 924T (1) | -1.1 | -12.8 | 169 | 64 | 3144W | 14.5 | | 156 | 90 |
| | AOUD 858T (1) | | | | | 3173W | 12.4 | | 145 | 136 |
| | RFAA 3271T | | | | | 3423W | 12.2 | | 134 | 160 |
| Ranchview Farms "B" Bentley 748-3802 | 12 month average | | | | | 122 pigs | (13.4) | | (160) | 100 |
| | RFAA 5496S | | | | | 3969W | 14.0 | | 154 | 104 |
| | EDJL 142U (1) | | | | | 4043W | 12.8 | | 152 | 123 |
| | " | | | | | 4044W | 11.5 | | 156 | 128 |
| | " | | | | | 4046W | 13.2 | | 154 | 113 |
| | " | | | | | 4047W | 11.8 | | 148 | 140 |
| | " | | | | | 4048W | 15.9 | | 146 | 100 |
| | JBFA 2S (1) | -0.8 | -7.5 | 141 | 98 | 4106W | 11.7 | | 146 | 146 |
| | " | " | " | " | " | 4107W | 9.5 | | 151 | 161 |
| | " | " | " | " | " | 41010W | 11.5 | | 141 | 158 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | AGE | INDEX |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|-----------------|-----------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | |
| West, N. & T.J. | 12 month average | | | | | | (Not Available) | | |
| Radway 736-3790 | MCMC 13T | -0.6 | +0.3 | 108 | 71 | 1103W | 14.5 | 159 | |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | (Not Available) | | | 6 | 15.8 | 149 |
| Agra Farms Ltd. Okotoks 938-7741 | 121 | 14.4 | 157 | 17 | 12.9 | 149 |
| Barrett, R. & A. Ponoka 783-5192 | (Not Available) | | | 1 | 15.2 | 159 |
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 48 | 17.4 | 160 | 18 | 16.9 | 143 |
| Braat, J. Coaldale 327-9757 | 146 | 12.5 | 155 | 10 | 11.1 | 166 |
| Brownlee, J. Hairy Hill 768-2313 | 39 | 15.4 | 167 | 5 | 15.1 | 165 |
| Carrich Stock Farm Ponoka 783-5181 | (Not Available) | | | 3 | 12.8 | 184 |
| Five Lakes Farms Mayerthorpe 786-4373 | 162 | 14.0 | 171 | 12 | 13.1 | 186 |
| Gwynne Vista Farms Gwynne 352-2998 | 133 | 14.0 | 173 | 17 | 10.8 | 165 |
| Maschmeyer, G. Bruderheim | 27 | 14.8 | 153 | 3 | 14.7 | 147 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Papenhuyzen, C. Stony Plain 963-4358 | 20 | 19.1 | 165 | 9 | 15.3 | 172 |
| Vandenberg, J. Camrose 672-6177 | 26 | 15.0 | 166 | 2 | 16.6 | 148 |
| West, N. & T.J. Radway 736-3790 | 23 | 14.3 | 160 | 3 | 15.7 | 151 |
| <u>LANDRACE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | (Not Available) | | | 12 | 13.8 | 152 |
| Agra Farms Ltd. Okotoks 938-7741 | 150 | 13.6 | 160 | 2 | 11.8 | 144 |
| Barrett, R. & A. Ponoka 783-5192 | 137 | 15.9 | 143 | 11 | 13.2 | 140 |
| Duff, D. Ft. Saskatchewan 998-3101 | 102 | 14.5 | 149 | 8 | 14.0 | 153 |
| Lakeland College Vermilion 853-8597, Ext. 597 | 143 | 15.5 | 166 | 14 | 15.2 | 175 |
| <u>LACOMBE</u> | | | | | | |
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 70 | 16.7 | 148 | 38 | 16.9 | 141 |
| Five Lakes Farms Mayerthorpe 786-4373 | 101 | 13.9 | 171 | 6 | 13.4 | 172 |
| Gwynne Vista Farms Gwynne 352-2998 | 133 | 14.5 | 171 | 17 | 13.5 | 167 |

| | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| BREEDER ADDRESS & TELEPHONE | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>HAMPSHIRE</u> | | | | | | |
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 51 | 14.0 | 178 | 4 | 12.7 | 156 |
| Braat, J. Coaldale 327-9757 | (Not Available) | | | 3 | 14.4 | 154 |
| Brownlee, J. Hairy Hill 768-2313 | 35 | 13.2 | 177 | 2 | 10.4 | 173 |
| Five Lakes Farms Mayerthorpe 786-4373 | 78 | 12.8 | 174 | 6 | 12.7 | 185 |
| Papenhuyzen, C. Stony Plain 963-4358 | 34 | 15.0 | 172 | 1 | 16.6 | 175 |
| <u>DUROC</u> | | | | | | |
| Braat, J. Coaldale 327-9757 | (Not Available) | | | 2 | 13.5 | 135 |
| Maschmeyer, G. Bruderheim 998-2845 | 32 | 15.5 | 150 | 4 | 13.9 | 159 |
| Papenhuyzen, C. Stony Plain 963-4358 | (Not Available) | | | 1 | 16.0 | 164 |
| <u>CROSSBRED</u> | | | | | | |
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 37 | 16.2 | 134 | 24 | 16.0 | 142 |
| Braat, J. Coaldale 327-9757 | 24 | 14.9 | 148 | 10 | 13.6 | 146 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|----------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AV AG |
| Carrich Stock Farm Ponoka 783-5181 | 66 | 14.0 | 180 | 2 | 13.5 | 17 |
| Groot, C. Neerlandia 674-4077 | 149 | 13.8 | 167 | 34 | 13.4 | 16 |
| Gwynne Vista Farms Gwynne 352-2998 | 117 | 14.5 | 165 | 16 | 12.8 | 16 |
| Jacobsson, G. Neerlandia 674-4867 | 159 | 14.3 | 167 | 33 | 13.0 | 17 |
| Old House Farms Neerlandia 674-5453 | 97 | 13.8 | 177 | 16 | 13.4 | 17 |
| Olds College Olds 556-8393 | 377 | 15.5 | 160 | 45 | 15.3 | 15 |
| Ranchview Test Barn Bentley 748-3802 | 231 | 14.4 | 171 | 21 | 12.9 | 17 |
| Ranchview Farms "B" Bentley 748-3802 | 728 | 15.2 | 167 | 42 | 13.7 | 15 |
| West, N. & T.J. Radway 736-3790 | 191 | 15.5 | 158 | 27 | 14.9 | 15 |

Alberta Swine Improvement Program

CANADIANA

FEB 15 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

January 16 - 31, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . . **Alberta**
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>YORKSHIRE</u> | | | | | | | | | | | |
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 12 month average | | | | | 46 pigs | (15.1) | (150) | | 100 | |
| | WM 2505U | | | | | WM 5706W | 14.2 | 152 | | 107 | |
| | " | | | | | " 5708W | 16.6 | 160 | | 74 | |
| | WM 804U | +1.9 | -6.5 | 91 | 70 | " 6207W | 13.7 | 147 | | 118 | |
| | " | " | " | " | " | " 6209W | 12.6 | 144 | | 132 | |
| Eringsfeld, B. Coaldale 345-3420 | 12 month average | | | | | 52 pigs | (13.8) | (167) | | 100 | |
| | AREE 192U | | | | | AOGK 703W | 13.0 | 174 | | 98 | |
| | " | | | | | " 704W | 11.3 | 173 | | 120 | |
| | KKEF 3084T | -1.3 | -0.8 | 128 | 64 | " 711W | 13.4 | 163 | | 110 | |
| | KKEF 1304S | -0.7 | +0.1 | 113 | 96 | " 761W | 15.0 | 146 | | 116 | |
| | " | " | " | " | " | " 762W | 12.6 | 175 | | 100 | |
| | AREE 192U | | | | | " 772W | 14.0 | 150 | | 122 | |
| Knobben, Gary Jarvie 954-2125 | 12 month average | | | | | 34 pigs | (12.5) | 158 | | 100 | |
| | AREE 552U | | | | | GARY 221W | 11.8 | 148 | | 127 | |
| | " | | | | | " 224W | 11.0 | 142 | | 148 | |
| | " | | | | | " 226W | 10.8 | 144 | | 149 | |
| | " | | | | | " 228W | 10.6 | 144 | | 152 | |
| | GARY 42S | +1.7 | -3.7 | 83 | 89 | " 250W | 12.3 | 143 | | 130 | |
| | " | " | " | " | " | " 251W | 11.8 | 144 | | 133 | |
| | " | " | " | " | " | " 253W | 11.1 | 145 | | 142 | |
| | " | " | " | " | " | " 254W | 10.4 | 136 | | 168 | |
| | " | " | " | " | " | " 255W | 12.6 | 134 | | 141 | |
| | AREE 510U | | | | | GARY 271W | 14.2 | 129 | | 127 | |
| Knobben, John Jarvie 954-2647 | 12 month average | | | | | 46 pigs | (12.5) | 151 | | 100 | |
| | GARY 42S | +1.7 | -3.7 | 83 | 89 | AREE 260W | 9.4 | 160 | | 117 | |
| | " | " | " | " | " | " 265W | 11.4 | 158 | | 99 | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE 90 KG | INDE |
|--|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|--------------|------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| Matejka, George Sylvan Lake 887-2656 | 12 month average | | | | | 239 pigs | (13.0) | (162) | | 100 |
| | KKEF 570S | | | | | KKEF 1960W | 15.3 | 165 | | 65 |
| | " | | | | | " 1962W | 15.9 | 161 | | 65 |
| | KKEF 1494T | -1.4 | -5.3 | 145 | 79 | " 1972W | 9.5 | 165 | | 138 |
| | KKEF 342U | -0.4 | -3.3 | 121 | 64 | KKEF 1981W | 11.6 | 167 | | 109 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | KKEF 1990W | 11.8 | 163 | | 114 |
| | DOUG " | -2.5 | -1.5 | 151 | 75 | KKEF 1997W | 11.1 | 168 | | 113 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | KKEF 1998W | 10.4 | 174 | | 111 |
| | KKEF 2701S | -1.1 | -8.3 | 152 | 84 | KKEF 2002W | 11.6 | 167 | | 110 |
| | RITR 774U | | | | | KKEF 2050W | 12.3 | 183 | | 70 |
| | RITR 774U | | | | | KKEF 2051W | 11.4 | 164 | | 118 |
| | KKEF 2701S | -1.1 | -8.3 | 152 | 84 | KKEF 2070W | 10.5 | 160 | | 137 |
| | KKEF 1950U | | | | | KKEF 2082W | 11.5 | 156 | | 131 |
| | KKEF 2193S | -1.1 | -4.9 | 140 | 88 | KKEF 2092W | 10.9 | 162 | | 127 |
| | KKEF 342S | -0.4 | -3.3 | 121 | 64 | KKEF 2115W | 14.2 | 165 | | 79 |
| | KKEF02180T | +0.1 | -0.8 | 102 | 78 | KKEF 2142W | 14.4 | 159 | | 89 |
| | KKEF 342S | -0.4 | -3.3 | 121 | 64 | KKEF 2181W | 12.0 | 158 | | 121 |
| | KKEF 342U | -0.4 | -3.3 | 121 | 64 | KKEF 2182W | 12.1 | 151 | | 132 |
| | KKEF 342U | -0.4 | -3.3 | 121 | 64 | KKEF 2183W | 11.5 | 154 | | 135 |
| | KKEF 342U | -0.4 | -3.3 | 121 | 64 | KKEF 2203W | 11.3 | 154 | | 138 |
| | KKEF 570S | | | | | KKEF 2220W | 13.7 | 142 | | 129 |
| | KKEF 570S | | | | | KKEF 2221W | 13.1 | 144 | | 134 |
| | KKEF 570S | | | | | KKEF 2223W | 13.7 | 155 | | 106 |
| | KKEF 570S | | | | | KKEF 2224W | 14.4 | 150 | | 105 |
| | KKEF 570S | | | | | KKEF 2225W | 15.3 | 150 | | 93 |
| | KKEF 342U | -0.4 | -3.3 | 121 | 64 | KKEF 2261W | 9.9 | 150 | | 163 |
| | RITR 774U | | | | | KKEF 2270W | 12.6 | 150 | | 128 |
| | RITR 774U | | | | | KKEF 2273W | 12.9 | 152 | | 121 |
| | KKEF 1494T | -1.4 | -5.3 | 145 | 79 | KKEF 2282W | 10.5 | 146 | | 162 |
| | KKEF 1494T | -1.4 | -5.3 | 145 | 79 | KKEF 2286W | 11.5 | 150 | | 142 |
| | RITR 774U | | | | | KKEF 2292W | 13.2 | 148 | | 124 |
| | RITR 774U | | | | | KKEF 2293W | 10.4 | 147 | | 161 |
| | RITR 774U | | | | | KKEF 2296W | 12.0 | 152 | | 132 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | KKEF 2302W | 11.6 | 155 | | 131 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | KKEF 2306W | 12.9 | 146 | | 133 |
| | KKEF 342U | -0.4 | -3.3 | 121 | 64 | KKEF 2396W | 9.5 | 152 | | 164 |
| | KKEF02180T | | | | | KKEF 2401W | 14.4 | 146 | | 114 |
| | KKEF02180T | +0.1 | -0.8 | 102 | 78 | KKEF 2402W | 12.1 | 146 | | 141 |
| | RITR 774U | +0.1 | -0.8 | 102 | 78 | KKEF 2471W | 10.6 | 154 | | 146 |
| | RITR 774U | | | | | KKEF 2472W | 10.1 | 158 | | 146 |
| | RITR 774U | | | | | KKEF 2486W | 10.6 | 148 | | 157 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------|----------|---------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Milne, Bruce Ponoka 783-6695 | 12 month average | | | | | 105 pigs | (13.1) | | (149) | | 100 |
| | MILN 573U | | | | | MILN 650W | 13.4 | | 139 | | 120 |
| | MILN 573U | | | | | MILN 651W | 13.4 | | 137 | | 124 |
| | MILN 383U | | | | | MILN 676W | 11.4 | | 144 | | 132 |
| Reiter Farms Ltd Iron Springs 738-4472 | 12 month average | | | | | 109 pigs | (12.4) | | (151) | | 100 |
| | RITR 924T (1) | -1.1 | -12.8 | 169 | 64 | RITR 1603W | 13.6 | | 134 | | 121 |
| | RITR 924T (1) | -1.1 | -12.8 | 169 | 64 | RITR 1604W | 11.9 | | 134 | | 138 |
| | RITR 924T (1) | -1.1 | -12.8 | 169 | 64 | RITR 1606W | 16.3 | | 137 | | 88 |
| | RITR 924T (1) | -1.1 | -12.8 | 169 | 64 | RITR 1625W | 12.7 | | 130 | | 138 |
| Rice, Ronald Ardrossan 998-2794 | 12 month average | | | | | 29 pigs | (14.2) | | (166) | | 100 |
| | AHPZ 146T | -0.6 | +5.5 | 89 | 57 | AHPZ 210W | 12.3 | | 181 | | 102 |
| | AHPZ 146T | -0.6 | +5.5 | 89 | 57 | AHPZ 211W | 12.2 | | 175 | | 108 |
| | AHPZ 146T | -0.6 | +5.5 | 89 | 57 | AHPZ 216W | 17.2 | | 164 | | 73 |
| | AHPZ 146T | " | " | " | " | " 217W | 20.0 | | 161 | | 49 |
| Roeske, Murray Alcomdale 939-4938 | 12 month average | | | | | 35 pigs | (15.0) | | (147) | | 100 |
| | YRZN 575T (1) | -1.5 | +4.9 | 108 | 85 | ROSE 347W | 11.7 | | 158 | | 110 |
| | " (1) | " | " | " | " | " 350W | 11.4 | | 144 | | 146 |
| | ROSE 511U | | | | | ROSE 356W | 12.2 | | 144 | | 136 |
| | RITR 1174U (1) | | | | | ROSE 363W | 14.4 | | 133 | | 140 |
| | RITR 1174U (1) | | | | | ROSE 365W | 12.8 | | 127 | | 169 |
| | AMBW 514S (1) | -1.6 | +4.9 | 110 | 95 | ROSE 378W | 10.0 | | 142 | | 166 |
| Turko, Daniel Newbrook 576-2315 | 12 month average | | | | | 20 pigs | (14.5) | | (151) | | 100 |
| | GARY 315T | +1.4 | -4.0 | 90 | 82 | DANY 160W | 12.7 | | 142 | | 136 |
| | GARY 315T | " | " | " | " | " 161W | 13.4 | | 150 | | 117 |
| | " | " | " | " | " | " 162W | 16.1 | | 138 | | 99 |
| | " | " | " | " | " | " 163W | 14.6 | | 154 | | 95 |
| | " | " | " | " | " | " 164W | 13.7 | | 133 | | 136 |
| | " | " | " | " | " | " 170W | 16.8 | | 131 | | 100 |
| | " | " | " | " | " | " 180W | 18.6 | | 137 | | 67 |
| | " | " | " | " | " | " 190W | 14.5 | | 123 | | 141 |
| | " | " | " | " | " | " 200W | 16.0 | | 134 | | 105 |
| est, N. & T.J. adway 36-3790 | 12 month average | | | | | 31 pigs | (14.2) | | (157) | | 100 |
| | KKEF 2104U | | | | | ATED 198W | 16.6 | | 127 | | 115 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>LANDRACE</u> | | | | | | | | | | | |
| Barrett, R. & A. Ponoka 783-5192 | 12 month average | | | | | 105 pigs | (14.5) | (136) | | | 100 |
| | ROYS 402T | -0.4 | -9.0 | 141 | 72 | ROYS 289W | 11.9 | 157 | | | 81 |
| | AOUD 1803U | | | | | ROYS 300W | 13.4 | 140 | | | 102 |
| | AOUD 1803U | | | | | ROYS 301W | 12.9 | 148 | | | 90 |
| | ROYS 61U | -1.2 | -4.2 | 136 | 82 | ROYS 314W | 11.0 | 134 | | | 136 |
| | ROYS 273U | | | | | ROYS 324W | 10.2 | 134 | | | 144 |
| | ROYS 273U | | | | | ROYS 325W | 14.2 | 125 | | | 125 |
| | ROYS 273U | | | | | ROYS 326W | 11.1 | 133 | | | 138 |
| Knobben, Gary Jarvie 954-2125 | 12 month average | | | | | (Not Available) | | | | | |
| | AVON 417U (1) | | | | | GARY 240W | 13.1 | 141 | | | |
| Matejka, Tony Sylvan Lake 887-2656 | 12 month average | | | | | 26 pigs | (13.9) | (161) | | | 100 |
| | TONY 1972U | | | | | TONY 2150W | 13.9 | 162 | | | 99 |
| | " | | | | | " 2151W | 13.8 | 165 | | | 95 |
| | " | | | | | " 2152W | 13.0 | 166 | | | 103 |
| | " | | | | | " 2154W | 13.4 | 162 | | | 104 |
| Milne, Bruce Ponoka 783-6695 | 12 month average | | | | | 44 pigs | (13.1) | (150) | | | 100 |
| | MILN 745T | 0.0 | -9.4 | 136 | 60 | MILN 665W | 12.2 | 132 | | | 138 |
| | MILN 745T | " | " | " | " | " 666W | 11.8 | 139 | | | 137 |
| | " | " | " | " | " | " 667W | 10.6 | 138 | | | 156 |
| Reiter Farms Ltd Iron Springs 738-4472 | 12 month average | | | | | 25 pigs | (12.7) | (146) | | | 100 |
| | AVON 417U (1) | | | | | RITR 1634W | 12.4 | 128 | | | 132 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------|------------------------|-------------|---------------|--------------|----------|---------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |

LACOMBE

| | | | | | | | | | |
|---------------------------------------|----------|--|--|--|--|----------|--------|-------|-----|
| Bloomsbury Farms Ltd 12 month average | | | | | | 70 pigs | (15.9) | (142) | 100 |
| Bloomsbury 674-3307 | BL 1512T | | | | | BL 6003W | 14.2 | 160 | 93 |
| | " | | | | | " 6105W | 14.9 | 156 | 92 |
| | " | | | | | " 6107W | 11.6 | 144 | 134 |
| | " | | | | | " 6309W | 14.0 | 135 | 124 |
| | " | | | | | " 6311W | 14.8 | 136 | 117 |
| | " | | | | | " 6313W | 16.1 | 136 | 106 |
| | BL 2405U | | | | | BL 6506W | 12.9 | 143 | 124 |
| | BL 3102U | | | | | BL 6609W | 16.8 | 145 | 89 |
| | BL 3102U | | | | | BL 6610W | 16.8 | 145 | 89 |
| | BL 3102U | | | | | BL 6611W | 13.6 | 137 | 125 |
| | BL 2106U | | | | | BL 6707W | 15.2 | 126 | 125 |
| | " | | | | | BL 6708W | 14.0 | 129 | 132 |
| | " | | | | | BL 6710W | 14.4 | 135 | 121 |

HAMPSHIRE

| | | | | | | | | | |
|---------------------------------------|----------|------|-------|-----|----|----------|--------|-------|-----|
| Bloomsbury Farms Ltd 12 month average | | | | | | 49 pigs | (13.8) | (160) | 100 |
| Bloomsbury 674-3307 | WM 1606U | +1.1 | -10.8 | 99 | 64 | WM 5604W | 12.9 | 153 | 114 |
| | " | " | " | " | " | " 6004W | 13.4 | 155 | 108 |
| | " | " | " | " | " | " 6006W | 12.1 | 150 | 125 |
| | " | | | | | | | | |
| | WM 8304T | +0.1 | -6.3 | 115 | 63 | WM 6103W | 11.4 | 141 | 139 |
| | WM 2601U | | | | | WM 6309W | 11.0 | 139 | 144 |
| | WM 1606U | +1.1 | -10.8 | 99 | 64 | WM 6407W | 13.1 | 140 | 123 |

| | | | | | | | | | |
|--------------------------------------|-----------|------|-------|----|----|-----------|--------|-------|-----|
| apenhuyzon, Charles 12 month average | | | | | | 21 pigs | (13.5) | (172) | 100 |
| ony Plain 63-4358 | DASA 870T | +0.7 | -2.5 | 85 | 73 | ASUS 340W | 11.6 | 188 | 109 |
| | " | " | " | " | " | " 341W | 10.8 | 205 | 101 |
| | " | " | " | " | " | " 342W | 12.4 | 183 | 103 |
| | " | " | " | " | " | " 347W | 10.2 | 176 | 145 |
| | ASUS 49S | +0.1 | +12.1 | 57 | 88 | " 461W | 9.9 | 148 | 184 |
| | ASUS 49S | " | " | " | " | " 472W | 10.2 | 172 | 150 |
| | ASUS 49S | " | " | " | " | " 473W | 11.5 | 168 | 135 |

| | | | | | | | | | | |
|----------------------------------|-----------|--|--|--|--|-----------------|------|-----|--|--|
| eiter Farms Ltd 12 month average | | | | | | (Not available) | | | | |
| ron Springs 38-4472 | AHKP 580T | | | | | RITR 1543W | 13.2 | 145 | | |
| | " | | | | | " 1544W | 13.5 | 144 | | |
| | " | | | | | " 1566W | 10.8 | 152 | | |
| | " | | | | | " 1567W | 13.0 | 152 | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDE |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|-----------------|-----------------|-------|--|------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>DUROC</u> | | | | | | | | | | | |
| Matejka, Steven | 12 month average | | | | | | (Not available) | | | | |
| Sylvan Lake | | | | | | | | | | | |
| 887-2656 | HILL 68U | -0.3 | -1.3 | 114 | 38 | SMBL 2163W | 10.8 | | 165 | | |
| | " | " | " | " | " | SMBL 2164W | 10.4 | | 166 | | |
| | " | " | " | " | " | SMBL 2165W | 12.0 | | 167 | | |
| | " | " | " | " | " | " 2166W | 10.6 | | 160 | | |
| Neufeld Farms Ltd | 12 month average | | | | | 29 pigs | (13.4) | | (169) | | 100 |
| Acme | | | | | | | | | | | |
| 546-3969 | NEUF 180T | -0.8 | -7.8 | 163 | 65 | NEUF 150W | 14.8 | | 153 | | 104 |
| | " | " | " | " | " | " 151W | 15.3 | | 151 | | 101 |
| | " | " | " | " | " | NEUF 153W | 15.9 | | 159 | | 82 |
| | " | " | " | " | " | " 155W | 14.3 | | 148 | | 120 |
| Reiter Farms Ltd | 12 month average | | | | | | (12.4) | | (147) | | 100 |
| Iron Springs | | | | | | | | | | | |
| 738-4472 | HILL 161T | -0.5 | -2.1 | 123 | 66 | RITR 1552W | 13.1 | | 146 | | 89 |
| | " | " | " | " | " | " 1553W | 12.4 | | 141 | | 112 |
| Rice, Ronald | 12 month average | | | | | 29 pigs | (15.2) | | (176) | | 100 |
| Ardrossan | | | | | | | | | | | |
| 998-2794 | ARVY 14T | -1.0 | -0.3 | 127 | 56 | AHPZ 236W | 13.1 | | 152 | | 156 |
| | " | " | " | " | " | " 237W | 15.6 | | 158 | | 122 |
| | " | " | " | " | " | " 238W | 12.7 | | 161 | | 146 |
| | " | " | " | " | " | " 239W | 14.3 | | 168 | | 120 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---------------------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>CROSSBRED</u> | | | | | | | | | | | |
| Bloomsbury Farms Ltd 12 month average | | | | | | 23 pigs | (15.5) | (135) | 100 | | |
| Bloomsbury 674-3307 | BL15611T | +0.7 | -6.0 | 106 | 66 | 8KJ 3204W | 14.2 | 145 | 91 | | |
| | BL15611T | " | " | " | " | " 3205W | 15.4 | 139 | 94 | | |
| | BL15611T | " | " | " | " | " 3206W | 15.6 | 143 | 86 | | |
| | " | " | " | " | " | " 3207W | 13.0 | 141 | 106 | | |
| | " | " | " | " | " | " 3208W | 15.9 | 137 | 94 | | |
| | BL 2705U | | | | | " 3304W | 18.0 | 145 | 67 | | |
| | " | | | | | " 3306W | 17.0 | 138 | 85 | | |
| | " | | | | | " 3307W | 18.7 | 143 | 66 | | |
| Neufeld Farms Ltd 12 month average | | | | | | 50 pigs | (14.3) | (160) | 100 | | |
| Acme 646-3960 | NEUF 180T | -0.8 | -7.8 | 163 | 65 | 159W | 15.5 | 153 | 96 | | |
| | " | " | " | " | " | 160W | 15.5 | 148 | 103 | | |
| | " | " | " | " | " | 162W | 14.2 | 149 | 115 | | |
| | NEUF 328 | | | | | 165W | 14.0 | 149 | 117 | | |
| | " | | | | | 166W | 12.4 | 143 | 141 | | |
| | NEUF 172 | | | | | 2331W | 12.2 | 161 | 120 | | |
| | " | | | | | 2332W | 12.6 | 158 | 120 | | |
| | " | | | | | 2333W | 11.4 | 162 | 128 | | |
| | " | | | | | 2334W | 13.4 | 157 | 113 | | |
| | NEUF 204 | | | | | 2535W | 12.6 | 154 | 126 | | |
| Lanchview Test Barn 12 month average | | | | | | 598 pigs | (13.5) | (157) | 100 | | |
| entley 48-3802 | RFAA 3522T | | | | | 2913W | 9.9 | 166 | 124 | | |
| | " | | | | | 3061W | 14.6 | 159 | 83 | | |
| | " | | | | | 3065W | 14.6 | 159 | 83 | | |
| | " | | | | | 3066W | 11.1 | 159 | 123 | | |
| | " | | | | | 3067W | 12.9 | 159 | 103 | | |
| | RFAA 2165T | | | | | 3094 | 13.6 | 161 | 89 | | |
| | RFAA 5711U | | | | | 3103W | 11.9 | 155 | 121 | | |
| | AOZM 333T (1) | +0.9 | -1.9 | 75 | 76 | 3116W | 11.5 | 159 | 119 | | |
| | RFAA 3522T | | | | | 3122W | 12.4 | 153 | 119 | | |
| | RFAA 3522T | | | | | 3124W | 12.4 | 153 | 119 | | |
| | AOZM 333T (1) | +0.9 | -1.9 | 75 | 76 | 3152W | 12.5 | 163 | 99 | | |
| | AOZM 333T (1) | " | " | " | " | 3156W | 14.1 | 150 | 104 | | |
| | AOZM 333T (1) | " | " | " | " | 3153W | 13.7 | 150 | 110 | | |
| | KKEF 2332T (1) | 0.0 | -8.4 | 133 | 89 | 3201W | 14.0 | 154 | 98 | | |
| | KKEF 2332T (1) | " | " | " | " | 3204W | 17.1 | 163 | 44 | | |
| | KKEF 2332T (1) | " | " | " | " | 3211W | 12.0 | 148 | 135 | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT 90 KG (MM) | AGE 90 KG (DAYS) | INDE |
|--------------------------------------|------------------------|----------------|---------------|--------------|----------|---------------|--------------------------|------------------------|------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | | | |
| Ranchview Test Barn 12 month average | | | | | | 598 pigs | (13.5) | (157) | 100 |
| Bentley 748-3802 | KKEF 2332T (1) | 0.0 | -8.4 | 133 | 89 | 3213W | 13.9 | 153 | 102 |
| | KKEF 2332T (1) | " | " | " | " | 3214W | 15.5 | 154 | 81 |
| | " | " | " | " | " | 3221W | 11.8 | 152 | 129 |
| | KKEF 2332T (1) | " | " | " | " | 3223W | 11.4 | 155 | 128 |
| | NPD 8714T (1) | +0.2 | +5.3 | 76 | 86 | 3235W | 13.5 | 150 | 114 |
| | AOUD 858T (1) | | | | | 3241W | 11.8 | 145 | 114 |
| | AOUD 858T (1) | | | | | 3242W | 9.6 | 148 | 162 |
| | AOUD 858T (1) | | | | | 3245W | 10.2 | 149 | 154 |
| | AMBW 514S (1) | -1.6 | +4.9 | 110 | 95 | 3251W | 10.4 | 144 | 162 |
| | AMBW 514S (1) | " | " | " | " | 3252W | 13.1 | 145 | 129 |
| | AMBW 514S (1) | " | " | " | " | 3253W | 12.5 | 146 | 133 |
| | " | " | " | " | " | 3254W | 14.8 | 149 | 99 |
| | " | " | " | " | " | 3255W | 12.5 | 144 | 136 |
| | RFAA 3271T | | | | | 3262W | 11.1 | 144 | 152 |
| | RFAA 3271T | | | | | 3266W | 11.3 | 145 | 150 |
| | AJCM 2425T (1) | | | | | 3272W | 10.2 | 144 | 163 |
| | AJCM 2425T (1) | | | | | 3274W | 10.8 | 148 | 149 |
| | AJCM 2425T (1) | | | | | 3283W | 11.0 | 157 | 129 |
| | AJCM 2425T (1) | | | | | 3284W | 11.0 | 143 | 155 |
| | NPD 8714T (1) | +0.2 | +5.3 | 76 | 86 | 3302W | 9.6 | 158 | 142 |
| | " (1) | | | | | 3307W | 13.6 | 147 | 118 |
| | RFAA 2162T | | | | | 3321W | 13.7 | 149 | 112 |
| | RFAA 2162T | | | | | 3322W | 14.3 | 150 | 103 |
| | RFAA 2162T | | | | | 3325W | 13.9 | 157 | 94 |
| | AJCM 2425T (1) | | | | | 3364W | 14.0 | 145 | 116 |
| Ranchview Farms B 12 month average | | | | | | 122 pigs | (13.4) | (160) | 100 |
| Bentley 748-3802 | EDJL 142U (1) | | | | | 39111W | 13.1 | 171 | 79 |
| | JBFA 2S (1) | -0.8 | -7.5 | 141 | 98 | 4108W | 9.9 | 167 | 123 |
| | RFAA 5999T | | | | | 4376W | 13.3 | 150 | 122 |
| | AVON 417U (1) | | | | | 44714W | 10.7 | 147 | 156 |
| | AVON 417U (1) | | | | | 44715W | 7.3 | 153 | 181 |
| | RFAA 1602U | | | | | 4527W | 12.1 | 154 | 126 |
| | RFAA 1602U | | | | | 4528W | 14.5 | 156 | 96 |
| | " | | | | | 4529W | 11.6 | 158 | 123 |
| | " | | | | | 45210W | 14.0 | 143 | 128 |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 48 | 17.4 | 160 | 11 | 15.2 | 150 |
| Eringfeld, B. Coaldale 345-3420 | 56 | 15.0 | 173 | 5 | 13.6 | 171 |
| Knobben, G. Jarvie 954-2125 | 54 | 13.4 | 166 | 8 | 12.2 | 162 |
| Knobben, J. Jarvie 954-2647 | 34 | 13.4 | 162 | 6 | 13.0 | 162 |
| Matejka, G. Sylvan Lake 887-2656 | 158 | 13.9 | 180 | 15 | 14.0 | 164 |
| Milne, B. Ponoka 783-6695 | 116 | 14.2 | 157 | 12 | 12.3 | 142 |
| Reiter Farms Iron Springs 738-4472 | 151 | 13.7 | 161 | 12 | 12.6 | 143 |
| Rice, R. Ardrossan 998-2794 | 29 | 14.9 | 169 | 12 | 16.3 | 178 |
| Roeske, M. Alcomdale 939-4938 | 137 | 16.0 | 156 | 6 | 16.6 | 141 |
| Turko, D. Newbrook 576-2315 | 43 | 15.6 | 160 | 6 | 15.6 | 129 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|----------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AV AG |
| Wakeena Farm Bentley 748-4252 | 23 | 15.4 | 171 | 3 | 11.7 | 17 |
| <u>LANDRACE</u> | | | | | | |
| Barrett, R. & A. Ponoka 783-5192 | 137 | 15.9 | 143 | 7 | 13.3 | 14 |
| Milne, B. Ponoka 783-6695 | 50 | 14.4 | 151 | 8 | 12.6 | 14 |
| Reiter Farms Ltd. Iron Springs 738-4472 | 27 | 14.1 | 155 | 2 | 14.8 | 13 |
| Wakeena Farm Bentley 748-4252 | 23 | 14.8 | 167 | 5 | 12.6 | 16 |
| <u>LACOMBE</u> | | | | | | |
| Bloomsbury Farms Ltd. Bloomsbury 674-3307 | 70 | 16.7 | 148 | 16 | 15.2 | 14 |
| <u>HAMPSHIRE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 51 | 14.0 | 178 | 6 | 12.5 | 15 |
| Papenhuyzen, C. Stony Plain 963-4358 | 34 | 15.0 | 172 | 7 | 10.9 | 17 |
| <u>DUROC</u> | | | | | | |
| Rice, R. Ardrossan 998-2794 | (Not Available) | | | 1 | 12.5 | 16 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>CROSSBRED</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 37 | 16.2 | 134 | 7 | 16.2 | 133 |
| Milne, B. Ponoka 783-6695 | 160 | 14.3 | 151 | 14 | 12.2 | 142 |
| Neufeld Farms Ltd. Acme 546-3969 | (Not Available) | | | 2 | 13.6 | 170 |
| Olds College Olds 556-8393 | 377 | 15.5 | 160 | 40 | 16.4 | 155 |
| Ranchview Test Barn Bentley 748-3802 | 231 | 14.4 | 171 | 23 | 13.2 | 168 |
| Ranchview Farms "B" Bentley 748-3802 | 728 | 15.2 | 167 | 19 | 14.2 | 160 |
| West, N. & T.J. Radway 736-3790 | 191 | 15.5 | 158 | 8 | 15.2 | 155 |
| Wierenga, C. Neerlandia 674-5904 | 69 | 14.7 | 169 | 25 | 13.7 | 161 |

Alberta Swine Improvement Program

CANADIAN
FEB 26 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319
HOME TEST REPORT
February 1 - 15, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>YORKSHIRE</u> | | | | | | | | | | | |
| dia Breeders | 12 month average | | | | | (not available) | | | | | |
| ombe | | | | | | | | | | | |
| -2836 | JKAA13804U | | | | | ACA | 54W | 12.5 | | 152 | |
| | JKAA13804U | | | | | ACA | 71W | 12.5 | | 140 | |
| | JKAA13804U | | | | | ACA | 72W | 10.7 | | 145 | |
| | JKAA13804U | | | | | ACA | 85W | 13.8 | | 158 | |
| | JKAA13804U | | | | | ACA | 86W | 12.5 | | 147 | |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | ACA | 88W | 9.4 | | 142 | |
| | RITR 505U | " | " | " | " | ACA | 89W | 12.1 | | 148 | |
| | RITR 505U | " | " | " | " | ACA | 96W | 10.3 | | 151 | |
| | RITR 505U | " | " | " | " | " | 97W | 13.3 | | 149 | |
| | RITR 505U | " | " | " | " | " | 99W | 13.8 | | 158 | |
| | JKAA13804U | | | | | ACA | 111W | 11.7 | | 137 | |
| | JKAA13804U | | | | | ACA | 112W | 12.6 | | 149 | |
| | JKAA13804U | | | | | ACA | 113W | 11.3 | | 147 | |
| | RITR 505U | | | | | ACA | 143W | 13.3 | | 145 | |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | ACA | 145W | 12.1 | | 133 | |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | ACA | 146W | 11.6 | | 144 | |
| at, J. | 12 month average | | | | | 88 Pigs | (12.0) | (148) | | 100 | |
| ldale | | | | | | | | | | | |
| -9757 | ARBF 784T | -1.6 | +6.1 | 105 | 88 | ARBF | 582W | 12.6 | | 164 | 64 |
| | ANZI 3863P | -2.0 | +9.6 | 99 | 97 | ARBF | 586W | 7.8 | | 147 | 146 |
| | ARBF 784T | -1.6 | +6.1 | 105 | 88 | ARBF | 587W | 8.6 | | 147 | 139 |
| | ARBF 784T | -1.6 | +6.1 | 105 | 88 | ARBF | 588W | 8.3 | | 143 | 149 |
| | ARBF 784T | -1.6 | +6.1 | 105 | 88 | ARBF | 589W | 11.6 | | 139 | 122 |
| | ARBF 784T | " | " | " | " | " | 606W | 9.9 | | 155 | 109 |
| | ANZI 3863P | -2.0 | +9.6 | 99 | 97 | ARBF | 610W | 12.2 | | 141 | 110 |
| | ANZI 3863P | " | " | " | " | " | 617W | 10.0 | | 145 | 127 |
| | ANZI 3863P | " | " | " | " | " | 618W | 10.0 | | 145 | 127 |
| | ANZI 3863P | " | " | " | " | " | 631W | 12.7 | | 141 | 106 |
| | ANZI 3863P | " | " | " | " | " | 632W | 13.0 | | 136 | 112 |
| e Lakes Farms | 12 Month Average | | | | | 198 pigs | (12.5) | (158) | | 100 | |
| erthorpe | | | | | | | | | | | |
| -4373 | JKAA 9201U | | | | | JKAA | 14106W | 12.4 | | 179 | 72 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | JKAA | 14303W | 11.8 | | 187 | 68 |
| | JKAA 5005U | " | " | " | " | JKAA | 14307 | 9.0 | | 178 | 112 |
| | RITR 964T | +1.2 | +1.1 | 74 | 87 | JKAA | 15102W | 12.8 | | 193 | 49 |
| | RITR 964T | " | " | " | " | " | 15107W | 10.6 | | 186 | 83 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT 90 KG (MM) | AGE 90 KG (DAYS) | INDE |
|--|------------------------|----------------|---------------|--------------|----------|---------------|--------------------------|------------------------|------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | | | |
| Five Lakes Farms (cont'd) | JKAA 9201U | | | | | JKAA 15205W | 11.2 | 186 | 77 |
| | " | | | | | JKAA 15301W | 9.9 | 167 | 116 |
| | " | | | | | " 15303W | 8.6 | 178 | 117 |
| | " | | | | | " 15306W | 9.4 | 182 | 102 |
| | ARHL 707U | | | | | " 15505W | 13.7 | 182 | 53 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | JKAA 16104W | 12.3 | 188 | 61 |
| | JKAA 9201U | | | | | " 16401W | 15.2 | 165 | 59 |
| | RITR 964T | +1.2 | +1.1 | 74 | 87 | JKAA 17605W | 17.0 | 165 | 38 |
| | RITR 964T | " | " | " | " | " 17606W | 15.0 | 174 | 49 |
| | " | " | " | " | " | " 17612W | 14.7 | 158 | 74 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | " 17702W | 11.5 | 161 | 106 |
| Gwynne Vista Farms | 12 month average | | | | | 56 pigs | (13.1) | (169) | 100 |
| Gwynne 352-2998 | JKAA 4308U | | | | | GWYN 11807W | 10.6 | 172 | 114 |
| | YRZN 575T(1) | -1.5 | +4.9 | 108 | 25 | GWYN 11901W | 13.5 | 158 | 113 |
| | " | " | " | " | " | " 11902W | 12.4 | 160 | 119 |
| | " | " | " | " | " | " 11903W | 14.2 | 160 | 105 |
| | " | " | " | " | " | " 11904W | 12.4 | 166 | 110 |
| | " | " | " | " | " | " 11906W | 13.1 | 156 | 119 |
| | AOGK 741T | -1.6 | -3.8 | 144 | 88 | " 12001W | 9.9 | 165 | 130 |
| | " | " | " | " | " | " 12002W | 9.9 | 165 | 130 |
| | " | " | " | " | " | " 12003W | 11.1 | 153 | 137 |
| | YRZN 575T(1) | -1.5 | -4.9 | 108 | 85 | " 12101W | 10.8 | 173 | 112 |
| | " | " | " | " | " | " 12102W | 9.9 | 169 | 123 |
| | " | " | " | " | " | " 12106W | 10.9 | 164 | 124 |
| | " | " | " | " | " | " 12107W | 10.6 | 166 | 123 |
| | " | " | " | " | " | " 12108W | 11.6 | 162 | 121 |
| | JKAA 4308U | | | | | " 12706W | 8.4 | 169 | 135 |
| | JKAA 4308T | | | | | GWYN 12901W | 11.5 | 149 | 139 |
| | " | | | | | " 12902W | 13.4 | 143 | 134 |
| | " | | | | | " 12903W | 9.3 | 153 | 151 |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | " 13206W | 12.4 | 148 | 134 |
| Matejka, George Sylvan Lake 887-2656 | 12 month average | | | | | 239 pigs | (13.0) | (162) | 100 |
| | RITR 774U | | | | | KKEF 2320W | 9.6 | 169 | 130 |
| | KKEF02180T | +0.1 | -0.8 | 102 | 78 | KKEF 2334W | 13.7 | 158 | 98 |
| | " | " | " | " | " | " 2335W | 12.0 | 159 | 119 |
| | " | " | " | " | " | " 2336W | 12.0 | 159 | 119 |
| | KKEF 1543U | | | | | " 2343W | 12.1 | 160 | 116 |
| | KKEF 342U | -0.4 | -3.3 | 121 | 64 | " 2393W | 11.1 | 165 | 119 |
| | " | " | " | " | " | " 2462W | 12.3 | 154 | 123 |
| | " | " | " | " | " | " 2463W | 13.0 | 166 | 92 |
| | RITR 774U | | | | | " 2474W | 10.5 | 174 | 110 |
| | RITR 774U | | | | | " 2476W | 10.9 | 169 | 114 |

| FEEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT 90 KG (MM) | AGE 90 KG (DAYS) | INDEX | |
|--|------------------------|----------------|---------------|--------------|----------|---------------|--------------------------|------------------------|-------|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | | | | |
| tejka, George ont'd) | RITR 774U | | | | | KKEF | 2485W | 11.8 | 163 | 114 |
| | JPVH 2117S(2) | +2.1 | -6.0 | 89 | 93 | KKEF | 2515W | 14.1 | 151 | 107 |
| | ANZI 400P(2) | -3.4 | -5.4 | 181 | 97 | " | 2530W | 8.0 | 151 | 185 |
| | JPVH 2117S(2) | +2.1 | -6.0 | 89 | 93 | " | 2540W | 9.3 | 141 | 187 |
| | KKEF 2701S | -1.1 | -8.3 | 152 | 84 | " | 2551W | 10.5 | 145 | 164 |
| | " | " | " | " | " | " | 2552W | 9.2 | 142 | 186 |
| | ANZI 400P(2) | -3.4 | -5.4 | 181 | 97 | KKEF | 2562W | 9.0 | 142 | 189 |
| | JPVH 2117S(2) | +2.1 | -6.0 | 89 | 93 | " | 2580W | 11.0 | 146 | 156 |
| | " | " | " | " | " | " | 2581W | 13.3 | 148 | 124 |
| | " | " | " | " | " | " | 2590W | 13.3 | 139 | 140 |
| | " | " | " | " | " | " | 2592W | 12.1 | 142 | 149 |
| | RITR 774U | | | | | " | 2620W | 11.8 | 136 | 165 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | KKEF | 2690W | 9.2 | 144 | 182 |
| | " | " | " | " | " | " | 2693W | 9.3 | 140 | 189 |
| " | " | " | " | " | " | 2695W | 11.8 | 142 | 153 | |
| iter Farms Ltd on Springs 8-4472 | 12 month average | | | | | 109 pigs | (12.4) | (151) | 100 | |
| | RITR 1507U | | | | | RITR | 1586W | 14.0 | 153 | 178 |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | RITR | 1605W | 11.1 | 139 | 135 |
| | " | " | " | " | " | " | 1626W | 10.8 | 144 | 129 |
| | " | " | " | " | " | " | 1627W | 9.2 | 140 | 154 |
| | " | " | " | " | " | " | 1628W | 11.0 | 150 | 116 |
| | ARHL 795U | | | | | RITR | 1652W | 9.9 | 138 | 150 |
| | KKEF 1053S | -1.9 | -4.3 | 150 | 93 | " | 1684W | 9.1 | 150 | 135 |
| | " | " | " | " | " | " | 1685W | 8.1 | 145 | 154 |
| | ARHL 795U | | | | | " | 1701W | 16.6 | 142 | 75 |
| | " | | | | | " | 1702W | 13.8 | 140 | 107 |
| | KKEF 440T | -1.3 | +0.1 | 124 | 94 | " | 1724W | 14.8 | 133 | 111 |
| ndenberg, Joe rose 2-6177 | 12 month average | | | | | 22 pigs | (14.2) | (163) | 100 | |
| | ASCG 180T | +0.6 | -3.4 | 101 | 67 | ASCG | 680W | 14.5 | 147 | 129 |
| | " | " | " | " | " | " | 683W | 12.4 | 149 | 150 |
| | " | " | " | " | " | " | 684W | 13.8 | 152 | 127 |
| | " | " | " | " | " | " | 689W | 13.8 | 152 | 127 |
| | ASCG 175U | | | | | " | 690W | 14.0 | 155 | 119 |
| | " | | | | | " | 692W | 13.7 | 150 | 132 |
| | " | | | | | " | 695W | 14.2 | 150 | 127 |
| | ASCG 520U | | | | | " | 751W | 15.0 | 135 | 149 |
| | " | | | | | " | 755W | 14.8 | 135 | 153 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|--|---------------------|---------------------|--------------------|-------------------|---|--|--|-------------------------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Wakeena Farm Bentley 748-4252 | 12 month average RITR 512U " | -1.5 " | +0.8 " | 124 " | 61 " | KEEN " 451W 12.3 452W 13.3 | 12.3 13.3 | 164 160 | | | |
| Weber Farms Ltd. Castor 882-2572 | 12 month average AWGF 517U AWGF 789U | | | | | AWGF AWGF | 804W 13.2 838W 12.6 | 175 169 | | | |
| West, N. & T.J. Radway 736-3790 | 12 month average JKAA 421T " KKEF 2104U " " | -0.6 " " " | -5.6 " " " | 132 " " " | 87 " " " | ATED " " " " 177W 13.0 178W 15.0 190W 16.8 197W 12.1 198W 14.6 | 13.0 15.0 16.8 12.1 14.6 | 144 145 150 145 140 | 114 89 60 123 102 | | |
| <u>LANDRACE</u> | | | | | | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 12 month average ARHL 739U " " " " " " " " ARHL 739U | | | | | ACA " " " " " " " " " | 117W 13.3 118W 14.6 124W 11.1 125W 10.8 128W 10.7 129W 13.2 130W 11.5 132W 10.5 133W 12.9 119U 12.9 | 136 136 149 139 128 138 136 142 136 138 | | | |
| Braat, J. Coaldale 327-9757 | 12 month average ASDZ 541S | +1.2 | +0.2 | 80 | 92 | ARBF | 597W 15.3 | 145 | 101 | | |
| Dieterman, Bill Stony Plain 963-3663 | 12 month average AVON 417U(1) " " " " | | | | | ATJA " " " " | 30W 14.7 32W 15.3 33W 16.9 34W 18.7 36W 13.9 | 158 159 168 163 149 | | | |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------|----------|-----------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| ff, Brian rt Saskatchewan 8-3101 | 12 month average | | | | | (not available) | | | | | |
| | FLEV 351U | | | | | BKDF | 40W 13.4 | | 149 | | |
| | " | | | | | " | 41W 12.7 | | 138 | | |
| | " | | | | | " | 42W 11.4 | | 139 | | |
| ff, Donald rt Sask. 8-3101 | 12 month average | | | | | 57 pigs | (14.6) | (149) | | 100 | |
| | DUFF 661U | | | | | DUFF | 481W 15.4 | | 154 | 85 | |
| | " | | | | | " | 493W 9.8 | | 176 | 100 | |
| | MCMC 8T | -1.3 | -1.5 | 126 | 93 | " | 500W 11.7 | | 148 | 126 | |
| | " | " | " | " | " | " | 503W 12.8 | | 158 | 102 | |
| | FLEV 351U | | | | | " | 533W 13.7 | | 151 | 105 | |
| | " | | | | | " | 540W 15.4 | | 156 | 83 | |
| | " | | | | | " | 541W 13.5 | | 155 | 100 | |
| | DUFF 661U | | | | | " | 550W 12.6 | | 148 | 118 | |
| | " | | | | | " | 551W 13.4 | | 153 | 104 | |
| | " | | | | | " | 552W 10.6 | | 152 | 129 | |
| | " | | | | | " | 600W 12.3 | | 130 | 148 | |
| | " | | | | | " | 601W 15.0 | | 142 | 107 | |
| tejka, Tony lvan Lake 7-2656 | 12 month average | | | | | 26 pigs | (13.9) | (161) | | 100 | |
| | TONY 1972U | | | | | TONY | 2505W 15.3 | | 157 | 90 | |
| | " | | | | | " | 2508W 12.0 | | 161 | 122 | |
| rinville Colony rinville 9-2118 | 12 month average | | | | | 46 pigs | (13.1) | (146) | | 100 | |
| | MCMC 32U | +1.4 | +1.4 | 72 | 59 | MCMC | 396W 11.1 | | 182 | 64 | |
| | " | " | " | " | " | " | 425W 11.8 | | 180 | 60 | |
| | " | " | " | " | " | " | 434W 12.4 | | 176 | 59 | |
| | " | " | " | " | " | " | 435W 12.0 | | 152 | 102 | |
| | MCMC 125U | | | | | " | 456W 12.2 | | 145 | 112 | |
| | MCMC 85U | | | | | " | 461W 12.4 | | 141 | 116 | |
| | " | | | | | " | 463W 13.3 | | 136 | 115 | |
| | " | | | | | " | 470W 12.9 | | 149 | 98 | |
| | " | | | | | " | 475W 10.0 | | 145 | 135 | |
| | " | | | | | " | 483W 10.1 | | 160 | 108 | |
| | DUFF 710T | -2.3 | +4.2 | 122 | 75 | " | 490W 8.2 | | 149 | 146 | |
| | " | " | " | " | " | " | 501W 13.8 | | 148 | 90 | |
| | " | " | " | " | " | " | 503W 16.8 | | 162 | 36 | |
| | " | " | " | " | " | " | 504W 12.6 | | 154 | 93 | |
| | " | " | " | " | " | " | 506W 13.6 | | 153 | 85 | |
| | " | " | " | " | " | " | 507W 14.2 | | 144 | 122 | |
| | " | | | | | MCMC | 508W 14.4 | | 162 | 61 | |
| | " | | | | | " | 509W 11.5 | | 143 | 123 | |
| | MCMC 125U | | | | | " | 513W 13.8 | | 150 | 87 | |
| | " | | | | | " | 515W 12.4 | | 147 | 106 | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Wakeena Farm Bentley 748-4252 | 12 month average | | | | | (not available) | | | | | |
| | KEEN 186U | | | | | KEEN 420W | 10.9 | | 159 | | |
| | " | | | | | " 421W | 11.4 | | 156 | | |
| | DUFF 171U | -1.8 | +2.4 | 119 | 84 | KEEN 441W | 9.4 | | 151 | | |
| | " | " | " | " | " | " 461W | 12.8 | | 156 | | |
| West, N. & T.J. Radway 736-3790 | 12 month average | | | | | (not available) | | | | | |
| | MCMC 13T | -0.6 | -0.3 | 108 | 71 | LAST 31W | 14.8 | | 163 | | |
| <u>LACOMBE</u> | | | | | | | | | | | |
| Five Lakes Farms Mayerthorpe 786-4373 | 12 month average | | | | | 109 pigs | (12.4) | | (158) | | 100 |
| | JA 110T | -0.4 | +5.3 | 91 | 84 | JA 14604W | 12.3 | | 183 | | 66 |
| | JA 5204U | | | | | " 15603W | 10.8 | | 172 | | 99 |
| | KR 1303S | -1.9 | -0.5 | 142 | 95 | JA 16005W | 11.9 | | 176 | | 81 |
| | " | " | " | " | " | " 16305W | 13.7 | | 183 | | 50 |
| | JA 5204S | | | | | JA 16601W | 12.9 | | 179 | | 65 |
| | " | | | | | " 16602W | 13.8 | | 172 | | 63 |
| | " | | | | | " 16607W | 12.9 | | 174 | | 171 |
| | NE 36U(1) | +0.8 | -7.4 | 108 | 59 | " 17204W | 11.1 | | 168 | | 101 |
| | JA 5204U | | | | | " 17404W | 13.2 | | 178 | | 62 |
| | " | | | | | " 17405W | 13.1 | | 172 | | 72 |
| | " | | | | | " 17905W | 12.0 | | 173 | | 84 |
| Gwynne Vista Farms Gwynne 352-2998 | 12 month average | | | | | 97 pigs | (13.3) | | (162) | | 100 |
| | KR 8904S | -1.9 | +2.5 | 133 | 90 | KR 12401W | 9.1 | | 159 | | 153 |
| | " | " | " | " | " | " 12403W | 9.9 | | 152 | | 157 |
| | " | " | " | " | " | " 12404W | 9.4 | | 152 | | 162 |
| | " | " | " | " | " | " 12405W | 11.1 | | 158 | | 132 |
| | NE 36U(1) | +0.8 | -7.4 | 108 | 59 | " 13102W | 16.2 | | 152 | | 87 |
| | " | " | " | " | " | " 13103W | 13.3 | | 148 | | 126 |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| Five Lakes Farms Mayerthorpe 786-4373 | 12 month average | | | | | 82 pigs | (11.7) | | (161) | | 100 |
| | JKAA 8103U | | | | | YAP 14806W | 10.0 | | 197 | | 96 |
| | " | | | | | NP 15906W | 11.4 | | 169 | | 127 |
| | " | | | | | " 15909W | 10.7 | | 186 | | 106 |
| | AOZM 333T(1) | +0.9 | -1.9 | 75 | 76 | " 16805W | 11.8 | | 182 | | 99 |
| | " | " | " | " | " | " 16807W | 10.5 | | 169 | | 138 |

| FEEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---------------------|------------------------|----------------|---------------|--------|----------|---------------|-----------------|-----------------|-------|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Prinville Colony | 12 month average | | | | | | (not available) | | | | |
| Prinville | | | | | | | | | | | |
| 9-2118 | JKAA 3102U | +0.9 | -5.0 | 87 | 49 | MCMC | 119W | 12.1 | | 152 | |
| | " | " | " | " | " | " | 110W | 11.4 | | 162 | |
| | NP 4004U | -0.2 | -5.5 | 123 | 58 | " | 142W | 11.8 | | 149 | |
| | " | " | " | " | " | " | 154W | 10.9 | | 141 | |
| <u>DUROC</u> | | | | | | | | | | | |
| aat, J. | 12 month average | | | | | | (not available) | | | | |
| aldale | | | | | | | | | | | |
| 7-9757 | ARBF 64T | -0.8 | -1.0 | 125 | 71 | ARBF | 601W | 13.1 | | 149 | |
| ndenber, Joe | 12 month average | | | | | | (not available) | | | | |
| mrose | | | | | | | | | | | |
| 2-6177 | ASCG 442U | | | | | ASCG | 710W | 12.7 | | 145 | |
| | " | | | | | " | 715W | 12.3 | | 146 | |
| <u>RED WATTLE</u> | | | | | | | | | | | |
| nalta Red Wattles | 12 month average | | | | | | (not available) | | | | |
| nfield | | | | | | | | | | | |
| 2-2269 | DLF 118U | | | | | PEN | 30W | 18.6 | | 174 | |
| | " | | | | | " | 35W | 19.5 | | 189 | |
| | " | | | | | " | 41W | 14.7 | | 182 | |
| | " | | | | | " | 46W | 18.1 | | 173 | |
| | " | | | | | " | 48W | 21.1 | | 183 | |
| | " | | | | | " | 49W | 24.9 | | 181 | |
| <u>CROSSBRED</u> | | | | | | | | | | | |
| aat, J. | 12 month average | | | | | | (not available) | | | | |
| aldale | | | | | | | | | | | |
| 7-9757 | ARBF 64T | -0.8 | -1.0 | 125 | 71 | | 569W | 10.0 | | 145 | 124 |
| | ARBF 656T | -1.1 | -6.0 | 155 | 78 | | 592W | 10.2 | | 144 | 125 |
| | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | | 616W | 12.3 | | 150 | 95 |
| | ARBF 64T | -0.8 | -1.0 | 125 | 71 | | 623W | 12.2 | | 145 | 104 |
| oot, Clarence | 12 month average | | | | | 70 pigs | (13.7) | | (164) | | 100 |
| erlandia | | | | | | | | | | | |
| 4-4077 | 4775 | | | | | | 6286W | 10.9 | | 179 | 106 |
| | " | | | | | | 6301W | 12.6 | | 188 | 73 |
| | " | | | | | | 6302W | 13.7 | | 157 | 110 |
| | 4304 | | | | | | 6370W | 14.8 | | 167 | 83 |
| | 4775 | | | | | | 6381W | 10.7 | | 162 | 133 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Groot, Clarence (cont'd) | 4775 | | | | | 6382W | 13.7 | 169 | | 92 | |
| | " | | | | | 6383W | 13.3 | 162 | | 107 | |
| | 3991 | | | | | 3517W | 13.7 | 165 | | 97 | |
| Matejka, Tony Sylvan Lake 887-2656 | 12 month average | | | | | (not available) | | | | | |
| | ATCH 11T(2) | | | | | 2420W | 13.7 | 148 | | | |
| | ATCH 361T(2) | | | | | 2521W | 11.0 | 134 | | | |
| | ATCH 361T(2) | | | | | 2522W | 11.0 | 140 | | | |
| Ranchview Test Barn Bentley 748-3802 | 12 month average | | | | | 598 pigs | (13.5) | (157) | | 100 | |
| | AOUD 858T(1) | | | | | 3311W | 13.3 | 152 | | 111 | |
| | " | | | | | 3312W | 11.1 | 155 | | 130 | |
| | " | | | | | 3314W | 13.3 | 152 | | 111 | |
| | AJCM 2425T(1) | | | | | 3361W | 12.8 | 152 | | 118 | |
| | KKEF 1490T(1) | -1.2 | -13.7 | 176 | 80 | 3371W | 11.1 | 155 | | 131 | |
| | AMBW 514S(1) | -1.6 | +4.9 | 110 | 95 | 3383W | 10.2 | 158 | | 136 | |
| | RFAA 3271T | | | | | 3424W | 10.9 | 157 | | 130 | |
| | RFAA 5711U | | | | | 3521W | 11.7 | 150 | | 133 | |
| | " | | | | | 3522W | 13.9 | 149 | | 111 | |
| | " | | | | | 3523W | 12.0 | 149 | | 134 | |
| | " | | | | | 3525W | 11.1 | 150 | | 142 | |
| | " | | | | | 3528W | 14.1 | 147 | | 113 | |
| | " | | | | | 3529W | 10.4 | 148 | | 154 | |
| | RITR 1174U | | | | | 3531W | 12.7 | 146 | | 131 | |
| | RITR 1174U | | | | | 3534W | 12.4 | 144 | | 137 | |
| | AOUD 858T(1) | | | | | 3552W | 11.6 | 139 | | 157 | |
| | AOUD 858T(1) | | | | | 3554W | 11.4 | 151 | | 136 | |
| | RFAA 2576U | | | | | 3634W | 11.3 | 141 | | 157 | |
| Ranchview Farms B Bentley 748-3802 | 12 month average | | | | | 122 pigs | (13.4) | (160) | | 100 | |
| | AMBW 514S(1) | -1.6 | +4.9 | 110 | 95 | 4556W | 11.5 | 161 | | 118 | |
| | " | " | " | " | " | 4557W | 10.7 | 167 | | 115 | |
| | " | " | " | " | " | 4559W | 11.4 | 173 | | 96 | |
| | " | " | " | " | " | 4607W | 12.1 | 162 | | 109 | |
| | " | " | " | " | " | 4638W | 12.0 | 164 | | 106 | |
| | ARHL 313T(1) | -0.5 | +1.4 | 103 | 92 | 4855W | 10.8 | 145 | | 159 | |
| | " | " | " | " | " | 4858W | 10.5 | 154 | | 144 | |
| | RFAA 5822U | | | | | 4937W | 10.4 | 144 | | 165 | |
| Reiter Farms Ltd. Iron Springs 738-4472 | 12 month average | | | | | 37 pigs | (13.5) | (148) | | 100 | |
| | AHKP 580T | -0.1 | +5.0 | 88 | 67 | 8CB 1641W | 14.3 | 143 | | 100 | |
| | " | " | " | " | " | 1642W | 12.7 | 142 | | 123 | |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | (not available) | | | 28 | 13.4 | 146 |
| Braat, J. Coaldale 327-9757 | 146 | 12.5 | 155 | 14 | 12.7 | 158 |
| Five Lakes Farms Mayerthorpe 786-4373 | 162 | 14.0 | 171 | 20 | 12.1 | 176 |
| Gwynne Vista Farms Gwynne 352-2998 | 133 | 14.0 | 173 | 18 | 12.7 | 163 |
| Matejka, George Sylvan Lake 887-2656 | 158 | 13.9 | 180 | 9 | 11.2 | 173 |
| Reiter Farms Ltd Iron Springs 738-4472 | 151 | 13.7 | 161 | 18 | 13.7 | 148 |
| Wakeena Farm Bentley 748-4252 | 23 | 15.4 | 171 | 3 | 13.2 | 172 |
| Weber Farms Ltd. Castor 382-2572 | (not available) | | | 9 | 14.5 | 166 |
| West, N. & T.J. Radway 736-3790 | 23 | 14.3 | 160 | 4 | 16.4 | 144 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>LANDRACE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | (not available) | | | 12 | 12.8 | 148 |
| Braat, J. Coaldale 327-9757 | 31 | 15.6 | 153 | 3 | 15.3 | 148 |
| Dieterman, Bill Stony Plain 963-3663 | (not available) | | | 3 | 15.4 | 153 |
| Duff, Brian Fort Saskatchewan 998-3101 | 20 | 15.9 | 149 | 1 | 11.8 | 157 |
| Duff, Donald Fort Saskatchewan 998-3101 | 102 | 14.5 | 149 | 8 | 15.1 | 153 |
| Matejka, Tony Sylvan Lake 887-2656 | 27 | 15.3 | 175 | 5 | 12.7 | 161 |
| Morinville Colony Morinville 939-2118 | 47 | 14.1 | 151 | 25 | 12.3 | 153 |
| Wakeena Farm Bentley 748-4252 | 23 | 14.8 | 167 | 8 | 12.3 | 161 |
| West, N. & T.J. Radway 736-3790 | (not available) | | | 1 | 12.2 | 160 |

| | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| BREEDER ADDRESS & TELEPHONE | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>LACOMBE</u> | | | | | | |
| Five Lakes Farms Mayerthorpe 786-4373 | 101 | 13.9 | 171 | 11 | 12.7 | 172 |
| Gwynne Vista Farms Gwynne 352-2998 | 133 | 14.5 | 171 | 11 | 13.4 | 167 |
| <u>HAMPSHIRE</u> | | | | | | |
| Braat, J. Coaldale 327-9757 | (not available) | | | 2 | 14.9 | 162 |
| Five Lakes Farms Mayerthorpe 786-4373 | 78 | 12.8 | 174 | 15 | 11.9 | 185 |
| Morinville Colony Morinville 939-2118 | (not available) | | | ±± | 12.5 | 156 |
| <u>DUROC</u> | | | | | | |
| Braat, J. Coaldale 327-9757 | (not available) | | | 6 | 15.5 | 145 |
| <u>RED WATTLE</u> | | | | | | |
| Penalta Red Wattles Winfield 682-2269 | (not available) | | | 9 | 21.7 | 186 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>CROSSBRED</u> | | | | | | |
| Baert, Martin Berrhead 674-3953 | 57 | 15.4 | 149 | 6 | 13.3 | 162 |
| Braat, J. Coaldale 327-9757 | 24 | 14.9 | 148 | 9 | 13.6 | 152 |
| Groot, Clarence Neerlandia 674-4077 | 149 | 13.8 | 167 | 24 | 12.7 | 165 |
| Gwynne Vista Farms Gwynne 352-2998 | 117 | 14.5 | 165 | 23 | 12.7 | 163 |
| Old House Farms Neerlandia 674-5453 | 97 | 13.8 | 177 | 14 | 12.6 | 180 |
| Ranchview Test Barn Bentley 748-3802 | 231 | 14.4 | 171 | 16 | 13.0 | 180 |
| Ranchview Farms B Bentley 748-3802 | 728 | 15.2 | 167 | 46 | 12.6 | 160 |
| Weber Farms Ltd. Castor 882-2572 | 45 | 15.5 | 154 | 9 | 13.9 | 168 |
| West, N. & T.J. Radway 736-3790 | 191 | 15.5 | 158 | 8 | 13.4 | 147 |

Alberta Swine Improvement Program

CANADIANA

MAR 17 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
February 15 - 29, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

12 . . . **Alberta**
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-------|-----------------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | INDEX | |
| <u>YORKSHIRE</u> | | | | | | | | | | |
| cadia Breeders | 12 month average | | | | | | | | | (not available) |
| acombe | | | | | | | | | | |
| 82-2836 | JKAA13804U | | | | | ACA | 64W | 12.9 | 151 | |
| | " | | | | | " | 65W | 10.7 | 151 | |
| | " | | | | | " | 66W | 11.6 | 151 | |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | " | 98W | 14.4 | 155 | |
| | " | " | " | " | " | " | 138W | 14.1 | 145 | |
| | " | " | " | " | " | " | 139W | 14.1 | 152 | |
| | " | " | " | " | " | " | 140W | 11.3 | 146 | |
| | " | " | " | " | " | " | 141W | 12.3 | 153 | |
| | JKAA13804U | | | | | " | 157W | 14.6 | 136 | |
| | " | | | | | " | 160W | 11.9 | 154 | |
| | " | | | | | " | 161W | 15.4 | 162 | |
| | " | | | | | " | 162W | 13.4 | 153 | |
| | " | | | | | " | 180W | 13.6 | 151 | |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | " | 192W | 12.9 | 137 | |
| | " | " | " | " | " | " | 195W | 12.9 | 145 | |
| | " | " | " | " | " | " | 196W | 12.6 | 155 | |
| | JKAA13804U | | | | | ACA | 230W | 10.5 | 128 | |
| oomsbury Farms | 12 month average | | | | | 105 Pigs | (14.5) | (145) | | 100 |
| oomsbury | | | | | | | | | | |
| 4-3307 | WM 804U | +1.1 | -7.8 | 111 | 59 | WM | 6506W | 14.1 | 136 | 119 |
| | " | " | " | " | " | " | 6507W | 15.7 | 139 | 100 |
| | " | " | " | " | " | " | 6508W | 15.5 | 135 | 109 |
| | " | " | " | " | " | " | 6509W | 14.2 | 129 | 131 |
| | " | " | " | " | " | " | 6510W | 15.4 | 143 | 96 |
| | " | " | " | " | " | " | 6511W | 16.4 | 135 | 101 |
| | " | " | " | " | " | " | 6512W | 15.2 | 142 | 99 |
| aat, J. | 12 month average | | | | | 115 Pigs | (11.3) | (151) | | 100 |
| aldale | | | | | | | | | | |
| 7-9757 | ANZI 3863P | -2.0 | +9.6 | 99 | 97 | ARBF | 618W | 11.5 | 151 | 98 |
| ownlee, Jim | 12 month average | | | | | 60 Pigs | (14.2) | (163) | | 100 |
| try Hill | | | | | | | | | | |
| 8-2313 | RITR 574U | | | | | ARHP | 490W | 12.0 | 166 | 115 |
| | KKEF 1930T | -0.4 | -2.7 | 119 | 56 | " | 506W | 11.4 | 198 | 86 |
| | " | " | " | " | " | " | 521W | 11.4 | 195 | 89 |
| | " | " | " | " | " | " | 539W | 17.2 | 182 | 53 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------|----------|---------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| | RITR 574U | | | | | " | 542W 14.4 | | 176 | | 83 |
| | KKEF 1930T | -0.4 | -2.7 | 119 | 56 | " | 550W 12.6 | | 174 | | 101 |
| | " | " | " | " | " | " | 552W 16.1 | | 177 | | 68 |
| | " | " | " | " | " | " | 554W 17.1 | | 183 | | 52 |
| | " | " | " | " | " | " | 670W 11.4 | | 143 | | 146 |
| | " | " | " | " | " | " | 692W 14.8 | | 145 | | 114 |
| | RITR 574U | | | | | " | 716W 14.5 | | 144 | | 118 |
| Eringsfeld, B. Coaldale 345-3420 | 12 month average | | | | | 52 Pigs | (13.8) | | (167) | | 100 |
| | AREE 192U | | | | | AOGK | 771W 10.2 | | 175 | | 129 |
| | KKEF 3084T | -1.3 | -0.8 | 128 | 64 | " | 791W 16.3 | | 153 | | 91 |
| | " | " | " | " | " | " | 792W 12.0 | | 153 | | 139 |
| | " | " | " | " | " | " | 793W 14.7 | | 161 | | 98 |
| | " 1304S | -0.7 | -0.1 | 113 | 96 | " | 831W 15.9 | | 161 | | 84 |
| | AREE 192U | | | | | " | 851W 11.3 | | 157 | | 143 |
| | KKEF 3084T | -1.3 | -0.8 | 128 | 64 | " | 881W 14.3 | | 147 | | 123 |
| | " | " | " | " | " | " | 882W 11.7 | | 140 | | 161 |
| | " | " | " | " | " | " | 883W 12.0 | | 158 | | 133 |
| | " | " | " | " | " | " | 884W 14.1 | | 152 | | 118 |
| | 12 month average | | | | | 56 Pigs | (13.1) | | (169) | | 100 |
| Gwynne Vista Farms Gwynne 352-2998 | JKAA 4308T | | | | | GWYN | 12906W 13.2 | | 164 | | 107 |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | " | 13203W 12.9 | | 147 | | 132 |
| | " | " | " | " | " | " | 13205W 11.5 | | 162 | | 122 |
| | FGBE 508U(1) | | | | | " | 13301W 16.3 | | 165 | | 83 |
| | " | | | | | " | 13302W 16.7 | | 162 | | 84 |
| | " | | | | | " | 13303W 15.8 | | 154 | | 101 |
| | " | | | | | " | 13304W 15.9 | | 163 | | 89 |
| | GWYN 6303U | | | | | " | 13702W 11.5 | | 157 | | 129 |
| | " | | | | | " | 13704W 11.3 | | 159 | | 128 |
| | " | | | | | " | 13705W 9.9 | | 161 | | 135 |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | " | 14302W 9.5 | | 151 | | 153 |
| | " | " | " | " | " | " | 14602W 13.6 | | 138 | | 140 |
| | " | " | " | " | " | " | 14603W 13.4 | | 140 | | 139 |
| | " | " | " | " | " | " | 14604W 12.0 | | 150 | | 136 |
| | 12 month average | | | | | 34 Pigs | (12.5) | | (158) | | 100 |
| Knobben, Gary Jarvie 954-2125 | GARY 42S | +1.7 | -3.7 | 83 | 89 | GARY | 257W 11.9 | | 169 | | 88 |
| | AREE 552U | | | | | " | 261W 13.7 | | 168 | | 65 |
| | " 510U | | | | | " | 270W 12.9 | | 158 | | 94 |
| | " | | | | | " | 272W 13.7 | | 154 | | 88 |
| | " | | | | | " | 274W 14.6 | | 147 | | 90 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|------|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Maschmeyer, Douglas | 12 month average | | | | | 57 Pigs | (14.2) | | (148) | | 100 |
| Bruderheim | | | | | | | | | | | |
| 998-2845 | HILL 153U | | | | | DOUG | 211W | 12.8 | 141 | | 128 |
| | " 154T | -0.2 | +1.4 | 98 | 79 | " | 226W | 17.3 | 152 | | 65 |
| | " | " | " | " | " | " | 227W | 14.4 | 138 | | 119 |
| | " | " | " | " | " | " | 228W | 16.0 | 148 | | 84 |
| | " | " | " | " | " | " | 229W | 13.9 | 142 | | 115 |
| Matejka, George | 12 month average | | | | | 239 Pigs | (13.0) | | (162) | | 100 |
| Sylvan Lake | | | | | | | | | | | |
| 887-2656 | KKEF 570S | | | | | KKEF | 2611W | 14.5 | 154 | | 97 |
| | RITR 774U | | | | | " | 2620W | 11.7 | 144 | | 151 |
| | KKEF 1968U | | | | | " | 2633W | 13.5 | 137 | | 143 |
| | " | | | | | " | 2670W | 12.2 | 144 | | 144 |
| | " | | | | | " | 2674W | 11.6 | 147 | | 146 |
| | " 532U | | | | | " | 2680W | 8.7 | 145 | | 186 |
| | " | | | | | " | 2685W | 10.6 | 149 | | 154 |
| | " | | | | | " | 2686W | 11.9 | 151 | | 135 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | " | 2695W | 10.4 | 146 | | 165 |
| | KKEF 1968U | | | | | " | 2704W | 10.4 | 145 | | 165 |
| | " | | | | | " | 2707W | 11.4 | 153 | | 138 |
| | " 570S | | | | | " | 2753W | 12.1 | 150 | | 135 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | " | 2782W | 12.0 | 138 | | 157 |
| McCarthy, John | 12 month average | | | | | 24 Pigs | (14.1) | | (143) | | 100 |
| Findale | | | | | | | | | | | |
| 442-4531 | KKEF 1409(T1) | | | | | ASZT | 202W | 14.7 | 134 | | 122 |
| | " | | | | | " | 203W | 15.8 | 130 | | 120 |
| | " | | | | | " | 204W | 15.8 | 139 | | 91 |
| Wilne, Bruce | 12 month average | | | | | 105 Pigs | (13.1) | | (149) | | 100 |
| Donoka | | | | | | | | | | | |
| 833-6695 | MILN 573U | | | | | MILN | 711W | 13.3 | 139 | | 123 |
| | " | | | | | " | 712W | 12.2 | 148 | | 113 |
| | " | | | | | " | 713W | 10.7 | 144 | | 141 |
| | " | | | | | " | 715W | 10.6 | 155 | | 117 |
| | FGBE 508U(1) | | | | | " | 730W | 11.5 | 144 | | 132 |
| | " | | | | | " | 731W | 14.1 | 148 | | 92 |
| | " | | | | | " | 732W | 11.5 | 152 | | 114 |
| | " | | | | | " | 733W | 11.8 | 154 | | 105 |
| | RITR 928T(1) | -1.1 | 12.8 | 169 | 64 | " | 748W | 11.6 | 136 | | 150 |
| | " | " | " | " | " | " | 749W | 13.5 | 144 | | 108 |
| | MILN 678T | -2.1 | -0.1 | 138 | 71 | " | 775W | 8.8 | 150 | | 151 |
| | " | " | " | " | " | " | 776W | 12.1 | 135 | | 146 |
| | " 694U | | | | | " | 786W | 11.9 | 139 | | 140 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|--|----------------|---------------|--------|----------|---|---|--|--|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Vandenberg, Joe Camrose 672-6177 | 12 month average ASCG 520U " " " " " 175U " " " | | | | | 22 Pigs ASCG " " " " " " " " | (14.2) 740W 12.5 742W 11.9 744W 13.5 747W 12.7 754W 11.6 770W 14.5 772W 14.8 773W 13.7 774W 13.4 | (163) 154 157 144 159 147 142 144 140 145 | 100 138 138 148 125 164 141 133 154 147 | | |
| West, N.&T.J. Radway 736-3790 | 12 month average KKEF2104U JKAA 421T KKEF 2104U " | -0.6 | -5.6 | 132 | 87 | 31 Pigs ATED " " " | (14.2) 172W 16.3 179W 15.0 188W 12.0 189W 13.7 | (157) 148 169 152 148 | 100 93 80 125 114 | | |
| <u>LANDRACE</u> | | | | | | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 12 month average ARHL 739U " " " 975U " " 739U | | | | | (not available) ACA " " " " " | 152W 13.3 153W 12.8 154W 12.0 164W 12.9 165W 13.0 215W 11.1 | 139 141 148 135 146 140 | | | |
| Duff, Donald Ft. Saskatchewan 998-3101 | 12 month average FLEV 351U " DUFF 661U FLEV 351U | | | | | 57 Pigs DUFF " " " | (14.6) 580W 15.0 581W 14.5 590W 10.8 650W 10.2 | (149) 141 136 149 135 | 100 109 119 130 158 | | |
| Knobben, John Jarvie 954-2647 | 12 month average AVON 417U(1) | | | | | (not available) AREE | 272W 15.4 | 159 | | | |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| akeland College | 12 month average | | | | | 98 Pigs | (14.6) | | (160) | | 100 |
| ermilion | | | | | | | | | | | |
| 53-8597 | ATAT 510U | | | | | ATAT | 385W 15.9 | | 171 | | 74 |
| | ARHL 313T(1) | -0.5 | +1.4 | 103 | 92 | " | 389W 13.9 | | 155 | | 112 |
| | " | " | " | " | " | " | 390W 15.0 | | 159 | | 97 |
| | " | " | " | " | " | " | 391W 13.8 | | 161 | | 106 |
| | " | " | " | " | " | " | 395W 14.5 | | 156 | | 106 |
| | " | " | " | " | " | " | 398W 15.9 | | 158 | | 91 |
| | " | " | " | " | " | " | 399W 12.2 | | 154 | | 129 |
| | ATAT 510U | | | | | " | 403W 14.2 | | 137 | | 134 |
| McCarthy, Kathy | 12 month average | | | | | (not available) | | | | | |
| Indale | | | | | | | | | | | |
| 42-4531 | JBFA 2S(1) | -0.8 | -7.5 | 141 | 98 | KATH | 35W 10.1 | | 130 | | |
| | " | " | " | " | " | " | 36W 13.0 | | 129 | | |
| Ilne, Bruce | 12 month average | | | | | 44 Pigs | (13.1) | | (150) | | 100 |
| onoka | | | | | | | | | | | |
| 33-6695 | MILN 712U | | | | | MILN | 720W 10.2 | | 137 | | 162 |
| | " | | | | | " | 738W 10.2 | | 146 | | 151 |
| | " | | | | | " | 739W 8.1 | | 151 | | 178 |
| | " | | | | | " | 740W 8.1 | | 145 | | 186 |
| | " | | | | | " | 741W 9.6 | | 145 | | 162 |
| penhuyzen, C. | 12 month average | | | | | (not available) | | | | | |
| ony Plain | | | | | | | | | | | |
| 63-4358 | DUFF 710T | -2.3 | +4.2 | 122 | 75 | ASUS | 0480W 11.8 | | 174 | | |
| est, N.&T.J. | 12 month average | | | | | (not available) | | | | | |
| adway | | | | | | | | | | | |
| 66-3790 | MCMC 13T | -0.6 | -0.3 | 108 | 71 | LAST | 32W 11.3 | | 171 | | |
| <u>LACOMBE</u> | | | | | | | | | | | |
| oomsbury Farms | 12 month average | | | | | 194 Pigs | (15.1) | | (138) | | 100 |
| oomsbury | | | | | | | | | | | |
| 4-3307 | BL 2405U | | | | | BL | 6504W 13.8 | | 151 | | 87 |
| | " | | | | | " | 6505W 13.2 | | 150 | | 95 |
| | " 2106U | | | | | " | 6705W 15.9 | | 151 | | 67 |
| | " | | | | | " | 6706W 14.3 | | 148 | | 88 |
| | " | | | | | " | 6709W 15.7 | | 147 | | 77 |
| | " 2405U | | | | | " | 6802W 12.4 | | 135 | | 133 |
| | " | | | | | " | 6803W 17.2 | | 133 | | 89 |
| | " | | | | | " | 6804W 17.2 | | 144 | | 68 |
| | " | | | | | " | 6805W 14.0 | | 136 | | 115 |
| | " | | | | | " | 6806W 13.9 | | 133 | | 122 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Gwynne Vista Farms | 12 month average | | | | | 97 Pigs | (13.3) | (162) | | | 10 |
| Gwynne | | | | | | | | | | | |
| 352-2998 | KR 8904S | -1.9 | +2.5 | 133 | 90 | KR 12405W | 10.9 | 162 | | | 12 |
| | NE 36U(1) | +0.8 | -7.4 | 108 | 59 | " 13101W | 11.8 | 164 | | | 11 |
| | " | " | " | " | " | " 13404W | 10.7 | 169 | | | 11 |
| | " | " | " | " | " | " 13405W | 12.8 | 168 | | | 9 |
| | " | " | " | " | " | " 13406W | 12.7 | 163 | | | 10 |
| | " | " | " | " | " | " 14402W | 11.4 | 155 | | | 13 |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| Bloomsbury Farms | 12 month average | | | | | 96 Pigs | (13.0) | (150) | | | 10 |
| Bloomsbury | | | | | | | | | | | |
| 674-3307 | WM 1606U | +1.1 | -10.8 | 99 | 64 | WM 6406W | 13.4 | 157 | | | 8 |
| | " | " | " | " | " | " 6408W | 13.3 | 153 | | | 9 |
| Brownlee, J. | 12 month average | | | | | 29 Pigs | (12.9) | (167) | | | 10 |
| Hairy Hill | | | | | | | | | | | |
| 768-2313 | ASUS 121T | | | | | AHKP 465W | 11.8 | 198 | | | 8 |
| | BUFA 27U | | | | | " 491W | 10.2 | 193 | | | 10 |
| | " | | | | | " 494W | 9.7 | 198 | | | 10 |
| | " | | | | | " 501W | 9.9 | 193 | | | 10 |
| | " | | | | | " 669W | 10.4 | 132 | | | 16 |
| | " | | | | | " 670W | 11.4 | 139 | | | 14 |
| | " | | | | | " 671W | 10.9 | 127 | | | 16 |
| | AOVX 32U | | | | | " 711W | 13.3 | 154 | | | 10 |
| <u>DUROC</u> | | | | | | | | | | | |
| Braat, J. | 12 month average | | | | | 21 Pigs | (12.0) | (143) | | | 10 |
| Coaldale | | | | | | | | | | | |
| 327-9757 | ARBF 64T | -0.8 | -1.0 | 125 | 71 | ARBF 628W | 11.9 | 164 | | | 6 |
| Maschmeyer, G. | 12 month average | | | | | 41 Pigs | (13.8) | (148) | | | 10 |
| Bruderheim | | | | | | | | | | | |
| 998-2845 | AOUD 1215R | -0.5 | +7.2 | 74 | 87 | HILL 174W | 10.9 | 160 | | | 10 |
| | " | " | " | " | " | " 175W | 12.0 | 170 | | | 7 |
| | " | " | " | " | " | " 176W | 12.9 | 166 | | | 7 |
| | HILL 123U | | | | | " 180W | 12.6 | 178 | | | 5 |
| | " | | | | | " 181W | 11.0 | 164 | | | 9 |
| | " | | | | | " 182W | 12.3 | 162 | | | 8 |
| | " | | | | | " 183W | 12.6 | 169 | | | 7 |
| | " | | | | | " 185W | 12.5 | 167 | | | 7 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | % | PIG IDENT. | BACKFAT | | AGE | INDEX |
|--|------------------------|----------------|---------------|--------------|-----|---|-----------------|---------------|-----------------|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | REP | | | 90 KG (MM) | 90 KG (DAYS) | | |
| Vandenberg, Joe Camrose 572-6177 | 12 month average | | | | | | (not available) | | | | |
| | ASCG 442U | | | | | | ASCG | 711W 11.3 | | 175 | |
| | " | | | | | | " | 715W 11.7 | | 152 | |
| | " 91T | -1.1 | +5.8 | 95 | 59 | | " | 721W 10.8 | | 156 | |
| | " | " | " | " | " | | " | 722W 12.7 | | 162 | |
| | " | " | " | " | " | | " | 724W 11.4 | | 145 | |
| <u>CROSSBRED</u> | | | | | | | | | | | |
| raat, J. oalddale 27-9757 | 12 month average | | | | | | 88 Pigs | (12.8) | (142) | | 100 |
| | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | | | 616W 12.1 | | 155 | 82 |
| | " | " | " | " | " | | | 651W 13.3 | | 126 | 123 |
| | " | " | " | " | " | | | 668W 19.6 | | 120 | 80 |
| hauvet, Maurice egal 61-2578 | 12 month average | | | | | | (not available) | | | | |
| | WM 1302U | | | | | | | 4102W 13.0 | | 178 | |
| ilne, Bruce onoka 83-6695 | 12 month average | | | | | | (not available) | | | | |
| | MILN 233U | -1.8 | +6.0 | 106 | 58 | | | 340W 13.1 | | 137 | |
| uefeld Farms Ltd. me 6-3969 | 12 month average | | | | | | 50 Pigs | (14.3) | (160) | | 100 |
| | AOZM 333T(1) | +0.9 | -1.9 | 75 | 76 | | | 173W 13.1 | | 161 | 110 |
| | " | " | " | " | " | | | 174W 13.9 | | 163 | 100 |
| | RITR 1174U(1) | | | | | | | 2681W 14.1 | | 156 | 106 |
| | " | | | | | | | 2682W 12.4 | | 154 | 127 |
| | FGBE 508U(1) | | | | | | | 2691W 11.7 | | 165 | 120 |
| | " | | | | | | | 2692W 11.5 | | 160 | 130 |
| | " | | | | | | | 2693W 11.8 | | 162 | 123 |
| | RITR 1174U(1) | | | | | | | 2860W 13.3 | | 135 | 142 |
| | " | | | | | | | 2861W 10.9 | | 139 | 162 |
| | " | | | | | | | 2862W 12.9 | | 149 | 128 |
| | 309U | | | | | | | 2961W 13.4 | | 135 | 141 |
| | " | | | | | | | 2962W 13.1 | | 146 | 130 |
| | " | | | | | | | 2963W 13.0 | | 142 | 136 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|--------------------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Ranchview Test Barn 12 month average | | | | | | 598 Pigs | (13.5) | (157) | 100 | | |
| Bentley 748-3802 | AOUD 858T(1) | | | | | 3331W | 9.4 | 158 | 14 | | |
| | RFAA 3271T | | | | | 3422W | 11.1 | 152 | 13 | | |
| | " | | | | | 3423W | 10.1 | 158 | 13 | | |
| | " | | | | | 3426W | 11.1 | 152 | 13 | | |
| | " 3523T | | | | | 3431W | 12.8 | 155 | 11 | | |
| | " | | | | | 3433W | 12.9 | 158 | 10 | | |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | 3441W | 10.5 | 155 | 13 | | |
| | RFAA 3523T | | | | | 3454W | 11.6 | 150 | 13 | | |
| | " | | | | | 3456W | 9.6 | 151 | 15 | | |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | 3462W | 11.4 | 154 | 13 | | |
| | RFAA 3523T | | | | | 3474W | 10.7 | 150 | 14 | | |
| | RITR 1174U(1) | | | | | 3502W | 14.6 | 149 | 10 | | |
| | " | | | | | 3505W | 15.0 | 149 | 9 | | |
| | " | | | | | 3506W | 11.8 | 153 | 12 | | |
| | RFAA 6257U | | | | | 3513W | 11.4 | 148 | 14 | | |
| | RITR 1174U(1) | | | | | 3536W | 11.1 | 152 | 13 | | |
| | AOUD 858T(1) | | | | | 3552W | 12.2 | 145 | 13 | | |
| | JBFA 2S(1) | -0.8 | -7.5 | 141 | 98 | 3581W | 11.0 | 146 | 14 | | |
| | RFAA 5711U | | | | | 3592W | 15.7 | 153 | 8 | | |
| | " | | | | | 3595W | 13.1 | 142 | 13 | | |
| | " 6257U | | | | | 3632W | 12.4 | 143 | 13 | | |
| | AOUD 858T(1) | | | | | 3341W | 10.0 | 166 | 12 | | |
| | " | | | | | 3343W | 14.1 | 164 | 7 | | |
| | " | | | | | 3345W | 12.4 | 164 | 9 | | |
| | RFAA 3271T | | | | | 3421W | 11.9 | 161 | 11 | | |
| | " 3523T | | | | | 3435W | 12.4 | 159 | 10 | | |
| | " | | | | | 3437W | 11.3 | 160 | 12 | | |
| | " | | | | | 3452W | 10.6 | 162 | 12 | | |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | 3461W | 11.6 | 156 | 12 | | |
| | RFAA 3523T | | | | | 3472W | 12.2 | 157 | 11 | | |
| | " 5711U | | | | | 35210W | 14.1 | 153 | 9 | | |
| | RFAA 3523T | | | | | 3453W | 11.6 | 169 | 9 | | |
| | " 2165T | | | | | 3611W | 9.4 | 152 | 15 | | |
| | " | | | | | 3613W | 12.9 | 164 | 9 | | |
| | " | | | | | 3614W | 11.5 | 154 | 12 | | |
| | " | | | | | 3616W | 12.2 | 150 | 12 | | |
| " 6257U | | | | | 3631W | 11.0 | 154 | 13 | | | |
| AOZM 333T(1) | +0.9 | -1.9 | 75 | 76 | 3641W | 9.9 | 151 | 15 | | | |
| RITR 1174U(1) | | | | | 3651W | 13.2 | 155 | 10 | | | |
| AOZM 333T(1) | | | | | 3662W | 8.4 | 157 | 15 | | | |
| AOUD 858T(1) | | | | | 3681W | 11.5 | 153 | 13 | | | |
| " | | | | | 3683W | 11.6 | 148 | 14 | | | |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | AGE | INDEX |
|------------------------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | |
| Hinchview Test Barn (cont) | | | | | | | | | |
| | RFAA 3523T | | | | | 3711W | 10.6 | 160 | 127 |
| | " | | | | | 3715W | 12.1 | 156 | 117 |
| | " | | | | | 3717W | 12.5 | 166 | 92 |
| | " | | | | | 3718W | 9.6 | 160 | 139 |
| | ARHL 313T | -0.5 | +1.4 | 103 | 92 | 3723W | 12.9 | 147 | 127 |
| | ARHL 313T(1) | " | " | " | " | 3724W | 10.9 | 154 | 135 |
| | AOUD 858T(1) | | | | | 3768W | 12.9 | 147 | 127 |
| | AOZM 333T(1) | +0.9 | -1.9 | 75 | 76 | 3771W | 14.5 | 159 | 84 |
| | " | " | " | " | " | 3791W | 17.1 | 144 | 82 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | 3808W | 11.3 | 159 | 121 |
| Hinchview Farms B 12 month average | | | | | | 122 Pigs | (13.4) | (160) | 100 |
| Hinchview Farms B 12 month average | | | | | | | | | |
| 3-3802 | AMBW 514S(1) | -1.6 | +4.9 | 110 | 95 | 4639W | 11.1 | 154 | 136 |
| | ARHL 313T(1) | -0.5 | +1.4 | 103 | 92 | 4736W | 12.9 | 150 | 124 |
| | " | " | " | " | " | 4737W | 10.7 | 150 | 148 |
| | " | " | " | " | " | 4738W | 11.1 | 153 | 138 |
| | " | " | " | " | " | 4739W | 13.8 | 165 | 85 |
| | RFAA 3227U | | | | | 4746W | 13.7 | 150 | 115 |
| | " | | | | | 4747W | 12.2 | 161 | 110 |
| | " | | | | | 4749W | 10.4 | 151 | 151 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | 5106W | 11.1 | 132 | 181 |
| | " | | | | | 5107W | 11.8 | 139 | 159 |
| | ARHL 313T(1) | -1.6 | +4.9 | 110 | 95 | 5112W | 9.9 | 135 | 188 |
| | " | " | " | " | " | 5113W | 10.7 | 134 | 181 |
| | " | " | " | " | " | 5116W | 10.7 | 145 | 160 |
| | RFAA 1602U | | | | | 5125W | 16.1 | 147 | 95 |
| | " | | | | | 5126W | 12.0 | 142 | 150 |
| | " 5824U | | | | | 5137W | 15.2 | 137 | 125 |
| | " | | | | | 5138W | 15.0 | 139 | 124 |
| | AVON 417U(1) | | | | | 4966W | 13.3 | 160 | 100 |
| | " | | | | | 4968W | 12.4 | 152 | 126 |
| | RFAA 5822U | | | | | 5019W | 11.6 | 168 | 102 |
| Hinchview Farms B 12 month average | | | | | | (not available) | | | |
| denberg, Joe rose -6177 | ASCG 91T | -1.1 | +5.8 | 95 | 59 | 781W | 10.4 | 148 | |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Acadia Breeders Ltd Lacombe 782-2836 | (not available) | | | 15 | 13.5 | 150 |
| Bloomsbury Farms Ltd Bloomsbury 674-3307 | 123 | 16.3 | 149 | 2 | 18.2 | 138 |
| Braat, J. Coaldale 327-9757 | 206 | 12.1 | 157 | 6 | 13.7 | 152 |
| Brownlee, Jim Hairy Hill 768-2313 | 39 | 15.4 | 167 | 21 | 14.2 | 178 |
| Eringfeld, B. Coaldale 345-3420 | 56 | 15.0 | 173 | 5 | 16.1 | 159 |
| Gwynne Vista Farms Gwynne 352-2998 | 133 | 14.0 | 173 | 6 | 13.0 | 162 |
| Knobben, Gary Jarvie 954-2125 | 54 | 13.4 | 166 | 3 | 13.3 | 158 |
| Maschmeyer, Douglas Bruderheim 998-2845 | 46 | 15.3 | 151 | 6 | 15.5 | 149 |
| McCarthy, John Lindale 542-4531 | 37 | 16.3 | 146 | 2 | 14.2 | 142 |
| Milne, Bruce Ponoka 783-6695 | 116 | 14.2 | 157 | 15 | 12.2 | 143 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | A |
|---|------------------|-----------------|---------------|-------------------|-----------------|---|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | |
| Papenhuyzen, C. Stony Plain 963-4358 | 20 | 19.1 | 165 | 1 | 14.4 | |
| West, N.&T.J. Radway 736-3790 | 23 | 14.3 | 160 | 6 | 15.1 | |
| <u>LANDRACE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | (not available) | | | 7 | 14.3 | |
| Braat, J. Coaldale 327-9757 | (not available) | | | 4 | 17.6 | |
| Duff, Donald Ft. Sask. 998-3101 | 102 | 14.5 | 149 | 9 | 13.7 | |
| Knobben, Gary Jarvie 954-2125 | (not available) | | | 2 | 12.5 | |
| Knobben, John Jarvie 954-2647 | (not available) | | | 2 | 13.2 | |
| Lakeland College | 143 | 15.5 | 166 | 11 | 16.8 | |
| McCarthy, Kathy Lindale 542-4531 | 22 | 13.0 | 138 | 4 | 12.9 | |
| Milne, Bruce Ponoka 783-6695 | 50 | 14.4 | 151 | 8 | 10.6 | |
| Papenhuyzen, Charles Stony Plain 963-4358 | (not available) | | | 9 | 11.4 | |
| West, N.&T.J. Radway 736-3790 | (not available) | | | 9 | 14.5 | |

| | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| BREEDER ADDRESS & TELEPHONE | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>LACOMBE</u> | | | | | | |
| Bloomsbury Farms Ltd Bloomsbury 674-3307 | 191 | 16.1 | 142 | 8 | 14.2 | 148 |
| Gwynne Vista Farms Gwynne 352-2998 | 133 | 14.5 | 171 | 4 | 16.4 | 163 |
| <u>HAMPSHIRE</u> | | | | | | |
| Bloomsbury Farms Ltd Bloomsbury 674-3307 | 79 | 13.3 | 155 | 4 | 13.6 | 154 |
| Brownlee, Jim Hairy Hill 768-2313 | 35 | 13.2 | 177 | 7 | 11.2 | 179 |
| <u>DUROC</u> | | | | | | |
| Braat, J. Coaldale 327-9757 | 23 | 15.0 | 151 | 1 | 11.9 | 164 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 32 | 15.5 | 150 | 2 | 14.1 | 161 |
| Vandenberg, Joe Camrose 672-6177 | (not available) | | | 1 | 12.1 | 158 |
| <u>CROSSBREDS</u> | | | | | | |
| Bloomsbury Farms Ltd Bloomsbury 674-3307 | 102 | 16.0 | 142 | 13 | 17.1 | 140 |
| Braat, J. Coaldale 327-9757 | 104 | 13.8 | 152 | 9 | 13.8 | 147 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | |
|--|------------------|-----------------|---------------|-------------------|-----------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT |
| Chauvet, Maurice Legal 961-2578 | 59 | 16.7 | 144 | 43 | 14.6 |
| Eringsfeld, B Coaldale 345-3420 | (not available) | | | 4 | 16.0 |
| Gwynne Vista Farms Gwynne 352-2998 | 117 | 14.5 | 165 | 11 | 12.9 |
| McLenaghan, Murray Meadowview 674-3907 | (not available) | | | 14 | 13.6 |
| Milne, Bruce Ponoka 783-6695 | 160 | 14.3 | 151 | 18 | 11.7 |
| Olds College Olds 556-8393 | 377 | 15.5 | 160 | 53 | 16.4 |
| Ranchview Test Barn Bentley 748-3802 | 231 | 14.4 | 171 | 47 | 12.5 |
| Ranchview Farms B Bentley 748-3802 | 728 | 15.2 | 167 | 38 | 13.9 |
| West, N.&T.J. Radway 736-3790 | 191 | 15.5 | 158 | 30 | 14.9 |

Alberta Swine Improvement Program

CANADIANA

MAR 28 1988

#204, 7000 - 113 St. Edmonton, Alberta, T6H 5T6 phone: 427-5319

HOME TEST REPORT
MARCH 1 - 15, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . . **Alberta**
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreeds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|-----------------|-----------------|-------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| YORKSHIRE | | | | | | | | | | | |
| cadia Breeders | 12 month average | | | | | | (not available) | | | | |
| acombe | | | | | | | | | | | |
| 82-2836 | LAD 854U | | | | | ACA | 172W 12.7 | | 180 | | |
| | " | | | | | " | 174W 10.8 | | 179 | | |
| | RITR 505U | | | | | " | 194W 12.0 | | 156 | | |
| | " | | | | | " | 228W 10.6 | | 149 | | |
| | JKAA13804U | | | | | " | 231W 12.9 | | 148 | | |
| | RITR 505U | | | | | " | 306W 11.6 | | 136 | | |
| ve Lakes Farms | 12 month average | | | | | 234 Pigs | (12.9) | | (165) | | 100 |
| yerthorpe | | | | | | | | | | | |
| 6-4373 | YRZN 575T(1) | -1.5 | +4.9 | 108 | 85 | JKAA | 17103W 11.4 | | 188 | | 82 |
| | RITR 964T | +1.2 | +1.1 | 74 | 87 | " | 17603W 12.3 | | 180 | | 84 |
| | " | " | " | " | " | " | 17604W 13.5 | | 190 | | 56 |
| | " | " | " | " | " | " | 17607W 12.5 | | 176 | | 88 |
| | JKAA 5005U | | | | | " | 17701W 11.8 | | 180 | | 90 |
| | RITR 964T | +1.2 | +1.1 | 74 | 87 | " | 18104W 10.3 | | 170 | | 121 |
| | ARHL 707U | | | | | " | 18504W 12.8 | | 171 | | 92 |
| | " | | | | | " | 18505W 13.3 | | 175 | | 81 |
| | JKAA15705U | | | | | " | 19503W 15.4 | | 165 | | 72 |
| | " | | | | | " | 19505W 11.0 | | 152 | | 140 |
| | " | | | | | " | 19506W 10.5 | | 164 | | 128 |
| schmeyer, D. | 12 month average | | | | | 57 Pigs | (14.2) | | (148) | | 100 |
| nderheim | | | | | | | | | | | |
| 3-2845 | DOUG 334T | -1.9 | +5.4 | 113 | 72 | DOUG | 235W 15.8 | | 156 | | 69 |
| | " | " | " | " | " | " | 236W 15.6 | | 155 | | 72 |
| | HILL 55U | | | | | " | 244W 14.5 | | 157 | | 79 |
| | " | | | | | " | 245W 13.7 | | 150 | | 101 |
| | " | | | | | " | 246W 15.3 | | 156 | | 73 |
| | " | | | | | " | 247W 13.5 | | 154 | | 94 |
| | " | | | | | " | 248W 15.5 | | 151 | | 82 |
| schmeyer, G. | 12 month average | | | | | 32 Pigs | (14.9) | | (145) | | 100 |
| derheim | | | | | | | | | | | |
| -2845 | DOUG 334T | -1.9 | -5.4 | 113 | 72 | HILL | 205W 11.3 | | 159 | | 109 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT AGE | | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | |
| Milne, Bruce Ponoka 783-6695 | 12 month average | | | | | 105 Pigs | (13.1) | (149) | 100 |
| | MILN 573U | | | | | MILN 795W | 13.6 | 146 | 102 |
| | " | | | | | " 796W | 13.1 | 152 | 94 |
| | " | | | | | " 797W | 11.7 | 149 | 117 |
| | " 383U | | | | | " 805W | 11.0 | 148 | 129 |
| | " | | | | | " 806W | 10.4 | 150 | 131 |
| | " 678T | -2.1 | -0.1 | 138 | 71 | " 812W | 11.8 | 146 | 123 |
| | " | " | " | " | " | " 813W | 11.9 | 149 | 115 |
| Morinville Colony Morinville 939-2118 | 12 month average | | | | | (not available) | | | |
| | KKEF 2436U | | | | | MCMC 143W | 12.1 | 151 | |
| Reiter Farms Iron Springs 738-4472 | 12 month average | | | | | 109 Pigs | (12.4) | (151) | 100 |
| | ARHL 795U | | | | | RITR 1746W | 10.8 | 150 | 118 |
| | KKEF 1053S | -1.9 | -4.3 | 150 | 93 | RITR 1856W | 11.1 | 135 | 145 |
| | " 440T | -1.3 | +0.1 | 124 | 94 | " 1895W | 14.1 | 131 | 122 |
| Roeske, Murray Alcomdale 939-4938 | 12 month average | | | | | 35 Pigs | (15.0) | (147) | 100 |
| | ANLG 505T(2) | | | | | ROSE 387W | 12.8 | 143 | 132 |
| | " | | | | | " 392W | 15.0 | 141 | 112 |
| | " | | | | | " 393W | 12.8 | 149 | 120 |
| | ROSE 336T | -0.8 | +2.7 | 104 | 77 | " 395W | 12.9 | 149 | 118 |
| | " | " | " | " | " | " 397W | 12.7 | 157 | 102 |
| | " | " | " | " | " | " 399W | 13.3 | 142 | 129 |
| | ANZI 1324U(2) | | | | | " 414W | 11.2 | 135 | 168 |
| | " | | | | | " 418W | 13.8 | 137 | 135 |
| Weber Farms Castor 882-2572 | 12 month average | | | | | (not available) | | | |
| | AWGF 789U | | | | | AWGF 875W | 11.6 | 162 | |
| | " 517U | | | | | " 886W | 14.4 | 169 | |
| | " | | | | | " 906W | 18.1 | 169 | |
| | " 854U | | | | | " 914W | 14.5 | 175 | |
| | " | | | | | " 923W | 13.6 | 183 | |
| | " | | | | | " 924W | 15.4 | 184 | |
| | " | | | | | " 933W | 17.6 | 180 | |
| | " | | | | | " 934W | 11.5 | 180 | |
| | " | | | | | " 937W | 14.4 | 167 | |
| | " | | | | | " 953W | 13.3 | 159 | |
| | " 517U | | | | | " 986W | 10.8 | 174 | |
| | " | | | | | " 987W | 11.5 | 172 | |
| | " | | | | | " 996W | 12.9 | 183 | |
| | " | | | | | " 1026W | 14.4 | 153 | |
| | " | | | | | " 1027W | 16.1 | 146 | |
| | " | | | | | " 1029W | 15.2 | 154 | |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|-----------------------------------|------------------------|----------------|---------------|--------|----------|---------------|-----------------|-----------------|-------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>LANDRACE</u> | | | | | | | | | | | |
| adida Breeders combe 2-2836 | 12 month average | | | | | | (not available) | | | | |
| | ARHL 739U | | | | | ACA | 188W 11.8 | | 153 | | |
| | " | | | | | " | 187W 14.3 | | 156 | | |
| | " | | | | | " | 206W 10.3 | | 153 | | |
| | " | | | | | " | 213W 13.1 | | 153 | | |
| | " | | | | | " | 214W 13.9 | | 152 | | |
| | " | | | | | " | 216W 12.3 | | 148 | | |
| | " | | | | | " | 217W 11.3 | | 162 | | |
| | " | | | | | " | 236W 13.3 | | 141 | | |
| | " | | | | | " | 238W 12.3 | | 148 | | |
| | " | | | | | " | 245W 11.5 | | 137 | | |
| | " | | | | | " | 266W 12.3 | | 131 | | |
| | " | | | | | " | 267W 10.7 | | 138 | | |
| | " | | | | | " | 268W 11.4 | | 131 | | |
| | " | | | | | " | 269W 10.6 | | 137 | | |
| | " | | | | | " | 274W 11.6 | | 136 | | |
| | ROYS 13W | | | | | " | 300W 12.3 | | 137 | | |
| | ARHL 739U | | | | | " | 313W 11.8 | | 131 | | |
| | " | | | | | " | 314W 12.5 | | 135 | | |
| | ROYS 13W | | | | | " | 319W 13.7 | | 129 | | |
| | " | | | | | " | 321W 16.2 | | 144 | | |
| | " | | | | | " | 322W 13.4 | | 138 | | |
| trrett, R.&A. hoka 3-5192 | 12 month average | | | | | 105 Pigs | (14.5) | | (136) | | 100 |
| | ROYS 210U | +1.0 | -6.9 | 110 | 61 | ROYS | 330W 14.8 | | 156 | | 55 |
| | " | " | " | " | " | " | 331W 15.7 | | 146 | | 69 |
| | " | " | " | " | " | " | 343W 12.2 | | 138 | | 116 |
| | " | " | " | " | " | " | 344W 13.0 | | 140 | | 106 |
| | " | " | " | " | " | " | 345W 14.9 | | 133 | | 104 |
| | " | " | " | " | " | " | 346W 12.0 | | 132 | | 132 |
| | " | " | " | " | " | " | 347W 14.8 | | 135 | | 100 |
| | " | " | " | " | " | " | 348W 14.8 | | 139 | | 91 |
| | " | " | " | " | " | " | 349W 12.5 | | 130 | | 131 |
| | " 61U | -1.2 | -4.2 | 136 | 82 | " | 356W 12.9 | | 128 | | 133 |
| | " | " | " | " | " | " | 357W 12.5 | | 132 | | 126 |
| | " | " | " | " | " | " | 358W 12.7 | | 122 | | 147 |
| | " | " | " | " | " | " | 359W 12.6 | | 124 | | 143 |
| | " | " | " | " | " | " | 360W 12.1 | | 133 | | 128 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|--|----------------|---------------|--------------|----------|---|---|--|-----|--|---|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Duff, Donald Ft. Sask. 998-3101 | 12 month average FLEV 351U DUFF 661U | | | | | 57 Pigs DUFF " | (14.6) 680W 14.6 673T 12.0 | (149) 154 144 | | | 100 92 129 |
| Lakeland College Vermilion 853-8597 | 12 month average ATAT 510U " " " " " " | | | | | 98 Pigs ATAT " " " " " " | (14.6) 406W 14.7 407W 11.6 408W 12.8 409W 14.3 429W 16.1 430W 16.3 431W 14.6 | (160) 152 144 152 161 137 151 151 | | | 100 110 148 127 101 117 97 112 |
| Maschmeyer, G. Bruderheim 998-2845 | 12 month average HILL 15S | | | | | 21 Pigs HILL | (13.4) 72W 12.0 | (143) 160 | | | 100 78 |
| Milne, Bruce Ponoka 783-6695 | 12 month average AVON 419U(1) " MILN 245U " | | | | | 44 Pigs MILN " " " | (13.1) 820W 11.3 829W 14.2 836W 11.7 837W 10.4 | (150) 133 137 147 146 | | | 100 152 100 127 147 |
| Morinville Colony Morinville 939-2118 | 12 month average MCMC 85U " " MCMC 121U " " " " " | | | | | 36 Pigs MCMC " " " " " " " " | (13.1) 533W 13.6 535W 12.8 537W 13.2 542W 11.5 544W 11.4 545W 13.8 547W 11.6 549W 10.1 552W 15.0 | (146) 157 161 158 144 153 159 148 149 147 | | | 100 78 78 80 120 107 73 113 127 78 |
| Reiter Farms Ltd Iron Springs 738-4472 | 12 month average TONY 615U " " " | | | | | 25 Pigs ARBF " " " | (12.7) 1764W 12.1 1766W 13.6 1767W 13.8 1769W 15.0 | (146) 145 141 142 150 | | | 100 107 100 97 74 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |

LACOMBE

| | | | | | | | | | | | |
|----------------|------------------|------|------|-----|----|-----------|--------|--|-------|--|-----|
| ve Lakes Farms | 12 month average | | | | | 99 Pigs | (12.6) | | (163) | | 100 |
| yerthorpe | | | | | | | | | | | |
| 6-4373 | JA11201U | | | | | JA 17901W | 12.0 | | 195 | | 69 |
| | " 16501U | | | | | " 18801W | 13.0 | | 163 | | 95 |
| | " | | | | | " 18804W | 14.6 | | 171 | | 67 |
| | " 16506U | | | | | " 19101W | 12.0 | | 155 | | 116 |
| | KR 1303S | -1.9 | -0.5 | 142 | 95 | " 20505W | 12.6 | | 150 | | 115 |

HAMPSHIRE

| | | | | | | | | | | | |
|----------------|------------------|--|--|--|--|-------------|--------|--|-------|--|-----|
| ve Lakes Farms | 12 month average | | | | | 123 Pigs | (12.6) | | (174) | | 100 |
| yerthorpe | | | | | | | | | | | |
| 6-4373 | JKAA 8103U | | | | | NP 15901W | 11.6 | | 201 | | 72 |
| | " | | | | | " 15902W | 11.5 | | 200 | | 75 |
| | " | | | | | " 15903W | 10.6 | | 192 | | 98 |
| | " | | | | | " 15904W | 11.1 | | 201 | | 78 |
| | YAP10201U | | | | | YAP 16905W | 10.6 | | 183 | | 112 |
| | " | | | | | " 16906W | 11.2 | | 188 | | 97 |
| | " | | | | | JKAA 17301W | 10.9 | | 184 | | 106 |
| | " | | | | | " 17303W | 9.0 | | 181 | | 135 |
| | " | | | | | " 17305W | 10.9 | | 184 | | 106 |

| | | | | | | | | | | | |
|-----------------|------------------|------|------|-----|----|-----------------|------|--|-----|--|--|
| rinville Colony | 12 month average | | | | | (not available) | | | | | |
| rinville | | | | | | | | | | | |
| 9-2118 | NP 4004U | -0.2 | -5.5 | 123 | 58 | MCMC 157W | 10.7 | | 171 | | |
| | JKAA 3103U | +1.0 | -6.7 | 89 | 63 | " 161W | 14.0 | | 147 | | |
| | " | " | " | " | " | " 163W | 13.6 | | 148 | | |
| | " | " | " | " | " | " 167W | 14.3 | | 139 | | |

DUROC


| | | | | | | | | | | | |
|--------------|------------------|------|------|----|----|-----------|--------|--|-------|--|-----|
| schmeyer, G. | 12 month average | | | | | 41 Pigs | (13.8) | | (148) | | 100 |
| derheim | | | | | | | | | | | |
| 3-2845 | AOUD 1512R | -0.5 | +7.2 | 74 | 87 | HILL 196W | 12.9 | | 142 | | 118 |
| | " | " | " | " | " | " 197W | 11.3 | | 146 | | 130 |

RED WATTLE

| | | | | | | | | | | | |
|------------------|------------------|--|--|--|--|-----------------|------|--|-----|--|--|
| alta Red Wattles | 12 month average | | | | | (not available) | | | | | |
| field | | | | | | | | | | | |
| | DLF 21U | | | | | PEN 56W | 22.7 | | 181 | | |
| | " | | | | | " 63W | 17.1 | | 181 | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------------|----------|---------------|-----------------|-----------------|-------|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>CROSSBRED</u> | | | | | | | | | | | |
| Eidse, Louis Crooked Creek 957-2446 | 12 month average | | | | | | (not available) | | | | |
| | 901 | | | | | 8LE | 52W | 10.7 | | 127 | |
| | " | | | | | " | 59W | 9.5 | | 136 | |
| | " | | | | | " | 70W | 13.5 | | 126 | |
| Groot, Clarence Neerlandia 674-4077 | 12 month average | | | | | 91 Pigs | (12.3) | | (162) | | 100 |
| | 3991 | | | | | 6391W | 10.9 | | 178 | | 93 |
| | 4775 | | | | | 6480W | 14.5 | | 170 | | 60 |
| | " | | | | | 6485W | 12.6 | | 166 | | 89 |
| | " 4304 | | | | | 6491W | 13.2 | | 173 | | 71 |
| | " 4775 | | | | | 6500W | 13.1 | | 152 | | 106 |
| | FGBE 508U(1) | | | | | 6540W | 15.0 | | 152 | | 83 |
| Ranchview Test Barn Bentley 748-3802 | 12 month average | | | | | 598 Pigs | (13.5) | | (157) | | 100 |
| | RFAA 3523T | | | | | 3726W | 14.2 | | 159 | | 87 |
| | AOZM 333T(1) | +0.9 | -1.9 | 75 | 76 | 3743W | 11.7 | | 157 | | 120 |
| | RFAA 3523T | | | | | 3832W | 10.6 | | 152 | | 128 |
| | ARHL 313T(1) | -0.5 | +1.4 | 103 | 92 | 3862W | 10.6 | | 152 | | 143 |
| | AOUD 858T(1) | | | | | 3933W | 12.1 | | 154 | | 121 |
| | AJCM 2425T(1) | | | | | 3944W | 14.0 | | 145 | | 116 |
| | RFAA 6257U | | | | | 3976W | 13.9 | | 151 | | 106 |
| | JBFA 2S(1) | -0.8 | -7.5 | 141 | 98 | 3586W | 12.5 | | 168 | | 89 |
| | AJCM 2425T(1) | | | | | 3622W | 11.1 | | 165 | | 110 |
| | RFAA 5711U | | | | | 3671W | 15.4 | | 161 | | 69 |
| | " | | | | | 3672W | 13.6 | | 168 | | 76 |
| | AOUD 858T(1) | | | | | 3682W | 12.4 | | 161 | | 104 |
| | AMBW 514S(1) | -1.6 | +4.9 | 110 | 95 | 3695W | 11.0 | | 166 | | 110 |
| | " | " | " | " | " | 3697W | 12.3 | | 165 | | 97 |
| | " | " | " | " | " | 3698W | 15.0 | | 163 | | 70 |
| | JBFA 2S(1) | -0.8 | -7.5 | 141 | 98 | 3704W | 12.6 | | 164 | | 96 |
| | AOZM 333T(1) | +0.9 | -1.9 | 75 | 76 | 3742W | 12.4 | | 160 | | 106 |
| | AOUD 858T(1) | | | | | 3763W | 12.2 | | 167 | | 94 |
| | " | | | | | 3764W | 12.5 | | 166 | | 92 |
| | AOZM 333T(1) | +0.9 | -1.9 | 75 | 76 | 3773W | 11.9 | | 162 | | 106 |
| | " | " | " | " | " | 3777W | 10.9 | | 158 | | 126 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | 3804W | 12.7 | | 159 | | 104 |
| | AMBW 514S(1) | -1.6 | +4.9 | 110 | 95 | 3821W | 9.9 | | 160 | | 135 |
| | AMBW 514S(1) | -1.6 | -4.9 | 110 | 95 | 3828W | 9.5 | | 161 | | 138 |
| | RFAA 3523T | | | | | 3833W | 10.4 | | 157 | | 136 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| anchview Test Barn | | | | | | | | | | | |
| cont'd) | | | | | | | | | | | |
| | AOUD 858T(1) | | | | | | 3841W 12.0 | | 155 | | 120 |
| | " | | | | | | 3842W 10.3 | | 155 | | 141 |
| | RFAA 5711U | | | | | | 3852W 12.9 | | 154 | | 112 |
| | ARHL 313T(1) | -0.5 | +1.4 | 103 | 92 | | 3864W 11.8 | | 158 | | 117 |
| | RFAA 3522T | | | | | | 3882W 13.2 | | 155 | | 107 |
| | " | | | | | | 3884W 14.5 | | 157 | | 87 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | | 3901W 10.1 | | 158 | | 137 |
| | " | " | " | " | " | | 3902W 11.7 | | 156 | | 122 |
| | AOZM 333T(1) | +0.9 | -1.9 | 75 | 76 | | 3911W 11.8 | | 166 | | 101 |
| | " | | | | | | 3913W 10.9 | | 153. | | 137 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | | 3951W 12.9 | | 153 | | 113 |
| | RFAA 6257U | | | | | | 3973W 11.7 | | 150 | | 134 |
| anchview Barn B | | | | | | | | | | | |
| 12 month average | | | | | | | | | | | |
| | | | | | | 122 Pigs | (13.4) | | (160) | | 100 |
| ntley | | | | | | | | | | | |
| 8-3801 | | | | | | | | | | | |
| | RFAA 1602U | | | | | | 5127W 11.3 | | 155 | | 134 |
| | " | | | | | | 5128W 12.5 | | 154 | | 122 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | | 5203W 11.0 | | 161 | | 124 |
| | RFAA 5822U | | | | | | 5213W 11.9 | | 156 | | 124 |
| | " | | | | | | 5216W 14.1 | | 149 | | 113 |
| | " | | | | | | 52110W 12.2 | | 152 | | 129 |
| | " 5824U | | | | | | 5227W 14.7 | | 159 | | 87 |
| | " | | | | | | 52211W 13.7 | | 151 | | 114 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | | 52311W 10.9 | | 146 | | 154 |
| | RFAA 1602U | | | | | | 5298W 14.1 | | 156 | | 100 |
| | " | | | | | | 5299W 11.8 | | 158 | | 121 |
| | " 5824U | | | | | | 54210W 12.4 | | 147 | | 137 |



G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | (not available) | | | 20 | 13.2 | 154 |
| Baert, Martin Barrhead 674-3953 | (not available) | | | 2 | 14.0 | 158 |
| Five Lakes Farms Mayerthorpe 786-4373 | 293 | 13.7 | 173 | 16 | 13.7 | 181 |
| Maschmeyer, Douglas Bruderheim 998-2845 | 46 | 15.3 | 151 | 4 | 15.2 | 158 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 27 | 14.8 | 153 | 4 | 15.2 | 146 |
| Milne, Bruce Ponoka 783-6695 | 116 | 14.2 | 157 | 9 | 12.0 | 160 |
| Morinville Colony Morinville 939-2118 | (not available) | | | 1 | 13.1 | 155 |
| Reiter Farms Ltd Iron Springs 738-4472 | 151 | 13.7 | 161 | 26 | 12.4 | 155 |
| Roeske, Murray Alcomdale 939-4938 | 137 | 16.0 | 156 | 19 | 15.1 | 164 |
| Weber Farms Ltd. Castor 882-2572 | (not available) | | | 23 | 14.6 | 171 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | A A |
|--|------------------|-----------------|---------------|-------------------|-----------------|--------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | |
| <u>LANDRACE</u> | | | | | | |
| Acadia Breeders Ltd Lacombe 782-2836 | (not available) | | | 23 | 12.3 | 1 |
| Barrett, R.&A. Ponoka 783-5192 | 137 | 15.9 | 143 | 15 | 15.0 | 1 |
| Duff, Donald Ft. Sask. 998-3101 | 102 | 14.5 | 149 | 9 | 14.9 | |
| Lakeland College Vermilion 853-8597 | 143 | 15.5 | 166 | 9 | 15.4 | |
| Maschmeyer, Gerald Bruderheim 998-2845 | (not available) | | | 1 | 13.5 | |
| Milne, Bruce Ponoka 783-6695 | 50 | 14.4 | 151 | 5 | 13.0 | |
| Morinville Colony Morinville 939-2118 | 47 | 14.1 | 151 | 19 | 12.8 | |
| Wakeena Farm Bentley 748-4252 | 23 | 14.8 | 167 | 4 | 13.1 | |
| <u>LACOMBE</u> | | | | | | |
| Five Lakes Farms Mayerthorpe 786-4373 | 128 | 13.6 | 172 | 22 | 13.6 | |

| | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| BREEDER ADDRESS & TELEPHONE | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>HAMPSHIRE</u> | | | | | | |
| Five Lakes Farms Mayerthorpe 786-4373 | 94 | 13.2 | 177 | 9 | 12.4 | 193 |
| Morinville Colony Morinville 939-2118 | (not available) | | | 7 | 11.3 | 178 |
| <u>DUROC</u> | | | | | | |
| Maschmeyer, Gerald Bruderheim 998-2845 | 32 | 15.5 | 150 | 1 | 13.7 | 155 |
| <u>RED WATTLE</u> | | | | | | |
| Penalta Red Wattles Winfield 682-2269 | 31 | 23.7 | 182 | 8 | 22.4 | 186 |
| <u>CROSSBRED</u> | | | | | | |
| Baert, Martin Barrhead 674-3953 | 64 | 15.4 | 149 | 4 | 16.1 | 141 |
| Chauvet, Maurice Legal 961-2578 | 103 | 15.5 | 148 | 26 | 14.8 | 174 |
| Eidse, Louis Crooked Creek 957-2446 | (not available) | | | 13 | 13.5 | 140 |
| Groot, Clarence Neerlandia 674-4077 | 181 | 13.5 | 167 | 32 | 13.3 | 171 |
| Milne, Bruce Ponoka 783-6695 | 160 | 14.3 | 151 | 1 | 11.8 | 142 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | A A |
|---|------------------|-----------------|---------------|-------------------|-----------------|--------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | |
| Olds College Olds 556-8393 | 377 | 15.5 | 160 | 23 | 16.2 | 1 |
| Ranchview Test Barn Bentley 748-3802 | 231 | 14.4 | 171 | 17 | 12.4 | 1 |
| Ranchview Farms B Bentley 748-3802 | 728 | 15.2 | 167 | 30 | 12.7 | 1 |
| Weber Farms Ltd Castor 882-2572 | 45 | 15.5 | 154 | 5 | 15.7 | 1 |
| Wierenga, Clayton Neerlandia 674-5904 | 127 | 14.6 | 167 | 40 | 15.0 | |

Alberta Swine Improvement Program

CANADIANA

MAY - 6 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
MARCH 16 - 31, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . . **Alberta**
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-----------------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>YORKSHIRE</u> | | | | | | | | | | | |
| dia Breeders | 12 month average | | | | | | | | | | (not available) |
| ombe | | | | | | | | | | | |
| -2836 | JKAA13804U | | | | | ACA | 251W | 9.9 | 155 | | |
| | " " | | | | | " | 281W | 13.2 | 141 | | |
| | " " | | | | | " | 282W | 15.0 | 149 | | |
| | " " | | | | | " | 283W | 14.6 | 156 | | |
| | " " | | | | | " | 284W | 12.8 | 139 | | |
| | " " | | | | | " | 289W | 13.7 | 134 | | |
| | " " | | | | | " | 290W | 12.1 | 142 | | |
| | " " | | | | | " | 291W | 11.5 | 145 | | |
| | " " | | | | | " | 292W | 12.2 | 137 | | |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | " | 307W | 11.5 | 153 | | |
| | " " | " | " | " | " | " | 308W | 10.4 | 144 | | |
| | " " | " | " | " | " | " | 310W | 11.5 | 145 | | |
| msbury Farms | 12 month average | | | | | 105 pigs | (14.5) | (145) | | | 100 |
| msbury | | | | | | | | | | | |
| -3307 | WM 3409U | | | | | WM | 6706W | 11.0 | 136 | | 146 |
| | " " | | | | | " | 6707W | 14.8 | 136 | | 113 |
| | " " | | | | | " | 6708W | 13.8 | 141 | | 113 |
| | " 804U | +1.1 | -7.8 | 111 | 59 | " | 6807W | 11.8 | 135 | | 141 |
| | " " | " | " | " | " | " | 6808W | 12.7 | 137 | | 129 |
| | " " | " | " | " | " | " | 6904W | 15.6 | 131 | | 115 |
| | " " | " | " | " | " | " | 6905W | 12.2 | 137 | | 134 |
| | " " | " | " | " | " | " | 6906W | 11.7 | 137 | | 138 |
| | " 3409U | | | | | " | 7405W | 15.6 | 139 | | 101 |
| t, J. | 12 month average | | | | | 88 pigs | (12.0) | (148) | | | 100 |
| dale | | | | | | | | | | | |
| 9757 | ARBF 784T | -1.6 | +6.1 | 105 | 88 | ARBF | 654W | 10.5 | 147 | | 119 |
| | ANZI 3863P | -2.0 | +9.6 | 99 | 97 | " | 662W | 10.9 | 147 | | 115 |
| | ARBF 784T | -1.6 | +6.1 | 105 | 88 | " | 674W | 11.4 | 147 | | 108 |
| nee, Jim | 12 month average | | | | | 71 pigs | (13.8) | (163) | | | 100 |
| y Hill | | | | | | | | | | | |
| 2313 | KKEF 1930T | -0.4 | -2.7 | 119 | 56 | AHKP | 679W | 12.2 | 173 | | 102 |
| | " " | " | " | " | " | " | 698W | 13.0 | 173 | | 96 |
| | " " | " | " | " | " | " | 704W | 13.3 | 159 | | 109 |
| | RITR 574U | | | | | " | 715W | 14.5 | 168 | | 88 |
| | " " | | | | | " | 718W | 12.6 | 162 | | 112 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE 90 KG | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|--------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| Eringfield, B. Coaldale 345-3420 | 12 month average | | | | | 52 pigs | (13.8) | (167) | | 100 |
| | AREE 192U | | | | | AOGK 901W | 12.6 | 183 | | 89 |
| | " " | | | | | " 902W | 12.1 | 179 | | 101 |
| | " " | | | | | " 941W | 11.5 | 156 | | 141 |
| | " " | | | | | " 942W | 9.6 | 150 | | 171 |
| | " " | | | | | " 944W | 11.9 | 157 | | 135 |
| | KKEF 3084T | -1.3 | -0.8 | 128 | 64 | " 952W | 10.4 | 160 | | 147 |
| Five Lakes Farms Mayerthorpe 786-4373 | 12 month average | | | | | 234 pigs | (12.9) | (165) | | 100 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | JKAA 18701W | 10.0 | 177 | | 114 |
| | " " | " | " | " | " | " 18702W | 9.8 | 180 | | 112 |
| | " " | " | " | " | " | " 18703W | 12.3 | 184 | | 78 |
| | " 9201U | | | | | " 19004W | 9.5 | 176 | | 121 |
| | " 15705U | | | | | " 19502W | 12.9 | 187 | | 67 |
| | " 5005U | -1.4 | -6.5 | 150 | 72 | " 19603W | 9.8 | 178 | | 115 |
| | " " | " | " | " | " | " 19604W | 10.1 | 182 | | 106 |
| | ARHL 707U | | | | | " 19801W | 12.5 | 172 | | 94 |
| | " " | | | | | " 19803W | 13.1 | 177 | | 80 |
| | " " | | | | | " 20002W | 11.5 | 166 | | 114 |
| | " " | | | | | " 20003W | 11.6 | 163 | | 117 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | " 20004W | 12.7 | 169 | | 96 |
| | RITR 924T(1) | | | | | " 20901W | 11.0 | 171 | | 112 |
| | JKAA 504W | | | | | " 20902W | 10.3 | 160 | | 136 |
| | " " | | | | | " 20903W | 10.4 | 161 | | 133 |
| | " " | | | | | " 20909W | 11.0 | 166 | | 119 |
| | ARHL 707U | | | | | " 21002W | 10.7 | 162 | | 129 |
| Gwynne Vista Farms Gwynne 352-2998 | 12 month average | | | | | 56 pigs | (13.1) | (169) | | 100 |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | GWYN 14605W | 15.7 | 171 | | 79 |
| | JKAA 4308U | | | | | " 14702W | 11.9 | 166 | | 113 |
| | " " | | | | | " 14703W | 11.8 | 175 | | 101 |
| | " " | | | | | " 14704W | 10.4 | 154 | | 141 |
| Knobben, John Jarvie 954-2647 | 12 month average | | | | | 61 pigs | (11.8) | (154) | | 100 |
| | ROSE 106U | +2.0 | +1.6 | 57 | 79 | AREE 310W | 15.5 | 156 | | 46 |
| | " " | " | " | " | " | " 311W | 14.6 | 166 | | 39 |
| | " " | " | " | " | " | " 313W | 14.8 | 158 | | 52 |
| | " " | " | " | " | " | " 314W | 15.8 | 161 | | 33 |
| | " " | " | " | " | " | " 315W | 14.7 | 163 | | 45 |

| FEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| ejka, George | 12 month average | | | | | 392 pigs | (12.4) | | (163) | | 100 |
| van Lake | | | | | | | | | | | |
| -2656 | KKEF 570S | | | | | KKEF 2721W | 15.4 | | 150 | | 91 |
| | " " | | | | | " 2723W | 15.2 | | 148 | | 97 |
| | " " | | | | | " 2725W | 15.9 | | 152 | | 82 |
| | RITR 774U | | | | | " 2743W | 14.7 | | 151 | | 98 |
| | KKEF 570S | | | | | " 2750W | 11.1 | | 156 | | 124 |
| | " " | | | | | " 2751W | 13.3 | | 153 | | 108 |
| | " " | | | | | " 2754W | 11.3 | | 160 | | 116 |
| | " " | | | | | " 2770W | 14.1 | | 143 | | 117 |
| | " " | | | | | " 2772W | 12.9 | | 143 | | 130 |
| | " " | | | | | " 2774W | 9.8 | | 150 | | 149 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | " 2782W | 14.1 | | 150 | | 104 |
| | KKEF 1494T | -1.4 | -5.3 | 145 | 79 | " 2801W | 10.9 | | 145 | | 147 |
| | " 342U | -0.4 | -3.3 | 121 | 64 | " 2810W | 12.0 | | 152 | | 123 |
| | " " | " | " | " | " | " 2812W | 12.7 | | 145 | | 128 |
| | " " | " | " | " | " | " 2814W | 11.4 | | 163 | | 110 |
| | " 570S | | | | | " 2820W | 13.1 | | 145 | | 125 |
| | " " | | | | | " 2821W | 13.4 | | 152 | | 109 |
| | " 2701S | -2.5 | -1.5 | 151 | 75 | " 2833W | 14.7 | | 145 | | 108 |
| | DOUG 354T | | | | | " 2902W | 10.5 | | 155 | | 133 |
| | RITR 774U | | | | | " 2931W | 12.1 | | 146 | | 132 |
| | " " | | | | | " 2933W | 15.0 | | 144 | | 106 |
| | " 2131U | | | | | " 2940W | 12.2 | | 137 | | 146 |
| | " " | | | | | " 2943W | 11.3 | | 134 | | 162 |
| | " " | | | | | " 2949W | 10.6 | | 140 | | 159 |
| | KKEF 342U | -0.4 | -3.3 | 121 | 64 | " 2962W | 12.1 | | 150 | | 127 |
| | " " | " | " | " | " | " 2964W | 10.1 | | 156 | | 135 |
| | " 2193S | -1.1 | -4.9 | 140 | 88 | " 2970W | 10.5 | | 155 | | 133 |
| | " " | " | " | " | " | " 2973W | 9.8 | | 154 | | 142 |
| | " " | " | " | " | " | " 2974W | 11.3 | | 156 | | 123 |
| | " 342U | -0.4 | -3.3 | 121 | 64 | " 2982W | 9.0 | | 155 | | 148 |
| | RITR 2131U | | | | | " 3041W | 10.8 | | 146 | | 146 |
| | " " | | | | | " 3044W | 12.2 | | 146 | | 131 |
| | KKEF 2701S | -1.1 | -8.3 | 152 | 84 | " 3050W | 11.1 | | 142 | | 149 |
| | " " | " | " | " | " | " 3056W | 9.8 | | 157 | | 136 |
| | " 1494T | -1.4 | -5.3 | 145 | 79 | " 3063W | 9.4 | | 141 | | 169 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | " 3073W | 11.1 | | 142 | | 149 |
| | " " | " | " | " | " | " 3074W | 10.9 | | 148 | | 142 |
| | " " | " | " | " | " | " 3075W | 9.8 | | 140 | | 166 |
| | " " | " | " | " | " | " 3076W | 10.6 | | 150 | | 142 |
| | KKEF 342U | -0.4 | -3.3 | 121 | 64 | " 3085W | 14.8 | | 149 | | 99 |
| | " 2723U | | | | | " 3091W | 10.5 | | 143 | | 154 |
| | " 2193S | -1.1 | -4.9 | 140 | 88 | " 3101W | 11.6 | | 153 | | 125 |
| | " " | " | " | " | " | " 3102W | 9.8 | | 143 | | 161 |
| | " " | " | " | " | " | " 3105W | 11.9 | | 151 | | 126 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--------|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Matejka, G. cont'd | KKEF 2701S | -1.1 | -8.3 | 152 | 84 | KKEF | 3131W | 12.9 | 152 | | 114 |
| | " " | " | " | " | " | " | 3132W | 10.3 | 153 | | 140 |
| | " " | " | " | " | " | " | 3134W | 12.1 | 150 | | 127 |
| | RITR 2131U | | | | | " | 3140W | 13.3 | 143 | | 126 |
| | " " | | | | | " | 3142W | 11.9 | 140 | | 145 |
| Milne, Bruce Ponoka 783-6695 | 12 month average | | | | | 140 pigs | | (12.5) | (150) | | 100 |
| | MILN 573U | | | | | MILN | 847W | 9.9 | 145 | | 144 |
| | " " | | | | | " | 848W | 10.7 | 143 | | 138 |
| | FGBE 508U(1) | | | | | " | 856W | 10.9 | 143 | | 136 |
| | " " | | | | | " | 857W | 10.1 | 141 | | 152 |
| | MILN 383U | | | | | " | 867W | 11.1 | 147 | | 123 |
| | " " | | | | | " | 868W | 10.8 | 150 | | 122 |
| | " " | | | | | " | 869W | 12.0 | 139 | | 132 |
| | " 573U | | | | | " | 871W | 11.3 | 133 | | 156 |
| | " 856U | | | | | " | 881W | 11.6 | 136 | | 144 |
| | " " | | | | | " | 882W | 13.4 | 137 | | 119 |
| | " " | | | | | " | 883W | 12.2 | 142 | | 122 |
| | RITR 1174U(1) | | | | | " | 894W | 11.9 | 131 | | 151 |
| | " " | | | | | " | 895W | 10.9 | 131 | | 163 |
| | " " | | | | | " | 897W | 12.9 | 141 | | 117 |
| | " " | | | | | " | 898W | 12.0 | 139 | | 133 |
| Papenhuyzen, C. Stony Plain 963-4358 | 12 month average | | | | | 23 pigs | | (17.2) | (165) | | 100 |
| | DASA 1052T | +0.5 | +5.2 | 71 | 72 | ASUS | 490W | 16.6 | 194 | | 62 |
| | " " | " | " | " | " | " | 491W | 13.1 | 193 | | 112 |
| | " " | " | " | " | " | " | 521W | 16.9 | 178 | | 83 |
| | TVW 252U | | | | | " | 531W | 16.2 | 149 | | 139 |
| | " " | | | | | " | 533W | 15.6 | 144 | | 155 |
| Rice, Ronald Ardrossan | 12 month average | | | | | 29 pigs | | (14.2) | (166) | | 100 |
| | AHPZ 155U | | | | | AHPZ | 261W | 17.4 | 170 | | 64 |
| | " " | | | | | " | 262W | 14.3 | 161 | | 104 |
| | " " | | | | | " | 266W | 13.8 | 164 | | 106 |
| Roeske, Murray Alcomdale 939-4938 | 12 month average | | | | | 62 pigs | | (13.4) | (148) | | 100 |
| | ANZI 1324U(2) | | | | | ROSE | 403W | 10.3 | 161 | | 110 |
| | " " | | | | | " | 405W | 11.0 | 150 | | 124 |
| | " " | | | | | " | 406W | 13.5 | 160 | | 75 |
| | " " | | | | | " | 407W | 8.2 | 158 | | 140 |
| | " " | | | | | " | 416W | 10.8 | 160 | | 106 |
| | RITR 1174U | | | | | " | 457W | 11.8 | 126 | | 163 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|------|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| ko, Daniel | 12 month average | | | | | 24 pigs | (14.8) | | (150) | | 100 |
| brook | | | | | | | | | | | |
| -2315 | GWYN14705U | | | | | DANY | 220W | 14.6 | 146 | | 109 |
| | GARY 315T | +1.4 | -4.0 | 90 | 82 | " | 230W | 15.7 | 154 | | 83 |
| | " " | " | " | " | " | " | 231W | 17.3 | 163 | | 50 |
| | " " | " | " | " | " | " | 233W | 18.6 | 166 | | 28 |
| | " " | " | " | " | " | " | 234W | 18.1 | 164 | | 38 |
| | " " | " | " | " | " | " | 235W | 15.3 | 147 | | 99 |
| denberg, Joe | 12 month average | | | | | 62 pigs | (15.0) | | (155) | | 100 |
| rose | | | | | | | | | | | |
| -6177 | RITR 1174U(1) | | | | | ASCG | 800W | 14.8 | 158 | | 96 |
| | " " | | | | | " | 801W | 15.5 | 151 | | 101 |
| | " " | | | | | " | 802W | 14.7 | 152 | | 109 |
| | " " | | | | | " | 803W | 13.8 | 145 | | 131 |
| | " " | | | | | " | 804W | 11.7 | 148 | | 152 |
| | " " | | | | | " | 805W | 11.4 | 145 | | 160 |
| | FGBE 508U(1) | | | | | " | 810W | 13.2 | 154 | | 122 |
| | " " | | | | | " | 813W | 12.1 | 169 | | 110 |
| | " " | | | | | " | 815W | 13.0 | 163 | | 109 |
| er Farms Ltd | 12 month average | | | | | 33 pigs | (14.9) | | (164) | | 100 |
| tor | | | | | | | | | | | |
| -2572 | AWGF 517U | | | | | AWGF | 1075W | 12.2 | 155 | | 139 |
| | " 135T | | | | | " | 1099W | 16.0 | 162 | | 94 |
| t, N. & T.J. | 12 month average | | | | | 31 pigs | (14.2) | | (157) | | 100 |
| way | | | | | | | | | | | |
| -3790 | JKAA 421T | -0.6 | -5.6 | 132 | 87 | ATED | 179W | 14.2 | 171 | | 85 |

LANDRACE

| | | | | | | | | | | | |
|--------------|------------------|--|--|--|--|-----------------|-------|------|-----|--|--|
| dia Breeders | 12 month average | | | | | (not available) | | | | | |
| ombe | | | | | | | | | | | |
| -2836 | ARHL 739U | | | | | ACA | 237W | 11.8 | 159 | | |
| | " " | | | | | " | 270W | 12.6 | 158 | | |
| | ROYS 13W | | | | | " | 298W | 11.3 | 153 | | |
| | " " | | | | | " | 301W | 13.4 | 144 | | |
| | ARHL 739U | | | | | " | 318W | 11.5 | 154 | | |
| | ROYS 13W | | | | | " | 320W | 14.2 | 157 | | |
| | ARHL 739U | | | | | " | 1232W | 14.5 | 159 | | |
| | " " | | | | | " | 1233W | 12.5 | 163 | | |
| | " " | | | | | " | 1235W | 12.5 | 163 | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|---|---------------------------|--------------------|-------------------|------------------|---|--|--|--|--|--|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Lakeland College Vermilion 853-8597 | 12 month average AREE 361U(1) " " " " | | | | | 114 pigs ATAT " " " " | (14.2) 437W 11.0 440W 12.6 448W 17.6 | | (158) 163 168 155 | | 100 123 99 72 |
| Matejka, Tony Sylvan Lake 887-2656 | 12 month average AREE 361U(1) | | | | | 36 pigs TONY 3116W | (12.6) 11.3 | | (164) 140 | | 100 156 |
| <u>LACOMBE</u> | | | | | | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 12 month average BL 2405U " 3402U " " " " " " " " " " " 2303U " " " " " " " " " " " " | | | | | 194 pigs BL " | (15.1) 6807W 12.8 6906W 13.7 6907W 11.9 6908W 12.0 7007W 11.0 7008W 15.5 7009W 16.6 7105W 16.2 7106W 15.8 7107W 13.6 7110W 16.8 7111W 19.5 7112W 15.8 | | (138) 149 133 143 139 132 135 133 135 133 131 131 137 133 | | 100 101 124 122 129 153 102 95 95 103 129 97 59 103 |
| Five Lakes Farms Mayerthorpe 786-4373 | 12 month average JA16506U KR 1303S " " " " JA11201U " " KR 1303S " " " " | -1.9 " " " " " " | -0.5 " " " " | 142 " " " " | 95 " " " " | 99 pigs JA " " " " " " " " " " " " " " " " | (12.6) 19102W 9.4 20502W 10.6 20503W 11.1 20504W 11.4 20805W 13.4 21302W 9.8 21701W 12.4 21702W 11.5 21703W 12.7 | | (163) 162 161 161 168 171 164 145 142 147 | | 100 137 125 119 107 81 131 123 137 117 |
| Gwynne Vista Farms Gwynne 352-2998 | 12 month average KR 11806U " " " " " 12802U | | | | | 97 pigs KR " " " " JTL | (13.3) 14901W 14.2 14904W 15.2 14906W 14.8 15301W 8.7 | | (162) 149 155 145 145 | | 100 115 93 115 183 |

| OWNER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| De Vista Farms | | | | | | | | | | | |
| 'd | KR 12802U | | | | | JTL 15302W | 10.3 | | 146 | | 163 |
| | " " | | | | | " 15303W | 11.1 | | 152 | | 144 |
| | " " | | | | | " 15304W | 8.8 | | 154 | | 165 |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| msbury Farms | 12 month average | | | | | 96 pigs | (13.0) | | (150) | | 100 |
| msbury | | | | | | | | | | | |
| 3307 | WM 8304T | +0.1 | -6.3 | 115 | 63 | WM 6605W | 15.2 | | 159 | | 52 |
| | " " | " | " | " | " | " 6606W | 11.7 | | 147 | | 125 |
| | " " | " | " | " | " | " 6607W | 14.3 | | 151 | | 80 |
| | " " | " | " | " | " | " 6608W | 12.9 | | 163 | | 76 |
| | " " | " | " | " | " | " 7310W | 13.1 | | 134 | | 131 |
| ndlee, Jim | 12 month average | | | | | 27 pigs | (12.0) | | (169) | | 100 |
| y Hill | | | | | | | | | | | |
| 2313 | AOVX 32U | | | | | AHKP 650W | 13.3 | | 169 | | 86 |
| | " " | | | | | " 652W | 9.2 | | 164 | | 138 |
| | " " | | | | | " 655W | 13.0 | | 164 | | 95 |
| | " " | | | | | " 0655W | 11.4 | | 189 | | 81 |
| | BUFA 27U | | | | | " 661W | 11.3 | | 195 | | 75 |
| | AOVX 32U | | | | | " 662W | 12.1 | | 163 | | 107 |
| | " " | | | | | " 666W | 13.4 | | 173 | | 80 |
| | " " | | | | | " 731W | 11.5 | | 163 | | 113 |
| Lakes Farms | 12 month average | | | | | 123 pigs | (12.6) | | (174) | | 100 |
| rthorpe | | | | | | | | | | | |
| 4373 | JKAA 8103U | | | | | JKAA 19702W | 11.1 | | 170 | | 125 |
| | " " | | | | | " 19703W | 10.8 | | 183 | | 109 |
| | " " | | | | | " 19704W | 11.1 | | 170 | | 125 |
| | " " | | | | | " 19903W | 10.1 | | 174 | | 132 |
| | " " | | | | | " 20101W | 12.4 | | 172 | | 105 |
| | " " | | | | | " 20102W | 12.1 | | 170 | | 112 |
| nhuyzen, C. | 12 month average | | | | | 21 pigs | (13.5) | | (172) | | 100 |
| y Plain | | | | | | | | | | | |
| 4358 | DASA 870T | +1.07 | -2.5 | 85 | 73 | ASUS 501W | 10.5 | | 163 | | 156 |
| | " " | " | " | " | " | " 502W | 12.1 | | 167 | | 126 |
| | " " | " | " | " | " | " 503W | 11.9 | | 176 | | 120 |
| | " " | " | " | " | " | " 504W | 12.6 | | 195 | | 85 |
| | ASUS 49S | +0.1 | +12.1 | 57 | 88 | " 542W | 12.4 | | 155 | | 137 |
| | " " | " | " | " | " | " 545W | 10.8 | | 154 | | 163 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |

DUROC

| | | | | | | | | | | | |
|---|------------------|---------|------|------|-----|-----------------|------|--------|-------|-----|-----|
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | (not available) | | | | | |
| | ARBF | 64T | -0.8 | -1.0 | 125 | 71 | ARBF | 658W | 13.0 | 152 | |
| Neufeld Farms Acme 546-3960 | 12 month average | | | | | 51 pigs | | (13.4) | (167) | 100 | |
| | NEUF | 180T | -0.8 | -7.8 | 163 | 65 | NEUF | 160W | 13.4 | 177 | 90 |
| | " | " | " | " | " | " | " | 164W | 12.3 | 183 | 97 |
| | " | " | " | " | " | " | " | 168W | 14.0 | 165 | 96 |
| | " | " | " | " | " | " | " | 171W | 14.1 | 182 | 75 |
| | " | " | " | " | " | " | " | 172W | 15.2 | 175 | 68 |
| | " | " | " | " | " | " | " | 174W | 11.5 | 183 | 107 |
| | " | " | " | " | " | " | " | 179W | 12.1 | 155 | 131 |
| | " | " | " | " | " | " | " | 180W | 13.3 | 156 | 113 |
| Papenhuyzen, C Stony Plain 963-4358 | 12 month average | | | | | (not available) | | | | | |
| | AIHO | 54U | | | | | CWP | 5W | 12.6 | 155 | |
| | " | " | | | | | " | 6W | 12.4 | 154 | |
| | " | " | | | | | " | 7W | 12.8 | 142 | |
| | " | " | | | | | " | 8W | 13.5 | 149 | |
| Rice, Ronald Ardrossan 998-2794 | 12 month average | | | | | 29 pigs | | (15.2) | (176) | 100 | |
| | AHPZ | 153U | | | | | AHPZ | 247W | 11.4 | 176 | 136 |
| | " | " | | | | | " | 248W | 12.2 | 174 | 131 |
| | KTDA | 262T(1) | | | | | " | 268W | 13.9 | 179 | 107 |
| | AHPZ | 153U | | | | | " | 270W | 17.3 | 156 | 110 |
| | KTDA | 262T(1) | | | | | " | 278W | 14.0 | 156 | 142 |

CROSSBRED

| | | | | | | | | | | | |
|--|------------------|-------|--|--|--|---------|-----|--------|-------|-----|-----|
| Bloomsbury Farms Bloomsbury 674-3307 | 12 month average | | | | | 42 pigs | | (14.8) | (142) | 100 | |
| | BL | 3309U | | | | | 8KJ | 4104W | 12.7 | 136 | 127 |
| | " | " | | | | | " | 4107W | 13.4 | 141 | 114 |
| | " | " | | | | | " | 4109W | 13.0 | 144 | 112 |
| | " | 3402U | | | | | " | 4203W | 11.1 | 128 | 153 |
| | " | " | | | | | " | 4204W | 11.4 | 126 | 153 |
| | " | " | | | | | " | 4205W | 13.7 | 131 | 127 |
| | " | " | | | | | " | 4206W | 11.4 | 136 | 138 |

| EDER ELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| omsbury Farms | | | | | | | | | | | |
| t'd | BL 2705U | | | | | " | 4407W 14.1 | 133 | | 120 | |
| | " " | | | | | " | 4408W 13.6 | 131 | | 128 | |
| | " " | | | | | " | 4502W 18.8 | 130 | | 86 | |
| | " " | | | | | " | 4503W 17.6 | 127 | | 101 | |
| | " " | | | | | " | 4504W 15.9 | 132 | | 107 | |
| | " " | | | | | " | 4505W 15.8 | 124 | | 120 | |
| field Farms | 12 month average | | | | | 123 pigs | (14.2) | (158) | | 100 | |
| m | | | | | | | | | | | |
| -3960 | 204 | | | | | | 183W 14.5 | 164 | | 86 | |
| | " | | | | | | 184W 15.0 | 154 | | 98 | |
| | NEUF 180T | -0.8 | -7.8 | 163 | 65 | | 186W 13.1 | 159 | | 110 | |
| | " " | " | " | " | " | | 187W 15.4 | 170 | | 66 | |
| | 328 | | | | | | 197W 12.7 | 146 | | 138 | |
| | " | | | | | | 199W 13.6 | 158 | | 107 | |
| | " | | | | | | 201W 15.0 | 168 | | 74 | |
| | RITR 1174U(1) | | | | | | 3001W 13.1 | 163 | | 104 | |
| | " " | | | | | | 3002W 13.4 | 162 | | 102 | |
| | " " | | | | | | 3003W 12.7 | 154 | | 125 | |
| | 204U | | | | | | 3201W 13.8 | 151 | | 116 | |
| | " | | | | | | 3202W 13.3 | 147 | | 128 | |
| | " | | | | | | 3203W 12.6 | 146 | | 138 | |
| | 172U | | | | | | 3231W 15.9 | 143 | | 105 | |
| | " | | | | | | 3232W 15.3 | 138 | | 121 | |
| | AMBW 514S(1) | -1.6 | +4.9 | 110 | 95 | | 3281W 12.6 | 144 | | 142 | |
| chview Test Barn | 12 month average | | | | | 902 pigs | (13.2) | (155) | | 100 | |
| ley | | | | | | | | | | | |
| -3802 | RFAA 5711U | | | | | | 3674W 11.6 | 167 | | 98 | |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | | 3982W 14.2 | 159 | | 79 | |
| | " " | " | " | " | " | | 3984W 11.8 | 156 | | 115 | |
| | " " | " | " | " | " | | 3985W 11.1 | 154 | | 126 | |
| | AOUD 858T(1) | | | | | | 4013W 11.0 | 157 | | 122 | |
| | " " | | | | | | 4014W 11.1 | 158 | | 119 | |
| | RFAA 2165T | | | | | | 4031W 11.5 | 150 | | 130 | |
| | " " | | | | | | 4035W 11.6 | 157 | | 115 | |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | | 4045W 12.6 | 157 | | 103 | |
| | VBSF 304U(1) | | | | | | 4051W 10.9 | 148 | | 140 | |
| | " " | | | | | | 4052W 10.3 | 157 | | 132 | |
| | " " | | | | | | 4053W 10.2 | 156 | | 135 | |
| | JBFA 2S(1) | -0.8 | -7.5 | 141 | 98 | | 4072W 13.1 | 153 | | 104 | |
| | RFAA 3522T | | | | | | 4102W 11.8 | 158 | | 112 | |
| | AREE 361U(1) | | | | | | 4122W 13.7 | 156 | | 92 | |
| | " " | | | | | | 4123W 11.4 | 147 | | 136 | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--------------------------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <hr/> | | | | | | | | | | | |
| Ranchview Test Barn | | | | | | | | | | | |
| Cont'd | AJCM 2425T(1) | | | | | 4161W | 11.6 | 144 | | 140 | |
| | AOUD 858T(1) | | | | | 4191W | 14.0 | 150 | | 97 | |
| | AJCM 2425T(1) | | | | | 4212W | 11.1 | 140 | | 152 | |
| Ranchview Test Barn 12 month average | | | | | | 902 pigs | (13.2) | (155) | | 100 | |
| Bentley | | | | | | | | | | | |
| 748-3802 | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | 4043W | 15.2 | 165 | | 56 | |
| | " " | -1.2 | -13.7 | 176 | 80 | 4293W | 13.9 | 152 | | 96 | |
| | RFAA 3523T | | | | | 4301W | 14.2 | 156 | | 87 | |
| | " " | | | | | 4303W | 13.2 | 153 | | 103 | |
| | " " | | | | | 4304W | 12.1 | 149 | | 126 | |
| | " 3271T | | | | | 4315W | 13.4 | 161 | | 86 | |
| | AOUD 858T(1) | | | | | 4331W | 13.6 | 160 | | 86 | |
| | " " | | | | | 4336W | 15.2 | 154 | | 77 | |
| | RFAA 3522T | | | | | 4345W | 15.2 | 143 | | 97 | |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | 4362W | 11.3 | 158 | | 118 | |
| West, N. & T.J. 12 month average | | | | | | (not available) | | | | | |
| Radway 736-3790 | MCMC 13T | -0.6 | +0.3 | 108 | 71 | 1328W | 18.0 | 172 | | 48 | |
| | " " | " | " | " | " | 1331W | 16.6 | 159 | | 81 | |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Acadia Breeders Macombe 82-2836 | (not available) | | | 10 | 12.6 | 150 |
| Loomsbury Farms Loomsbury 74-3307 | 123 | 16.3 | 149 | 8 | 14.8 | 141 |
| Maat, J. Maldale 27-9757 | 146 | 12.5 | 155 | 8 | 12.5 | 155 |
| Mownlee, Jim Mairy Hill 68-2313 | 66 | 15.2 | 164 | 9 | 13.5 | 173 |
| Mringfeld, B. Maldale 45-3420 | 56 | 15.0 | 173 | 10 | 14.2 | 171 |
| Five Lakes Farms Mayerthorpe 86-4373 | 293 | 13.7 | 173 | 22 | 13.2 | 171 |
| Mwynne Vista Farms Mwynne 52-2998 | 133 | 14.0 | 173 | 27 | 11.9 | 164 |
| Matejka, George Mylvan Lake 87-2656 | 298 | 13.1 | 177 | 29 | 12.9 | 165 |
| Mllne, Bruce Monoka 83-6695 | 156 | 13.2 | 152 | 17 | 11.1 | 145 |
| Mapenhuyzen, C. Mony Plain 63-4358 | 20 | 19.1 | 165 | 5 | 15.2 | 172 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Milne, Bruce Ponoka 783-6695 | 198 | 13.4 | 149 | 14 | 12.3 | 137 |
| Ranchview Test Barn Bentley 748-3802 | 522 | 13.8 | 170 | 23 | 13.1 | 164 |
| Weber Farms Ltd Castor 882-2572 | 106 | 152 | 160 | 9 | 15.2 | 168 |
| West, N. & T.J. Radway 736-3790 | 191 | 15.5 | 158 | 3 | 16.7 | 180 |

Alberta Swine Improvement Program

CANADIANA

APR 29 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
APRIL 01 - 15, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . . **Alberta**
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|---|----------------|---------------|--------------|----------|---|---|---|---|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>YORKSHIRE</u> | | | | | | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 12 month average WM 3409U " " " " " 3908U | | | | | 105 Pigs WM 7203W " 7205W " 7207W " 7209W " 7605W " 7902W | (14.5) 14.2 15.4 12.6 15.8 13.3 14.6 | (145) 142 149 142 154 133 135 | 100 108 86 122 73 131 117 | | |
| raat, J. oaldale 27-9757 | 12 month average ARBF 784T " " | -1.6 | +6.1 | 105 | 88 | 115 Pigs ARBF 684W " 697W " 721W | (11.3) 15.3 13.6 12.1 | (151) 147 147 143 | 100 64 85 104 | | |
| wynne Vista Farms wynne 52-2998 | 12 month average JKAA 4308U RITR 924T(1) " " " " " " " GWYN 6303U " RITR 924T(1) " | -1.1 | -12.8 | 169 | 64 | 128 Pigs GWYN 15202W " 16102W " 16103W " 16201W " 16203W " 16204W " 16205W " 16206W " 16403W " 16405W " 16703W " 16705W | (12.4) 14.4 14.2 10.4 11.9 10.7 8.1 12.4 9.9 14.2 15.8 9.9 15.6 | (165) 179 153 148 145 140 153 157 149 163 162 154 153 | 100 63 100 141 130 148 156 110 144 86 73 138 87 | | |
| aschmeyer, Douglas ruderheim 98-2845 | 12 month average DOUG 271U HILL 54T " | -0.2 | -1.4 | 98 | 79 | 57 Pigs DOUG 256W " 273W " 274W | (14.2) 13.0 11.7 14.2 | (148) 163 134 136 | 100 78 153 127 | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE 90 KG | INDEX |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|--------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| Maschmeyer, Gerald | 12 month average | | | | | 32 Pigs | (14.9) | (145) | | 100 |
| Bruderheim | | | | | | HILL | 222W | 13.3 | 133 | 131 |
| 998-2845 | DOUG 334T | -2.5 | -1.5 | 151 | 75 | " | 239W | 15.0 | 139 | 106 |
| | " 255U | | | | | " | 265W | 15.2 | 142 | 99 |
| | " 334T | -2.5 | -1.5 | 151 | 75 | " | 266W | 15.5 | 134 | 109 |
| | " | " | " | " | " | " | 271W | 15.9 | 119 | 127 |
| | " 800T | +0.9 | -3.7 | 99 | 70 | " | 272W | 18.4 | 135 | 79 |
| | " | " | " | " | " | " | 273W | 15.4 | 121 | 128 |
| | " | " | " | " | " | " | | | | 100 |
| Matejka, George | 12 month average | | | | | 392 Pigs | (12.4) | (163) | | 100 |
| Sylvan Lake | | | | | | KKEF | 3150W | 11.9 | 145 | 135 |
| 887-2656 | KKEF 1968U | | | | | " | 3171W | 11.8 | 140 | 147 |
| | DOUG 354T | -2.5 | -1.5 | 151 | 75 | " | 3174W | 12.4 | 135 | 149 |
| | " | " | " | " | " | " | 3176W | 12.4 | 147 | 127 |
| | " | " | " | " | " | " | 3180W | 12.5 | 131 | 154 |
| | KKEF 1880U | | | | | " | 3213W | 16.4 | 137 | 104 |
| | " 1543U | | | | | " | 3281W | 13.4 | 126 | 154 |
| | " 2701S | -1.1 | -8.3 | 152 | 84 | " | 3282W | 12.6 | 134 | 149 |
| | " | | | | | | | | | |
| Milne, Bruce | 12 month average | | | | | 140 Pigs | (12.5) | (150) | | 100 |
| Ponoka | | | | | | MILN | 914W | 10.4 | 150 | 127 |
| 783-6695 | RITR 1174U(1) | | | | | " | 915W | 11.1 | 151 | 116 |
| | " | | | | | " | 916W | 10.3 | 140 | 150 |
| | " | | | | | " | 917W | 11.1 | 139 | 141 |
| | " | | | | | " | 924W | 12.6 | 146 | 107 |
| | MILN 573U | | | | | " | 938W | 9.8 | 143 | 150 |
| | " 856U | | | | | " | 939W | 9.5 | 141 | 157 |
| | " | | | | | " | 952W | 11.3 | 144 | 129 |
| | " | | | | | " | 953W | 9.2 | 141 | 161 |
| | " | | | | | " | 960W | 10.2 | 139 | 154 |
| | " 694U | | | | | | | | | |
| Morinville Colony | 12 month average | | | | | 36 Pigs | (12.9) | (144) | | 100 |
| Morinville | | | | | | MCMC | 173W | 12.2 | 151 | 94 |
| 939-2118 | JKAA 1061T | -1.0 | -6.1 | 142 | 67 | " | 174W | 14.3 | 147 | 83 |
| | " | " | " | " | " | " | 176W | 11.0 | 154 | 99 |
| | " | " | " | " | " | " | 182W | 10.2 | 155 | 104 |
| | KKEF 2436U | | | | | " | 192W | 10.2 | 158 | 99 |
| | GARY 10S | -1.3 | +2.4 | 113 | 49 | | | | | |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Walter Farms Ltd Iron Springs 88-4472 | 12 month average | | | | | 212 Pigs | (12.5) | | (143) | | 100 |
| | KKEF 440T | -1.3 | +0.1 | 124 | 94 | RITR 1806W | 11.6 | | 158 | | 77 |
| | " 1053S | -1.9 | -4.3 | 150 | 93 | " 1855W | 9.9 | | 165 | | 79 |
| | " 440T | -1.3 | +0.1 | 124 | 94 | " 1876W | 11.3 | | 154 | | 89 |
| | FGBE 508U(1) | | | | | " 1904W | 14.0 | | 147 | | 74 |
| | " | | | | | " 1917W | 12.6 | | 153 | | 78 |
| | " | | | | | " 1919W | 14.0 | | 141 | | 88 |
| | ARHL 795U | | | | | " 1944W | 10.8 | | 144 | | 115 |
| | " | | | | | " 1945W | 13.4 | | 145 | | 86 |
| | " | | | | | " 1946W | 11.5 | | 152 | | 91 |
| | KKEF 440T | -1.3 | +0.1 | 124 | 94 | " 1972W | 12.4 | | 135 | | 118 |
| | " | " | " | " | " | " 1973W | 11.5 | | 143 | | 110 |
| | " | " | " | " | " | " 1974W | 13.4 | | 135 | | 107 |
| | RITR 664T | -1.6 | -1.9 | 137 | 90 | " 1984W | 11.9 | | 131 | | 132 |
| | " | " | " | " | " | " 1985W | 11.4 | | 134 | | 130 |
| | KKEF 1053S | -1.9 | -4.3 | 150 | 93 | " 1992W | 13.2 | | 128 | | 123 |
| | ARHL 795U | | | | | " 2003W | 10.2 | | 143 | | 124 |
| | RITR 664T | -1.6 | -1.9 | 137 | 90 | " 2053W | 14.4 | | 133 | | 100 |
| Andenberg, Joe Broose 12-6177 | 12 month average | | | | | 62 Pigs | (15.0) | | (155) | | 100 |
| | FGBE 508U(1) | | | | | ASCG 900W | 15.0 | | 154 | | 102 |
| | ANZI 400P(2) | -3.4 | -5.4 | 181 | 97 | " 910W | 11.7 | | 147 | | 154 |
| | " | " | " | " | " | " 912W | 13.3 | | 146 | | 136 |
| | " | " | " | " | " | " 915W | 12.8 | | 148 | | 138 |
| | " | " | " | " | " | " 916W | 11.8 | | 147 | | 151 |
| St, N. & T.J. Way 5-3790 | 12 month average | | | | | 40 Pigs | (13.0) | | (154) | | 100 |
| | KKEF 2104U | | | | | ATED 211W | 13.0 | | 148 | | 107 |
| | " | | | | | " 219W | 16.3 | | 155 | | 67 |
| | " | | | | | " 220W | 16.4 | | 162 | | 59 |
| | " | | | | | " 221W | 16.3 | | 158 | | 63 |
| | " | | | | | " 222W | 12.9 | | 151 | | 104 |
| | " | | | | | " 223W | 12.3 | | 150 | | 112 |
| <u>LANDRACE</u> | | | | | | | | | | | |
| India Breeders Combe 8-2836 | 12 month average | | | | | (not available) | | | | | |
| | ARHL 739U | | | | | ACA 330W | 13.1 | | 146 | | |
| | " 890U | | | | | " 339W | 10.9 | | 142 | | |
| | ARHL 739U | | | | | " 344W | 12.0 | | 152 | | |
| | " | | | | | " 345W | 12.0 | | 148 | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|---|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--------|-----------------|-------|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Acadia Breeders Cont'd | ARHL 739U | | | | | ACA | 346W | 13.2 | | 153 | |
| | " | | | | | " | 348W | 15.9 | | 150 | |
| | " | | | | | " | 352W | 10.4 | | 154 | |
| | " | | | | | " | 353W | 10.0 | | 146 | |
| | " | | | | | " | 354W | 11.6 | | 147 | |
| | " | | | | | " | 357W | 11.9 | | 153 | |
| | " | | | | | " | 377W | 13.2 | | 135 | |
| | " | | | | | " | 379W | 12.1 | | 138 | |
| Barrett, R. & A. Ponoka 783-5192 | 12 month average | | | | | 105 Pigs | | (14.2) | | (137) | 10 |
| | ROYS 402T | -0.4 | -9.0 | 141 | 72 | ROYS | 370W | 12.4 | | 132 | 12 |
| | " | " | " | " | " | " | 371W | 12.6 | | 133 | 12 |
| | " | " | " | " | " | " | 372W | 12.0 | | 145 | 10 |
| | " | " | " | " | " | " | 373W | 14.3 | | 139 | 9 |
| | " 61U | -1.2 | -4.2 | 136 | 82 | " | 380W | 11.7 | | 130 | 14 |
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | 23 Pigs | | (15.0) | | (147) | 10 |
| | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | ARBF | 708W | 15.0 | | 145 | 10 |
| | " | " | " | " | " | " | 709W | 15.4 | | 157 | 7 |
| | " | " | " | " | " | " | 710W | 15.4 | | 164 | 6 |
| | " | " | " | " | " | " | 724W | 15.9 | | 143 | 10 |
| Duff, Donald Fort Saskatchewan 998-3101 | 12 month average | | | | | 68 Pigs | | (13.8) | | (149) | 10 |
| | ARHL 973U | | | | | DUFF | 711W | 12.6 | | 171 | 7 |
| | " | | | | | " | 720W | 10.3 | | 159 | 11 |
| | " | | | | | " | 721W | 12.2 | | 163 | 9 |
| | FLEV 351U | | | | | " | 740W | 11.8 | | 163 | 9 |
| | " | | | | | " | 741W | 13.4 | | 157 | 8 |
| | " | | | | | " | 742W | 14.7 | | 165 | 6 |
| | DUFF 661U | | | | | " | 755W | 12.9 | | 151 | 10 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 12 month average | | | | | 21 Pigs | | (13.4) | | (143) | 10 |
| | HILL 15S | +1.3 | +7.1 | 52 | 82 | HILL | 85W | 13.4 | | 150 | 8 |
| | " | " | " | " | " | " | 87W | 15.0 | | 150 | 6 |
| | " | " | " | " | " | " | 88W | 11.4 | | 151 | 10 |
| | AOUD 811U | | | | | " | 92W | 13.7 | | 128 | 12 |
| | " | | | | | " | 93W | 15.7 | | 140 | 8 |
| | " | | | | | " | 94W | 14.2 | | 133 | 11 |
| | " | | | | | " | 95W | 15.2 | | 137 | 9 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Ilne, Bruce onoka 33-6695 | 12 month average | | | | | 97 Pigs | (11.8) | | (147) | | 100 |
| | AOUD11703U(1) | | | | | MILN 904W | 9.4 | | 142 | | 138 |
| | " | | | | | " 905W | 8.9 | | 138 | | 152 |
| | MILN 573U | | | | | " 923W | 9.6 | | 146 | | 129 |
| | AOUD11703U(1) | | | | | " 930W | 8.4 | | 138 | | 156 |
| | " | | | | | " 931W | 8.8 | | 146 | | 139 |
| | MILN 392U | | | | | " 980W | 11.5 | | 134 | | 125 |
| | 712U | | | | | " 982W | 12.6 | | 136 | | 108 |
| | " | | | | | " 983W | 11.4 | | 129 | | 137 |
| Brinville Colony Brinville 39-2118 | 12 month average | | | | | 63 Pigs | (13.3) | | (146) | | 100 |
| | MCMC 85U | | | | | MCMC 530W | 13.8 | | 186 | | 24 |
| | " | | | | | " 555W | 13.3 | | 165 | | 66 |
| | ARHL 730R | 0.0 | 40.1 | 100 | 79 | " 561W | 12.4 | | 163 | | 79 |
| | " | " | " | " | " | " 565W | 12.2 | | 158 | | 88 |
| | MCMC 121U | | | | | " 572W | 12.3 | | 165 | | 75 |
| | " | | | | | " 574W | 10.3 | | 155 | | 113 |
| | " 85U | | | | | " 581W | 11.1 | | 166 | | 85 |
| | " 150U | | | | | " 623W | 16.4 | | 147 | | 67 |
| Heiter Farms Ltd on Springs 38-4472 | 12 month average | | | | | 25 Pigs | (12.6) | | (146) | | 100 |
| | TONY 615U | +1.6 | -3.3 | 86 | 73 | RITR 1933W | 13.7 | | 152 | | 81 |
| | " | " | " | " | " | " 1956W | 11.0 | | 129 | | 142 |
| | " | " | " | " | " | " 1957W | 12.0 | | 151 | | 98 |
| | " | " | " | " | " | " 1958W | 13.4 | | 137 | | 109 |
| | " | " | " | " | " | " 1959W | 11.6 | | 136 | | 126 |
| st, N. & T.J. dway 6-3790 | 12 month average | | | | | (not available) | | | | | |
| | DUFF 2W | | | | | LAST 43W | 16.5 | | 159 | | |
| | " | | | | | " 46W | 15.2 | | 162 | | |
| <u>LACOMBE</u> | | | | | | | | | | | |
| oomsbury Farms oomsbury 4-3307 | 12 month average | | | | | 194 Pigs | (15.1) | | (138) | | 100 |
| | BL 3402W | | | | | BL 7203W | 18.9 | | 139 | | 61 |
| | " | | | | | " 7204W | 13.8 | | 142 | | 105 |
| | " | | | | | " 7205W | 15.0 | | 145 | | 87 |
| | " | | | | | " 7206W | 14.6 | | 137 | | 107 |
| | " 207W | | | | | " 7505W | 15.5 | | 127 | | 118 |
| | " 311W | | | | | " 7606W | 17.3 | | 135 | | 85 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Bloomsbury Farms Cont'd | "15611T | +0.7 | -6.0 | 106 | 66 | " | 7805W 17.0 | 136 | | | 86 |
| | " | " | " | " | " | " | 7806W 14.1 | 138 | | | 110 |
| | " 207W | | | | | " | 7905W 15.8 | 135 | | | 99 |
| | " | | | | | " | 7906W 15.0 | 137 | | | 103 |
| | " 311W | | | | | " | 8008W 18.0 | 134 | | | 80 |
| | " | | | | | " | 8010W 15.2 | 132 | | | 111 |
| | " 207W | | | | | " | 8104W 16.4 | 115 | | | 153 |
| | " 805W | | | | | " | 8204W 17.1 | 124 | | | 108 |
| | " | | | | | " | 8205W 17.2 | 131 | | | 93 |
| | " | | | | | " | 8206W 13.8 | 132 | | | 125 |
| | " 311W | | | | | " | 8304W 15.4 | 130 | | | 113 |
| | " | | | | | " | 8307W 15.0 | 128 | | | 121 |
| | " | | | | | " | 8308W 17.8 | 125 | | | 99 |
| | " 1512T | | | | | " | 8404W 17.4 | 126 | | | 101 |
| | " | | | | | " | 8406W 15.6 | 123 | | | 125 |
| | " | | | | | " | 8407W 13.4 | 124 | | | 145 |
| Gwynne Vista Farms | 12 month average | | | | | 80 Pigs | (13.1) | (161) | | | 100 |
| Gwynne | KR 11806U | | | | | KR | 14901W 15.9 | 156 | | | 77 |
| 352-2998 | " | | | | | " | 14903W 14.5 | 161 | | | 83 |
| | " | | | | | " | 14904W 14.2 | 161 | | | 85 |
| | " 12001U | | | | | " | 15103W 14.0 | 165 | | | 81 |
| | " 11806U | | | | | " | 15404W 14.2 | 159 | | | 90 |
| | " | | | | | " | 15602W 14.7 | 159 | | | 85 |
| | " | | | | | " | 15603W 13.3 | 160 | | | 98 |
| | " | | | | | " | 15803W 13.7 | 156 | | | 102 |
| | " | | | | | " | 15805W 14.5 | 153 | | | 99 |
| | " | | | | | " | 15903W 12.5 | 167 | | | 95 |
| | " | | | | | " | 15904W 9.1 | 167 | | | 134 |
| | " | | | | | " | 15905W 11.4 | 172 | | | 98 |
| | 11806U | | | | | KR | 16501W 13.5 | 143 | | | 127 |
| | " | | | | | " | 16504W 10.9 | 151 | | | 144 |
| | " | | | | | " | 16506W 12.9 | 149 | | | 124 |
| | " | | | | | " | 17607W 11.4 | 146 | | | 148 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| Loomsbury Farms | 12 month average | | | | | 96 Pigs | (13.0) | (150) | | | 100 |
| Loomsbury | | | | | | | | | | | |
| 74-3307 | WM 8304T | +0.1 | -6.3 | 115 | 63 | WM 7308W | 12.2 | 151 | | | 110 |
| | " | " | " | " | " | " 7309W | 12.3 | 150 | | | 110 |
| | " 1606U | +1.1 | -10.8 | 99 | 64 | " 7504W | 15.5 | 146 | | | 74 |
| | " | " | " | " | " | " 7505W | 14.1 | 145 | | | 95 |
| | " 8304T | +0.1 | -6.3 | 115 | 63 | " 7804W | 15.0 | 126 | | | 121 |
| Orinville Colony | 12 month average | | | | | (not available) | | | | | |
| Orinville | | | | | | | | | | | |
| 39-2118 | JKAA 3102U | +0.9 | -5.0 | 87 | 49 | MCMC 165W | 11.4 | 161 | | | |
| | : | " | " | " | " | " 166W | 11.8 | 171 | | | |
| Apenhuyzen, C. | 12 month average | | | | | 34 Pigs | (13.4) | (173) | | | 100 |
| Tony Plain | | | | | | | | | | | |
| 63-4358 | ASUS 49S | +0.1 | +12.1 | 57 | 88 | ASUS 540W | 12.6 | 171 | | | 113 |
| | " | " | " | " | " | " 546W | 10.6 | 163 | | | 150 |
| | " | " | " | " | " | " 548W | 12.6 | 180 | | | 96 |
| Andenberg, Joe | 12 month average | | | | | (not available) | | | | | |
| Amrose | | | | | | | | | | | |
| 72-6177 | AJCM 2425T(1) | | | | | ASCG 890W | 12.8 | 155 | | | |
| | " | | | | | " 892W | 15.2 | 161 | | | |
| | " | | | | | " 894W | 13.1 | 157 | | | |
| <u>DUROC</u> | | | | | | | | | | | |
| Aert, Martin | 12 month average | | | | | (not available) | | | | | |
| Arrhead | | | | | | | | | | | |
| 74-3953 | AOUD 858T(1) | | | | | BART 392W | 13.6 | 145 | | | |
| | " | | | | | " 393W | 11.8 | 145 | | | |
| | " | | | | | " 395W | 14.2 | 142 | | | |
| Raat, J. | 12 month average | | | | | 21 Pigs | (12.5) | (143) | | | 100 |
| Baldale | | | | | | | | | | | |
| 27-9757 | ARBF 64T | -0.8 | -1.0 | 125 | 71 | ARBF 698W | 15.9 | 140 | | | 81 |
| | " | " | " | " | " | " 702W | 14.2 | 153 | | | 66 |
| | " | " | " | " | " | " 703W | 13.5 | 144 | | | 91 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | INDEX |
|--|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| Maschmeyer, Gerald Bruderheim 998-2845 | 12 month average | | | | | 41 Pigs | (13.8) | (148) | | 100 |
| | HILL 123U | | | | | HILL 217W | 12.9 | 130 | | 138 |
| | AOUD 1512R | -0.5 | -7.2 | 74 | 87 | " 203W | 12.0 | 152 | | 108 |
| | " | " | " | " | " | " 204W | 11.6 | 156 | | 107 |
| | HILL 123U | | | | | HILL 215W | 9.4 | 159 | | 124 |
| | " | | | | | " 216W | 12.7 | 155 | | 97 |
| | " 114U | | | | | " 226W | 13.8 | 144 | | 105 |
| | " | | | | | " 227W | 11.0 | 152 | | 121 |
| | AOUD 1512R | -0.5 | +7.2 | 74 | 87 | " 251W | 14.3 | 135 | | 118 |
| | " | | | | | " 252W | 12.4 | 121 | | 167 |
| Matejka, Steve Sylvan Lake 887-2656 | 12 month average | | | | | (not available) | | | | |
| | AOUD 858T(1) | | | | | SMBL 3160W | 14.7 | 142 | | |
| | " | | | | | " 3161W | 13.5 | 141 | | |
| Papenhuyzen, C. Stony Plain 963-4358 | 12 month average | | | | | (not available) | | | | |
| | AIHO 54U | | | | | CWP 4W | 12.6 | 165 | | |
| Vandenberg, Joe Camrose 672-6177 | 12 month average | | | | | 28 Pigs | (14.6) | (154) | | 100 |
| | ANZI 585U(2) | | | | | ASCG 851W | 11.7 | 157 | | 120 |
| | " | | | | | " 852W | 14.3 | 165 | | 85 |
| | " | | | | | " 856W | 12.0 | 181 | | 81 |
| | " | | | | | " 860W | 12.9 | 163 | | 101 |
| | " | | | | | " 862W | 14.0 | 167 | | 85 |
| | JBFA 492T(2) | +2 | -6.4 | 132 | 68 | " 870W | 12.0 | 159 | | 115 |
| | " | | | | | " 871W | 11.6 | 160 | | 117 |
| <u>CROSSBRED</u> | | | | | | | | | | |
| Baert, Martin Barrhead 674-3053 | 12 month average | | | | | (not available) | | | | |
| | AVON 417U(1) | | | | | 381W | 13.1 | 151 | | |
| | " | | | | | 382W | 14.1 | 163 | | |
| | " | | | | | 383W | 13.5 | 153 | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 12 month average | | | | | 42 Pigs | (14.8) | (142) | | 100 |
| | BL 2303U | | | | | 8KJ 4804W | 16.2 | 131 | | 107 |
| | " | | | | | " 4806W | 14.8 | 118 | | 138 |
| | " | | | | | " 4807W | 16.9 | 125 | | 110 |
| | " | | | | | " 4808W | 16.6 | 120 | | 120 |
| | " | | | | | " 4809W | 14.8 | 122 | | 132 |
| | " | | | | | " 4810W | 15.4 | 127 | | 119 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|--|--------------------------|--------------------------|------------------------|------------------------|--|--|--|--|--|--|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| 0 raat, J. aldale 27-9757 | 12 month average ASDZ 541S " | +1.2 " | +0.2 " | 80 " | 92 " | 88 Pigs 680W 715W | (12.8) 12.4 14.8 | | (142) 146 137 | | 100 96 90 |
| 4 ldse, Louis rooked Creek 57-2446 | 12 month average BL 3402U " 3112U | | | | | (not available) 04W 012W | | | | | |
| 57 root, Clarence eerlandia 74-3307 | 12 month average FGBE 508U(1) NPD 8714T(1) 3083 " FGBE 508U(1) " NPD 8714T(1) " " 4304 " " | | | | | 91 Pigs 6600W 6601W 6602W 6607W 6612W 6620W 6621W 6631W 6633W 6641W 6643W 6651W 6660W 6663W 6667W | (12.3) 12.5 13.4 15.2 11.0 15.4 13.4 11.8 12.6 11.4 13.3 12.3 15.3 12.3 13.2 13.4 | | (162) 155 165 157 165 152 155 150 152 152 156 159 159 163 | | 100 109 82 72 125 57 103 118 115 127 116 116 72 104 94 86 |
| 15 schmeyer, Douglas ruderheim 08-2845 | 12 month average AOUD 1215R " " " " | -0.5 " " " " | +7.2 " " " " | 74 " " " " | 87 " " " " | 8 DL 614W 616W 617W 620W 622W | (not available) 13.5 11.1 12.7 15.0 11.9 | | | | |
| anchview Farms B entley 8-3802 | 12 month average KKEF 1490T(1) EDJL 142U(1) KKEF 2332T(1) " 1490T(1) | | | | | 129 Pigs 5866W 5633W 5648W 5667W | (12.7) 8.8 11.4 9.9 10.7 | | (159) 162 158 150 150 | | 100 118 152 141 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--------------------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-------|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Ranchview Test Barn 12 month average | | | | | | | 902 Pigs | (13.2) | (155) | 100 | |
| Bentley 748-3802 | RFAA 5711U | | | | | 4092W | 10.2 | 173 | 103 | | |
| | AREE 361U(1) | | | | | 4124W | 15.5 | 163 | 56 | | |
| | RFAA 3523T | | | | | 4131W | 10.2 | 166 | 117 | | |
| | AJCM 2425T(1) | | | | | 4163W | 13.4 | 170 | 68 | | |
| | AMBW 514S(1) | | | | | 4226W | 10.6 | 154 | 134 | | |
| | RFAA 2576U | | | | | 4232Q | 14.9 | 155 | 79 | | |
| | " 2165T | | | | | 4241W | 13.4 | 171 | 67 | | |
| | " | | | | | 4242W | 11.6 | 166 | 99 | | |
| | " | | | | | 4345W | 12.1 | 161 | 100 | | |
| | " | | | | | 4246W | 12.0 | 152 | 119 | | |
| | KKEF 2332T(1) | | | | | 4251W | 13.9 | 161 | 79 | | |
| | EDJL 142U(1) | | | | | 4263W | 12.5 | 166 | 88 | | |
| | RFAA 3271T | | | | | 4273W | 11.9 | 167 | 93 | | |
| | VBSF 304U(1) | | | | | 4324W | 13.2 | 159 | 92 | | |
| | AOUD 858T(1) | | | | | 4335W | 13.8 | 165 | 74 | | |
| | RFAA 3522T(1) | | | | | 4343W | 13.7 | 160 | 84 | | |
| | AOUD 858T(1) | | | | | 4352W | 12.5 | 166 | 87 | | |
| | " | | | | | 4353W | 13.1 | 156 | 99 | | |
| | " | | | | | 4354W | 13.5 | 153 | 100 | | |
| | KKEF 2332T(1) | | | | | 4373W | 12.6 | 160 | 97 | | |
| | " | | | | | 4376W | 11.4 | 166 | 101 | | |
| | " | | | | | 4411W | 11.7 | 152 | 124 | | |
| | RFAA 2576U | | | | | 4432W | 10.8 | 153 | 133 | | |
| | AJCM 2425T(1) | | | | | 4452W | 13.9 | 159 | 83 | | |
| | RFAA 2165T | | | | | 4464W | 11.0 | 160 | 118 | | |
| | AMBW 514S(1) | | | | | 4476W | 12.5 | 159 | 101 | | |
| | " | | | | | 4481W | 12.7 | 164 | 90 | | |
| | RFAA 3523T | | | | | 4491W | 12.5 | 145 | 126 | | |
| | " | | | | | 4492W | 11.0 | 148 | 140 | | |
| | AMBW 514S(1) | | | | | 4525W | 10.6 | 141 | 158 | | |
| | RFAA 2165T | | | | | 4555W | 12.6 | 146 | 123 | | |
| | ARHL 313T(1) | | | | | 4571W | 10.9 | 138 | 159 | | |
| | AJCM 2425T(1) | | | | | 4213W | 11.0 | 176 | 88 | | |
| | RFAA 2165T | | | | | 4466W | 11.7 | 164 | 101 | | |
| | EDJL 142U(1) | | | | | 4618W | 10.7 | 160 | 121 | | |
| | AMBW 514S(1) | | | | | 4634W | 11.6 | 154 | 120 | | |
| | RFAA 6460U | | | | | 4682W | 14.7 | 147 | 95 | | |
| | " | | | | | 4691W | 11.3 | 154 | 126 | | |
| | " | | | | | 4692W | 12.2 | 150 | 120 | | |
| | VBSF 304U(1) | | | | | 4704W | 11.6 | 149 | 129 | | |
| | " | | | | | 4782W | 9.8 | 142 | 165 | | |
| | RFAA 3522T | | | | | 4844W | 12.8 | 137 | 137 | | |
| | " | | | | | 4845W | 13.5 | 139 | 125 | | |
| | " | | | | | 4846W | 14.0 | 139 | 119 | | |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Bloomsbury Farms Ltd Bloomsbury 674-3307 | 105 | 16.3 | 149 | 9 | 15.9 | 146 |
| Braat, J. Coaldale 327-9757 | 206 | 12.1 | 157 | 17 | 13.1 | 160 |
| Gwynne Vista Farms Gwynne 352-2998 | 236 | 13.9 | 166 | 11 | 11.3 | 154 |
| Maschmeyer, Douglas Bruderheim 998-2845 | 46 | 15.3 | 151 | 5 | 14.0 | 152 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 27 | 14.8 | 153 | 6 | 15.3 | 147 |
| Matejka, George Sylvan Lake 887-2656 | 298 | 13.1 | 177 | 61 | 12.8 | 168 |
| Morinville Colony Morinville 939-2118 | 29 | 14.4 | 155 | 8 | 13.5 | 154 |
| Reiter Farms Ltd Iron Springs 738-4472 | 310 | 13.4 | 157 | 29 | 12.8 | 158 |
| West, N. & T. Radway 736-3790 | 39 | 14.5 | 156 | 5 | 15.8 | 154 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|----------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AV AC |
| <u>LANDRACE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | (not available) | | | 9 | 13.1 | 15 |
| Barrett, Roy & Anne Ponoka 783-5192 | 98 | 14.6 | 140 | 4 | 13.3 | 14 |
| Braat, J. Coaldale 327-9757 | 31 | 15.6 | 153 | 5 | 16.4 | 15 |
| Lakeland College Vermilion 853-8597 | 203 | 15.3 | 164 | 5 | 15.6 | 11 |
| Maschmeyer, Gerald Bruderheim 998-2845 | (not available) | | | 7 | 13.5 | 14 |
| Matejka, Tony Sylvan Lake 887-2656 | 22 | 13.7 | 177 | 2 | 12.8 | 15 |
| Milne, Bruce Ponoka 783-6695 | 95 | 12.5 | 151 | 11 | 10.0 | 15 |
| Morinville Colony Morinville 939-2118 | 79 | 13.6 | 153 | 9 | 13.4 | 14 |
| Reiter Farms Ltd Iron Springs 738-4472 | 30 | 14.3 | 156 | 5 | 13.7 | 15 |
| West, N. & T.J. Radway 736-3790 | (not available) | | | 1 | 15.8 | 15 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG AGE |
| <u>LACOMBE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 191 | 16.1 | 142 | 28 | 17.1 | 134 |
| Gwynne Vista Farms Gwynne 352-2998 | 125 | 14.3 | 167 | 22 | 14.1 | 166 |
| <u>HAMPSHIRE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 79 | 13.3 | 155 | 6 | 14.0 | 149 |
| Morinville Colony Morinville 939-2118 | (not available) | | | 1 | 13.9 | 161 |
| Papenhuyzen, C. Stony Plain 963-4358 | 39 | 14.9 | 173 | 3 | 12.9 | 176 |
| <u>DUROC</u> | | | | | | |
| Braat, J. Coaldale 327-9757 | 23 | 15.0 | 151 | 3 | 16.8 | 153 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 59 | 14.5 | 153 | 13 | 12.2 | 147 |
| Papenhuyzen, C Stony Plain 963-4358 | (not available) | | | 1 | 16.3 | 168 |
| Vandenberg, Joe Camrose 672-6177 | (not available) | | | 9 | 14.1 | 163 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>CROSSBREDS</u> | | | | | | |
| Baert, Martin Barrhead 674-3953 | 64 | 15.4 | 149 | 2 | 15.0 | 16 |
| Bloomsbury Farms Bloomsbury 674-3307 | 102 | 16.0 | 142 | 13 | 15.7 | 13 |
| Braat, J. Coaldale 327-9757 | 104 | 13.8 | 152 | 7 | 14.9 | 15 |
| Chauvet, Maurice Legal 961-2578 | 103 | 15.5 | 148 | 10 | 15.5 | 18 |
| Eidse, Louis Crooked Creek 957-2446 | (not available) | | | 28 | 13.7 | 15 |
| Groot, Clarence Neerlandia 674-3307 | 149 | 13.8 | 167 | 22 | 13.3 | 16 |
| Gwynne Vista Farms Gwynne 352-2998 | 162 | 14.0 | 164 | 28 | 12.9 | 16 |
| Maschmeyer, Douglas Bruderheim 998-2845 | (not available) | | | 2 | 11.7 | 14 |
| Milne, Bruce Ponoka 783-6695 | 198 | 13.4 | 149 | 5 | 12.2 | 13 |
| Olds College Olds 556-8393 | 491 | 15.6 | 157 | 29 | 15.3 | 15 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Ranchview Farms B Bentley 748-3802 | 560 | 14.1 | 163 | 32 | 12.5 | 169 |
| Ranchview Test Barn Bentley 748-3802 | 522 | 13.8 | 170 | 39 | 13.3 | 167 |
| West, N. & T.J Radway 736-3790 | 295 | 15.2 | 154 | 22 | 15.1 | 159 |
| Wierenga, Clayton Neerlandia 674-5904 | 127 | 14.6 | 167 | 18 | 15.0 | 167 |

Alberta Swine Improvement Program

CANADIANA

MAY 16 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

AL. 1.827

HOME TEST REPORT
APRIL 15 - 30, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)
Agriculture
Canada



Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>YORKSHIRE</u> | | | | | | | | | | | |
| Adia Breeders | 12 month average | | | | | 61 Pigs | (12.7) | | (147) | | 100 |
| combe | | | | | | | | | | | |
| 2-2836 | ARHL 890U | | | | | ACA 338W | 11.1 | | 160 | | 94 |
| | JKAA13804U | | | | | " 369W | 9.5 | | 147 | | 139 |
| | " | | | | | " 370W | 10.6 | | 148 | | 123 |
| | " | | | | | " 372W | 9.6 | | 163 | | 106 |
| | " | | | | | " 399W | 14.5 | | 132 | | 108 |
| | " | | | | | " 401W | 12.5 | | 140 | | 116 |
| | " | | | | | " 403W | 13.3 | | 130 | | 126 |
| | " | | | | | " 419W | 12.8 | | 131 | | 130 |
| | " | | | | | " 420W | 9.4 | | 127 | | 179 |
| Arrett, R. & A. | 12 month average | | | | | (not available) | | | | | |
| hoka | | | | | | | | | | | |
| 3-5192 | ROYS 75W | | | | | ROYS 389W | 10.0 | | 141 | | |
| | " | | | | | " 390W | 11.5 | | 141 | | |
| | " | | | | | " 397W | 12.4 | | 129 | | |
| Bombsbury Farms | 12 month average | | | | | 105 Pigs | (14.5) | | (145) | | 100 |
| Bombsbury | | | | | | | | | | | |
| 4-3307 | WM 804U | +1.1 | -7.8 | 111 | 59 | WM 7706W | 14.2 | | 161 | | 75 |
| | " 3908U | | | | | " 8007W | 19.0 | | 139 | | 72 |
| | " | | | | | " 8008W | 16.2 | | 128 | | 115 |
| | " | | | | | " 8009W | 18.4 | | 141 | | 74 |
| Cat, J. | 12 month average | | | | | 115 Pigs | (11.3) | | (151) | | 100 |
| aldale | | | | | | | | | | | |
| 7-9757 | ANZI 3863P | -2.0 | +9.6 | 99 | 97 | ARBF 768W | 16.0 | | 141 | | 66 |
| Cownlee, Jim | 12 month average | | | | | 71 Pigs | (13.8) | | (163) | | 100 |
| dry Hill | | | | | | | | | | | |
| 8-2313 | RITR 574U | | | | | AHKP 791W | 18.0 | | 150 | | 78 |
| De Lakes Farms | 12 month average | | | | | 234 Pigs | (12.9) | | (165) | | 100 |
| Derthorpe | | | | | | | | | | | |
| 6-4376 | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | JKAA 20601W | 9.8 | | 192 | | 94 |
| | " 504W | | | | | " 20904W | 10.2 | | 181 | | 106 |
| | " 9201U | | | | | " 21201W | 9.8 | | 187 | | 102 |
| | " | | | | | " 21204W | 13.0 | | 189 | | 63 |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | " 21401W | 10.7 | | 183 | | 98 |
| | " | " | " | " | " | " 21402W | 11.6 | | 177 | | 9.6 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------|------------------------|----------------|---------------|--------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Five Lakes Farms | JKAA 9201U | | | | | JKAA 21804W | 12.6 | | 169 | | 97 |
| cont'd | FGBE 508U(1) | | | | | " 22101W | 11.0 | | 166 | | 119 |
| | " | | | | | " 22303W | 11.7 | | 168 | | 109 |
| | " | | | | | " 22304W | 13.0 | | 172 | | 88 |
| | " | | | | | " 22307W | 7.8 | | 165 | | 156 |
| | " | | | | | " 22308W | 12.2 | | 161 | | 113 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | " 22404W | 12.0 | | 156 | | 123 |
| | " 19305U | | | | | " 22604W | 13.4 | | 157 | | 106 |
| Gilt Line Farms | 12 month average | | | | | (not available) | | | | | |
| Acme | | | | | | | | | | | |
| 546-4461 | ASPX 182U | | | | | GLFL 208W | 9.5 | | 127 | | |
| Maschmeyer, Douglas | 12 month average | | | | | 79 Pigs | (12.8) | | (146) | | 100 |
| Bruderheim | | | | | | | | | | | |
| 998-2845 | DOUG 334T | -1.9 | +5.4 | 113 | 72 | DOUG 280W | 11.8 | | 154 | | 101 |
| | " | " | " | " | " | " 281W | 14.6 | | 137 | | 115 |
| | " | " | " | " | " | " 282W | 13.0 | | 155 | | 86 |
| | " | " | " | " | " | " 283W | 9.1 | | 159 | | 113 |
| | " | " | " | " | " | " 294W | 12.9 | | 154 | | 90 |
| | " | " | " | " | " | " 295W | 10.7 | | 150 | | 121 |
| | " | " | " | " | " | " 296W | 14.7 | | 146 | | 91 |
| | " | " | " | " | " | " 297W | 15.0 | | 143 | | 95 |
| | " | " | " | " | " | " 304W | 15.6 | | 143 | | 90 |
| | " | " | " | " | " | " 305W | 14.5 | | 144 | | 97 |
| Maschmeyer, Gerald | 12 month average | | | | | 50 Pigs | (14.6) | | (145) | | 100 |
| Bruderheim | | | | | | | | | | | |
| 998-2845 | DOUG 255U | | | | | HILL 247W | 13.7 | | 146 | | 107 |
| | " 334T | -1.9 | +5.4 | 113 | 72 | " 283W | 16.1 | | 133 | | 104 |
| | " | " | " | " | " | " 284W | 10.5 | | 136 | | 153 |
| Reiter Farms | 12 month average | | | | | 212 Pigs | (12.5) | | (143) | | 100 |
| Iron Springs | | | | | | | | | | | |
| 738-4472 | ARHL 795U | | | | | RITR 2030W | 10.3 | | 155 | | 98 |
| | " | | | | | " 2037W | 12.9 | | 157 | | 65 |
| | RITR 664T | -1.6 | -1.9 | 137 | 90 | " 2054W | 13.6 | | 147 | | 80 |
| | ARHL 795U | | | | | " 2073W | 12.9 | | 136 | | 110 |
| | RITR 664T | -1.6 | -1.9 | 137 | 90 | " 2083W | 11.9 | | 137 | | 119 |
| | " | " | " | " | " | " 2084W | 11.8 | | 147 | | 97 |
| | " | " | " | " | " | " 2085W | 11.5 | | 141 | | 113 |
| | " | " | " | " | " | " 2125W | 9.9 | | 143 | | 127 |
| | " | " | " | " | " | " 2126W | 11.9 | | 142 | | 107 |
| | " | " | " | " | " | " 2127W | 12.1 | | 147 | | 94 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------|----------|---------------|---------------|------|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Roeske, Murray Alcomdale 939-4938 | 12 month average | | | | | 62 Pigs | (13.4) | | (148) | | 100 |
| | RITR 1174U(1) | | | | | ROSE | 461W | 13.7 | 150 | | 93 |
| | " | | | | | " | 465W | 10.6 | 149 | | 130 |
| | ROSE 529U | | | | | " | 480W | 11.1 | 145 | | 132 |
| | AWGF 788U | | | | | " | 484W | 13.7 | 156 | | 81 |
| | " | | | | | " | 493W | 12.9 | 144 | | 115 |
| | " | | | | | " | 505W | 12.1 | 138 | | 136 |
| | " | | | | | " | 509W | 13.0 | 140 | | 121 |
| | " | | | | | " | 527W | 13.8 | 135 | | 122 |
| <u>LANDRACE</u> | | | | | | | | | | | |
| Acadia Breeders Lacombe 82-2836 | 12 month average | | | | | 68 Pigs | (12.5) | | (145) | | 100 |
| | ARHL 739U | | | | | ACA | 347W | 11.9 | 160 | | 79 |
| | ROYS 13W | | | | | " | 360W | 11.0 | 162 | | 86 |
| | " | | | | | " | 384W | 10.7 | 146 | | 121 |
| | " | | | | | " | 385W | 12.2 | 135 | | 122 |
| | " | | | | | " | 386W | 12.4 | 146 | | 99 |
| | " | | | | | " | 387W | 12.5 | 143 | | 104 |
| | " | | | | | " | 388W | 10.7 | 142 | | 128 |
| | " | | | | | " | 389W | 13.2 | 152 | | 78 |
| | ARHL 1044U | | | | | " | 396W | 9.4 | 139 | | 150 |
| | " 739U | | | | | " | 405W | 11.4 | 134 | | 135 |
| | " | | | | | " | 406W | 11.0 | 135 | | 139 |
| Arrett, R. & A. Donoka 83-5192 | 12 month average | | | | | 105 Pigs | (14.2) | | (137) | | 100 |
| | ROYS 273U | | | | | ROYS | 410W | 9.6 | 125 | | 174 |
| | " | | | | | " | 411W | 12.0 | 125 | | 149 |
| Braat, J. Alcomdale 27-9757 | 12 month average | | | | | 23 Pigs | (15.0) | | (147) | | 100 |
| | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | ARBF | 718W | 13.4 | 152 | | 102 |
| | " | " | " | " | " | " | 719W | 13.5 | 158 | | 92 |
| | " | " | " | " | " | " | 727W | 12.6 | 161 | | 92 |
| Duff, Donald Saskatchewan 98-3101 | 12 month average | | | | | 68 Pigs | (13.8) | | (149) | | 100 |
| | ARHL 973U | | | | | DUFF | 760W | 10.6 | 159 | | 113 |
| | " | | | | | " | 761W | 10.8 | 153 | | 122 |
| | " | | | | | " | 762W | 14.0 | 162 | | 75 |
| | MCMC 8T | -1.3 | -1.5 | 126 | 93 | " | 770W | 11.4 | 152 | | 119 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Eringsfeld, B. Coaldale 345-3420 | 12 month average | | | | | (not available) | | | | | |
| | ARHL 466U | | | | | AOGK | 991W 13.8 | | 180 | | |
| | " | | | | | " | 992W 15.5 | | 178 | | |
| | " | | | | | " | 993W 15.5 | | 181 | | |
| Reiter Farms Iron Springs 738-4472 | 12 month average | | | | | 25 Pigs | (12.6) | | (146) | | 10 |
| | TONY 615U | +1.6 | -3.3 | 87 | 73 | RITR | 2014W 13.3 | | 151 | | 8 |
| | " | " | " | " | " | " | 2015W 13.8 | | 148 | | 8 |
| Wakeena Farm Bentley 748-4252 | 12 month average | | | | | 23 Pigs | (13.2) | | (159) | | 10 |
| | KEEN 186U | | | | | KEEN | 490W 12.4 | | 159 | | 11 |
| | DUFF 171U | -1.8 | +2.4 | 119 | 84 | " | 520W 12.7 | | 145 | | 14 |
| | " | " | " | " | " | " | 526W 12.6 | | 154 | | 12 |
| <u>LACOMBE</u> | | | | | | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 12 month average | | | | | 194 Pigs | (15.1) | | (138) | | 10 |
| | BL 3402U | | | | | BL | 7207W 13.8 | | 154 | | 8 |
| | " | | | | | " | 7208W 13.4 | | 166 | | 6 |
| | " | | | | | " | 7209W 14.2 | | 164 | | 5 |
| | " 805U | | | | | " | 8203W 12.9 | | 143 | | 11 |
| | " 311W | | | | | " | 8305W 14.4 | | 151 | | 8 |
| | " | | | | | " | 8306W 15.2 | | 142 | | 9 |
| | " 1512T | | | | | " | 8403W 14.8 | | 145 | | 8 |
| | " 803W | | | | | " | 8607W 15.6 | | 134 | | 10 |
| | " 107W | | | | | " | 8806W 18.6 | | 135 | | 7 |
| | " | | | | | " | 8810W 14.5 | | 127 | | 12 |
| | " 2303U | | | | | " | 9106W 12.7 | | 127 | | 14 |
| | " | | | | | " | 9107W 12.1 | | 126 | | 15 |
| Five Lakes Farms Mayerthorpe 786-4373 | 12 month average | | | | | 99 Pigs | (12.6) | | (163) | | 10 |
| | KR 1303S | -1.9 | -0.5 | 142 | 95 | JA | 20302W 9.3 | | 177 | | 12 |
| | " | " | " | " | " | " | 20501W 10.1 | | 183 | | 10 |
| | JA11201U | | | | | " | 20803W 12.1 | | 178 | | 8 |
| | " | | | | | " | 20804W 9.2 | | 192 | | 10 |
| | KR 1303S | -1.9 | -0.5 | 142 | 95 | " | 21705W 9.5 | | 180 | | 11 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|---|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| Loomsbury Farms Loomsbury 74-3307 | 12 month average WM 8304T " 1606U " | | | | | 96 Pigs | (13.0) | (150) | | 100 | |
| | | | | | | WM 7306W | 12.9 | 168 | | 65 | |
| | | +1.1 | -10.8 | 99 | 64 | " 7503W | 15.2 | 173 | | 23 | |
| | | " | " | " | " | " 7506W | 10.3 | 169 | | 100 | |
| Five Lakes Farms Waverthorpe 86-4373 | 12 month average JKAA 8103U " AJCM 2425T | | | | | 123 Pigs | (12.6) | (174) | | 100 | |
| | | | | | | JKAA 21102W | 14.3 | 178 | | 71 | |
| | | | | | | " 22001W | 13.3 | 169 | | 98 | |
| | | | | | | YAP 22502W | 11.2 | 157 | | 143 | |
| Walter Farms Con Springs 88-4472 | 12 month average AHKP 580T | | | | | (not available) | | | | | |
| | | -0.1 | +5.0 | 88 | 67 | RITR 2044W | 15.3 | 155 | | | |
| <u>DUROC</u> | | | | | | | | | | | |
| Ult Line Farm me 66-4461 | 12 month average ASCG 351U " " " " | | | | | (not available) | | | | | |
| | | | | | | GLFL 170W | 14.8 | 174 | | | |
| | | | | | | " 171W | 11.5 | 162 | | | |
| | | | | | | " 186W | 15.0 | 146 | | | |
| | | | | | | " 189W | 11.3 | 151 | | | |
| | | | | | | " 201W | 14.4 | 134 | | | |
| Schmeyer, Gerald Ruderheim 88-2845 | 12 month average HILL 114U " " " | | | | | 69 Pigs | (13.4) | (149) | | 100 | |
| | | | | | | HILL 232W | 12.0 | 148 | | 117 | |
| | | | | | | " 233W | 12.1 | 149 | | 113 | |
| | | | | | | " 234W | 14.2 | 148 | | 92 | |
| | | | | | | " 235W | 11.9 | 144 | | 126 | |
| <u>CROSSBRED</u> | | | | | | | | | | | |
| Loomsbury Farms Loomsbury 4-3307 | 12 month average BL 109W " WM 8304W " " " BL 803W " | | | | | 42 Pigs | (14.8) | (142) | | 100 | |
| | | | | | | 8KJ 5005W | 15.0 | 134 | | 111 | |
| | | | | | | " 5007W | 14.1 | 138 | | 112 | |
| | | +0.1 | -6.3 | 115 | 63 | " 5108W | 12.9 | 136 | | 125 | |
| | | " | " | " | " | " 5110W | 12.1 | 138 | | 129 | |
| | | " | " | " | " | " 5112W | 15.0 | 145 | | 94 | |
| | | | | | | " 5206W | 15.3 | 123 | | 126 | |
| | | | | | | " 5207W | 17.3 | 132 | | 96 | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDE |
|--|------------------------|----------------|---------------|--------|----------|-----------------|---------------|------|-----------------|-----|------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | 88 Pigs | (12.8) | | (142) | | 100 |
| | ARBF 784T | | | | | 732W | 15.5 | | 142 | | 76 |
| | " 656T | -1.1 | -6.0 | 155 | 78 | 736W | 14.8 | | 147 | | 71 |
| | " | " | " | " | " | 738W | 13.6 | | 132 | | 115 |
| | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | 752W | 11.5 | | 134 | | 124 |
| | " | " | " | " | " | 757W | 13.4 | | 136 | | 103 |
| | " | " | " | " | " | 758W | 13.1 | | 132 | | 115 |
| Chauvet, M. Legal 961-2578 | 12 month average | | | | | (not available) | | | | | |
| | BL 305U | | | | | 6809W | 12.7 | | 173 | | |
| Gilt Line Farm Acme 546-4461 | 12 month average | | | | | (not available) | | | | | |
| | VBSF 304U(1) | | | | | 8 GL | 331W | 10.3 | | 147 | |
| | " | | | | | " | 332W | 11.7 | | 158 | |
| | " | | | | | " | 333W | 11.0 | | 162 | |
| Groot, Clarence Neerlandia 674-3307 | 12 month average | | | | | 91 Pigs | (12.3) | | (162) | | 100 |
| | 4304 | | | | | 6673W | 13.2 | | 167 | | 81 |
| | " | | | | | 6674W | 11.2 | | 167 | | 105 |
| | " | | | | | 6675W | 11.1 | | 156 | | 124 |
| | " | | | | | 6692W | 14.1 | | 155 | | 89 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 12 month average | | | | | (not available) | | | | | |
| | AOUD 1512R | -0.5 | +7.2 | 74 | 87 | 8 GM | 32W | 13.0 | | 145 | |
| | " | " | " | " | " | " | 33W | 13.2 | | 146 | |
| | " | " | " | " | " | " | 34W | 12.2 | | 134 | |
| | " | " | " | " | " | " | 35W | 14.3 | | 146 | |
| | " | " | " | " | " | " | 36W | 11.6 | | 137 | |
| Ranchview Test Barn Bentley 748-3802 | 12 month average | | | | | 902 Pigs | (13.2) | | (155) | | 100 |
| | RFAA 3271T | | | | | 4721W | 13.5 | | 148 | | 109 |
| | " | | | | | 4724W | 11.9 | | 146 | | 132 |
| | " | | | | | 4730W | 12.3 | | 150 | | 120 |
| | VBSF 304U(1) | | | | | 4743W | 9.2 | | 151 | | 156 |
| | " | | | | | 4763W | 10.6 | | 151 | | 138 |
| | " | | | | | 4775W | 11.9 | | 151 | | 123 |
| | " | | | | | 4780W | 12.2 | | 141 | | 137 |
| | " | | | | | 4784W | 13.5 | | 155 | | 94 |
| | AOUD 858T(1) | | | | | 4800W | 13.4 | | 163 | | 82 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|-----------------------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| | AREE 361U(1) | | | | | | 4811W 14.5 | | 157 | | 79 |
| | " | | | | | | 4814W 12.9 | | 163 | | 89 |
| | RFAA 3522T | | | | | | 4841W 12.8 | | 151 | | 112 |
| | " 6477U | | | | | | 4872W 12.6 | | 159 | | 99 |
| | VBSF 304U(1) | | | | | | 4891W 13.8 | | 150 | | 101 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | | 4941W 12.9 | | 158 | | 97 |
| | RFAA 6477U | | | | | | 4952W 12.8 | | 154 | | 107 |
| anchview Farms B 12 month average | | | | | | 129 Pigs | (12.7) | | (159) | | 100 |
| entley | KKEF 1490T(1) | -1.2 | -13.7 | 176 | 80 | | 5866W 9.9 | | 162 | | 129 |
| 48-3802 | AMBW 514S(1) | -1.6 | +4.9 | 110 | 95 | | 6118W 12.1 | | 152 | | 121 |
| | " | " | " | " | " | | 62710W 10.9 | | 162 | | 117 |
| | RFAA 5824U | | | | | | 6287W 11.1 | | 152 | | 134 |
| | " | | | | | | 6288W 15.3 | | 154 | | 77 |
| | " | | | | | | 6289W 11.5 | | 154 | | 124 |
| | AMBW 514S(1) | -1.6 | +4.9 | 110 | 95 | | 6308W 8.5 | | 148 | | 174 |
| | " | " | " | " | " | | 6309W 9.9 | | 149 | | 155 |
| | RFAA 5496S | | | | | | 6424W 12.1 | | 146 | | 134 |
| | " | | | | | | 6426W 12.3 | | 148 | | 127 |
| | " | | | | | | 6427W 10.5 | | 142 | | 161 |
| | " | | | | | | 6428W 12.1 | | 149 | | 127 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | | 65410W 14.0 | | 148 | | 107 |
| | " | " | " | " | " | | 65512W 10.2 | | 142 | | 164 |
| | RFAA 5496S | | | | | | 6578W 10.5 | | 147 | | 152 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | | 6584W 11.0 | | 146 | | 148 |
| iter Farms | 12 month average | | | | | (not available) | | | | | |
| on Springs | | | | | | | | | | | |
| 8-4472 | RITR 97W | | | | | 8 CB | 2021W 10.3 | | 149 | | |
| | " | | | | | " | 2022W 11.3 | | 146 | | |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 79 | 13.4 | 150 | 9 | 12.0 | 150 |
| Barrett, R. & A. Ponoka 783-5192 | (not available) | | | 3 | 12.3 | 144 |
| Bloomsbury Farms Bloomsbury 674-3307 | 123 | 16.3 | 149 | 7 | 15.3 | 141 |
| Braat, J. Coaldale 327-9757 | 206 | 12.1 | 157 | 6 | 13.3 | 142 |
| Eringfeld, B. Coaldale 345-3420 | 108 | 14.2 | 173 | 9 | 13.6 | 181 |
| Five Lakes Farms Mayerthorpe 786-4373 | 293 | 13.7 | 173 | 13 | 12.2 | 177 |
| Giltline Farm Acme 546-4461 | (not available) | | | 2 | 13.3 | 171 |
| Maschmeyer, Douglas Bruderheim 998-2845 | 63 | 14.9 | 149 | 6 | 15.4 | 148 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 62 | 15.3 | 151 | 4 | 15.9 | 149 |
| Reiter Farms Iron Springs 738-4472 | 310 | 13.4 | 157 | 12 | 12.7 | 147 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Roeske, Murray Alcomdale 939-4938 | 170 | 15.0 | 158 | 33 | 17.0 | 159 |
| <u>LANDRACE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 70 | 13.1 | 150 | 5 | 12.2 | 154 |
| Barrett, R. & D. Ponoka 783-5192 | 98 | 14.6 | 140 | 4 | 12.9 | 122 |
| Braat, J. Coaldale 327-9757 | 31 | 15.6 | 153 | 4 | 15.2 | 16 |
| Duff, Donald Ft. Saskatchewan 998-3101 | 137 | 14.3 | 150 | 18 | 13.7 | 15 |
| Wakeena Farm Bentley 748-4252 | 54 | 13.2 | 167 | 2 | 15.5 | 15 |
| <u>LACOMBE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 191 | 16.1 | 142 | 15 | 14.9 | 14 |
| Five Lakes Farms Mayerthorpe 786-4373 | 128 | 13.6 | 172 | 6 | 13.3 | 17 |
| <u>HAMPSHIRE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 79 | 13.3 | 155 | 2 | 14.1 | 15 |
| Brownlee, Jim Hairy Hill 768-2313 | 36 | 13.1 | 180 | 3 | 10.6 | 18 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Five Lakes Farms Mayerthorpe 786-4373 | 94 | 13.2 | 177 | 4 | 11.9 | 161 |
| <u>DUROC</u> | | | | | | |
| Giltline Farm Acme 546-4461 | (not available) | | | 1 | 14.6 | 147 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 59 | 14.5 | 153 | 2 | 12.9 | 148 |
| <u>CROSSBRED</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 102 | 16.0 | 142 | 7 | 14.3 | 139 |
| Braat, J. Coaldale 327-9757 | 104 | 13.8 | 152 | 7 | 13.0 | 148 |
| Chauvet, M. Legal 961-2578 | 103 | 15.5 | 148 | 13 | 14.9 | 152 |
| Giltline Farm Acme 546-4461 | 59 | 14.4 | 161 | 35 | 14.5 | 161 |
| Groot, Clarence Neerlandia 674-3307 | 181 | 13.5 | 167 | 9 | 12.8 | 181 |
| Maschmeyer, Gerald Bruderheim 998-2845 | (not available) | | | 2 | 11.4 | 143 |
| Olds College Olds 556-8327 | 491 | 15.6 | 157 | 23 | 16.6 | 149 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Ranchview Test Barn Bentley 748-3802 | 522 | 13.8 | 170 | 28 | 13.1 | 167 |
| Ranchview Farms B Bentley 748-3802 | 560 | 14.1 | 163 | 38 | 12.5 | 157 |
| Wakeena Farm Bentley 748-4252 | (not available) | | | 5 | 13.0 | 157 |

Alberta Swine Improvement Program

CANADIANA

JUN - 3 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

MAY 1 - 15, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . .

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |

YORKSHIRE

Arrett, R. & A. 12 month average
Donoka

(not available)

83-5192 ROYS 75W

| | | | |
|------|------|------|-----|
| ROYS | 396W | 14.8 | 149 |
| " | 404W | 12.3 | 139 |
| " | 405W | 13.7 | 139 |
| " | 406W | 12.7 | 141 |
| " | 20X | 9.6 | 135 |

Doomsbury Farms 12 month average
Doomsbury

121 Pigs (14.6) (145) 100

4-3307 WM 205W

| | | | | |
|----|-------|------|-----|-----|
| WM | 8202W | 12.8 | 152 | 103 |
| " | 8205W | 11.9 | 148 | 118 |
| " | 8206W | 12.3 | 149 | 113 |
| " | 8207W | 12.9 | 146 | 113 |
| " | 8208W | 12.9 | 140 | 123 |
| " | 8209W | 13.0 | 150 | 105 |
| " | 8308W | 13.1 | 151 | 102 |
| " | 8311W | 12.2 | 144 | 123 |
| " | 8608W | 11.5 | 139 | 137 |

De Lakes Farms 12 month average
Derthorpe

234 Pigs (12.9) (165) 100

-4373

JKAA17301U

" 9201U

ARHL 707U

"

FGBE 508U(1)

"

"

JKAA 5005U

-1.4

-6.5

150

72

"

"19305U

"

FGBE 508U(1)

ARHL 707U

"

"

"

ARHL 707U

"

"

| | | | | |
|------|--------|------|-----|-----|
| JKAA | 20203W | 10.1 | 203 | 75 |
| " | 21801W | 10.3 | 194 | 86 |
| " | 22201W | 11.2 | 180 | 97 |
| " | 22203W | 11.1 | 194 | 77 |
| " | 22302W | 12.5 | 190 | 67 |
| " | 22305W | 9.9 | 187 | 101 |
| " | 22306W | 10.6 | 199 | 75 |
| " | 22403W | 11.9 | 185 | 81 |
| " | 22405W | 13.9 | 194 | 46 |
| " | 22602W | 13.5 | 175 | 78 |
| " | 22603W | 11.9 | 176 | 95 |
| " | 22704W | 9.6 | 191 | 98 |
| " | 23101W | 9.9 | 184 | 105 |
| " | 23102W | 12.0 | 186 | 79 |
| " | 23103W | 10.8 | 176 | 107 |
| " | 23105W | 9.9 | 172 | 123 |
| " | 23902W | 9.0 | 159 | 152 |
| " | 23903W | 14.7 | 172 | 69 |
| " | 23906W | 12.5 | 168 | 92 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--|-----------------|--|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Five Lakes Farms | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | JKAA 24202W | 12.5 | | 168 | | 100 |
| | " | | | | | " 24209W | 13.5 | | 167 | | 90 |
| | ARHL 707U | | | | | " 24502W | 10.8 | | 168 | | 119 |
| | " | | | | | " 25104W | 10.2 | | 156 | | 141 |
| Gwynne Vista Farms | 12 month average | | | | | 128 Pigs | (12.4) | | (165) | | 100 |
| Gwynne | | | | | | | | | | | |
| 352-2998 | JKAA 4308U | | | | | GWYN 14701W | 9.7 | | 197 | | 82 |
| | FGBE 508U(1) | | | | | " 16802W | 9.7 | | 163 | | 128 |
| | " | | | | | " 16803W | 15.8 | | 160 | | 71 |
| | " | | | | | " 16805W | 8.7 | | 175 | | 122 |
| | JKAA 4038U | | | | | " 17202W | 10.5 | | 147 | | 142 |
| | AOGK 742T | -1.6 | -3.8 | 144 | 88 | " 17404W | 12.6 | | 157 | | 108 |
| | " | | | | | " 17405W | 13.0 | | 156 | | 100 |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 65 | " 18404W | 10.3 | | 137 | | 157 |
| | " | | | | | " 18406W | 13.4 | | 143 | | 120 |
| Knobben, John | 12 month average | | | | | 61 Pigs | (11.8) | | (154) | | 100 |
| Jarvie | | | | | | | | | | | |
| 954-2647 | GWYN14705U | | | | | AREE 340W | 11.8 | | 163 | | 81 |
| | " | | | | | " 341W | 11.9 | | 157 | | 92 |
| | " | | | | | " 343W | 11.0 | | 157 | | 104 |
| | " | | | | | " 346W | 10.4 | | 167 | | 97 |
| | AREE 352S | +2.7 | -3.3 | 65 | 90 | " 350W | 12.4 | | 154 | | 97 |
| | " | " | " | " | " | " 352W | 12.4 | | 154 | | 97 |
| | " | " | " | " | " | " 353W | 12.9 | | 154 | | 87 |
| | " 552U | | | | | " 371W | 9.7 | | 168 | | 107 |
| | " | | | | | " 372W | 10.4 | | 161 | | 107 |
| | ROSE 106U | +2.0 | +1.6 | 57 | 79 | " 420W | 7.7 | | 163 | | 137 |
| | " | " | " | " | " | " 422W | 11.0 | | 163 | | 97 |
| Maschmeyer, Douglas | 12 month average | | | | | 79 Pigs | (13.8) | | (146) | | 100 |
| Bruderheim | | | | | | | | | | | |
| 998-2845 | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | DOUG 316W | 17.3 | | 158 | | 37 |
| | DOUG 800T | +0.9 | -3.7 | 99 | 70 | " 324W | 14.8 | | 145 | | 97 |
| | " | " | " | " | " | " 325W | 16.5 | | 143 | | 87 |
| | " | " | " | " | " | " 327W | 16.5 | | 143 | | 87 |
| | HILL 55U | +0.1 | -0.5 | 99 | 52 | " 2X | 13.9 | | 139 | | 117 |
| | DOUG 800T | +0.9 | -3.7 | 99 | 70 | " 17X | 12.6 | | 134 | | 147 |
| | " | " | " | " | " | " 19X | 15.9 | | 141 | | 97 |
| Maschmeyer, Gerald | 12 month average | | | | | 50 Pigs | (14.6) | | (145) | | 100 |
| Bruderheim | | | | | | | | | | | |
| 998-2845 | DOUG 271U | | | | | HILL 204W | 13.5 | | 147 | | 107 |
| | " | | | | | " 295W | 19.7 | | 140 | | 67 |
| | " | | | | | " 296W | 12.9 | | 153 | | 107 |
| | " 800T | +0.9 | -3.7 | 99 | 70 | " 6X | 19.4 | | 133 | | 77 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------|----------|---------------|---------------|-----|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| atejka, George ylvan Lake 87-2656 | 12 month average | | | | | 392 Pigs | (12.4) | | (163) | | 100 |
| | RITR 2131U | | | | | KKEF 3205W | 10.1 | 148 | | | 149 |
| | KKEF 1543U | | | | | " 3210W | 11.1 | 152 | | | 131 |
| | " | | | | | " 3212W | 9.9 | 154 | | | 141 |
| | " | | | | | " 3214W | 10.7 | 157 | | | 127 |
| | RITR 655S | -1.7 | -3.6 | 145 | 88 | " 3220W | 9.3 | 145 | | | 163 |
| | " | " | " | " | " | " 3224W | 11.5 | 148 | | | 135 |
| | KKEF 2567U | | | | | " 3233W | 11.7 | 146 | | | 137 |
| | " | | | | | " 3265W | 8.7 | 147 | | | 165 |
| | " | | | | | " 3290W | 12.0 | 146 | | | 134 |
| | " | | | | | " 3291W | 12.1 | 140 | | | 144 |
| | " | | | | | " 3293W | 11.1 | 140 | | | 154 |
| | " | | | | | " 3296W | 12.7 | 147 | | | 125 |
| | " | | | | | " 3304W | 10.8 | 140 | | | 156 |
| | " | | | | | " 3314W | 13.2 | 138 | | | 134 |
| | " | | | | | " 60X | 13.6 | 124 | | | 156 |
| lne, Bruce noka 3-6695 | 12 month average | | | | | 140 Pigs | (12.5) | | (150) | | 100 |
| | MILN 392U | | | | | MILN 978W | 7.8 | 155 | | | 147 |
| | " 382U | | | | | " 991W | 9.5 | 142 | | | 156 |
| penhuyzen, C. ony Plain 3-4358 | 12 month average | | | | | 29 Pigs | (16.8) | | (164) | | 100 |
| | IMP 618W | | | | | ASUS 594W | 15.0 | 164 | | | 117 |
| | " | | | | | " 595W | 14.2 | 163 | | | 126 |
| | " | | | | | " 596W | 21.6 | 159 | | | 58 |
| | TVW 252U | | | | | " 2X | 12.9 | 141 | | | 167 |
| | " | | | | | " 4X | 20.4 | 142 | | | 92 |
| | " | | | | | " 6X | 13.1 | 139 | | | 167 |
| rko, Daniel wbrook 6-2315 | 12 month average | | | | | 24 Pigs | (14.8) | | (150) | | 100 |
| | GARY 315T | +1.4 | -4.0 | 90 | 82 | DANY 240W | 13.2 | 175 | | | 83 |
| | " | " | " | " | " | " 241W | 12.6 | 155 | | | 120 |
| | " | " | " | " | " | " 242W | 15.7 | 147 | | | 92 |
| | " | " | " | " | " | " 263W | 16.4 | 160 | | | 65 |
| | " | " | " | " | " | " 264W | 16.0 | 155 | | | 78 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------|------------------------|----------------|---------------|--------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Vandenberg, Joe | 12 month average | | | | | 62 Pigs | (15.0) | | (155) | | 100 |
| Camrose | | | | | | | | | | | |
| 672-6177 | ANZI 400P(2) | -3.5 | -6.2 | 187 | 98 | ASCG | 914W 12.4 | | 165 | | 113 |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | " | 930W 12.1 | | 147 | | 147 |
| | " | " | " | " | " | " | 932W 12.3 | | 156 | | 130 |
| | " | " | " | " | " | " | 940W 12.1 | | 146 | | 149 |
| | " | " | " | " | " | " | 942W 15.4 | | 138 | | 124 |
| | " | " | " | " | " | " | 944W 15.4 | | 154 | | 97 |
| | ASCG 520U | | | | | " | 951W 14.3 | | 142 | | 130 |
| | " 180T | +0.6 | -3.4 | 101 | 67 | " | 963W 14.1 | | 146 | | 129 |
| | " 520U | | | | | " | 973W 16.5 | | 130 | | 123 |
| | " | | | | | " | 975W 14.8 | | 131 | | 142 |
| Norest Farms | 12 month average | | | | | 40 Pigs | (13.0) | | (154) | | 100 |
| Rayway | | | | | | | | | | | |
| 736-3790 | KKEF 2104U | | | | | ATED | 231W 14.7 | | 156 | | 81 |
| Wilhelm, Len | 12 month average | | | | | (not available) | | | | | |
| Vermilion | | | | | | | | | | | |
| 853-2411 | ATCH 460U(1) | | | | | LWAS | 506W 20.1 | | 156 | | |
| | " | | | | | " | 508W 19.1 | | 162 | | |
| | " | | | | | " | 510W 18.8 | | 163 | | |
| | " | | | | | " | 511W 21.4 | | 163 | | |
| | " | | | | | " | 513W 20.4 | | 153 | | |
| | " | | | | | " | 516W 19.9 | | 173 | | |
| | " | | | | | " | 517W 20.4 | | 175 | | |
| <u>LANDRACE</u> | | | | | | | | | | | |
| Barrett, R.&A. | 12 month average | | | | | 105 Pigs | (14.2) | | (137) | | 10 |
| Ponoka | | | | | | | | | | | |
| 783-5192 | ROYS 273U | | | | | ROYS | 33X 12.6 | | 131 | | 13 |
| | " | | | | | " | 34X 12.1 | | 124 | | 15 |
| Knobben, Gary | 12 month average | | | | | (not available) | | | | | |
| Jarvie | | | | | | | | | | | |
| 954-2125 | AVON 417U(1) | | | | | GARY | 310W 8.4 | | 155 | | |
| | " | | | | | " | 311W 9.7 | | 155 | | |
| | " | | | | | " | 312W 9.9 | | 157 | | |
| | " | | | | | " | 313W 9.2 | | 163 | | |
| Knobben, John | 12 month average | | | | | (not available) | | | | | |
| Jarvie | | | | | | | | | | | |
| 954-2647 | AVON 417U(1) | | | | | AREE | 390W 9.9 | | 165 | | |
| | " | | | | | " | 391W 13.0 | | 161 | | |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Robben, John at'd | AVON 417U(1) | | | | | AREE | 392W 10.9 | 161 | | | |
| | " | | | | | " | 394W 11.9 | 165 | | | |
| | " | | | | | " | 395W 12.4 | 153 | | | |
| | EDJL 142U(1) | | | | | " | 401W 13.1 | 159 | | | |
| | " | | | | | " | 410W 10.9 | 154 | | | |
| | " | | | | | " | 411W 10.4 | 163 | | | |
| | " | | | | | " | 412W 12.3 | 157 | | | |
| Keloland College ermilion B-8597 | 12 month average | | | | | 114 Pigs | (14.2) | (158) | | | 100 |
| | AREE 361U(1) | | | | | ATAT | 472W 15.9 | 163 | | | 61 |
| | " | | | | | " | 473W 15.3 | 171 | | | 58 |
| | " | | | | | " | 474W 15.4 | 178 | | | 45 |
| | " | | | | | " | 475W 15.6 | 179 | | | 39 |
| | AVON 417U(1) | | | | | " | 484W 16.6 | 163 | | | 50 |
| | " | | | | | " | 485W 13.4 | 151 | | | 126 |
| | " | | | | | " | 486W 15.0 | 164 | | | 75 |
| Schmeyer, Gerald nderheim B-2845 | 12 month average | | | | | 25 Pigs | (13.2) | (142) | | | 100 |
| | AREE 361U | | | | | HILL | 105U 14.2 | 148 | | | 79 |
| | " | | | | | " | 106W 13.2 | 155 | | | 73 |
| Rejka, Tony van Lake B-2656 | 12 month average | | | | | 36 Pigs | (12.6) | (164) | | | 100 |
| | TONY 442W | | | | | TONY | 3251W 17.6 | 142 | | | 95 |
| | " | | | | | " | 3253W 15.3 | 143 | | | 114 |
| | " | | | | | " | 3275W 15.6 | 147 | | | 105 |
| ne, Bruce oka B-6695 | 12 month average | | | | | 97 Pigs | (11.8) | (147) | | | 100 |
| | MILN 712U | | | | | MILN | 984W 10.9 | 147 | | | 111 |
| | AOUD11703U(1) | | | | | " | 1003W 11.6 | 134 | | | 125 |
| | " | | | | | " | 1004W 11.3 | 141 | | | 116 |
| | " | | | | | " | 1011W 9.6 | 150 | | | 122 |
| | MILN 392U | | | | | " | 1031W 9.6 | 143 | | | 134 |
| | " | | | | | " | 1032W 10.4 | 145 | | | 120 |
| | " | | | | | " | 1033W 8.0 | 144 | | | 152 |
| field Farms e B-3960 | 12 month average | | | | | (not available) | | | | | |
| | EDJL 142U(1) | | | | | NEUF | 26W 11.3 | 132 | | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDE |
|------------------------|------------------------|-------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>LACOMBE</u> | | | | | | | | | | | |
| Bloomsbury Farms | 12 month average | | | | | 243 Pigs | (15.2) | (140) | | | 100 |
| Bloomsbury | | | | | | | | | | | |
| 674-3307 | BL 207W | | | | | BL 8505W | 14.9 | 152 | | | 79 |
| | " | | | | | " 8506W | 16.5 | 148 | | | 71 |
| | " | | | | | " 8507W | 14.2 | 157 | | | 76 |
| | " | | | | | " 8508W | 15.7 | 146 | | | 83 |
| | " 803W | | | | | " 8608W | 16.0 | 145 | | | 82 |
| | " | | | | | " 8609W | 15.1 | 148 | | | 96 |
| | " 3112U | | | | | " 8706W | 14.8 | 148 | | | 88 |
| | " | | | | | " 8707W | 16.7 | 152 | | | 62 |
| | " | | | | | " 8708W | 16.3 | 150 | | | 69 |
| | " | | | | | " 8709W | 18.8 | 149 | | | 47 |
| | " | | | | | " 8710W | 16.3 | 146 | | | 77 |
| | " 107W | | | | | " 8807W | 13.3 | 155 | | | 89 |
| | " | | | | | " 8808W | 16.1 | 149 | | | 73 |
| | " 311W | | | | | " 9006W | 16.2 | 148 | | | 74 |
| | " | | | | | " 9007W | 18.6 | 135 | | | 76 |
| | " | | | | | " 9008W | 18.0 | 137 | | | 78 |
| | " | | | | | " 9009W | 17.3 | 136 | | | 86 |
| | " 2303U | | | | | " 9105W | 14.3 | 136 | | | 115 |
| | " 107W | | | | | " 9205W | 14.5 | 132 | | | 121 |
| | " | | | | | " 9206W | 19.4 | 128 | | | 81 |
| | " | | | | | " 9207W | 16.9 | 130 | | | 102 |
| | " | | | | | " 9208W | 13.0 | 176 | | | 91 |
| | " | | | | | " 9209W | 13.1 | 198 | | | 71 |
| | " 311W | | | | | " 9306W | 17.1 | 128 | | | 104 |
| | " | | | | | " 9308W | 14.1 | 133 | | | 123 |
| | " 3112U | | | | | " 9404W | 19.4 | 128 | | | 8 |
| | " | | | | | " 9408W | 15.9 | 132 | | | 107 |
| | " | | | | | " 9409W | 15.2 | 136 | | | 107 |
| | " 2303U | | | | | " 104X | 16.5 | 135 | | | 9 |
| | " | | | | | " 105X | 14.5 | 133 | | | 11 |
| | " | | | | | " 107X | 18.1 | 130 | | | 9 |
| | " | | | | | " 108X | 13.8 | 132 | | | 12 |
| | " | | | | | " 110X | 17.8 | 141 | | | 7 |
| | " 3112U | | | | | " 203X | 15.0 | 131 | | | 11 |
| | " | | | | | " 204X | 18.3 | 129 | | | 9 |
| | " | | | | | " 205X | 15.8 | 137 | | | 9 |
| | " | | | | | " 206X | 18.8 | 135 | | | 7 |
| | " | | | | | " 207X | 20.2 | 136 | | | 5 |
| | " 311W | | | | | " 510X | 14.8 | 125 | | | 13 |
| | " | | | | | " 511X | 17.4 | 128 | | | 10 |
| | " 1111W | | | | | " 1407X | 16.2 | 127 | | | 11 |
| | " | | | | | " 1410X | 14.6 | 128 | | | 12 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| ve Lakes Farms | 12 month average | | | | | 99 Pigs | (12.6) | | (163) | | 100 |
| verthorpe | | | | | | | | | | | |
| 6-4373 | JA11201U | | | | | JA 21601W | 13.5 | | 187 | | 61 |
| | " 5204U | -0.2 | +0.5 | 102 | 54 | " 22802W | 10.7 | | 182 | | 99 |
| | KR 1303S | -1.9 | -0.5 | 142 | 95 | " 24604W | 14.0 | | 163 | | 83 |
| engranum Farms | 12 month average | | | | | (not available) | | | | | |
| d Deer | | | | | | | | | | | |
| 7-0850 | BL 505W | | | | | IM 201W | 14.1 | | 131 | | |
| | " | | | | | " 204W | 16.2 | | 130 | | |
| | " | | | | | " 206W | 13.7 | | 139 | | |
| | " | | | | | " 302W | 16.7 | | 130 | | |
| | " | | | | | " 304W | 14.6 | | 133 | | |
| | " | | | | | " 309W | 15.6 | | 135 | | |
| ynne Vista Farms | 12 month average | | | | | 80 Pigs | (13.1) | | (161) | | 100 |
| ynne | | | | | | | | | | | |
| 2-2998 | KR 11806U | | | | | KR 15601W | 11.9 | | 192 | | 56 |
| | CDAL 6987T(1) | | | | | " 17101W | 10.9 | | 159 | | 129 |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| ombsbury Farms | 12 month average | | | | | 113 Pigs | (12.9) | | (151) | | 100 |
| ombsbury | | | | | | | | | | | |
| 6-3307 | WM 8304T | +0.1 | -6.3 | 115 | 63 | WM 8705W | 14.8 | | 137 | | 101 |
| ve Lakes Farms | 12 month average | | | | | 123 Pigs | (12.6) | | (174) | | 100 |
| verthorpe | | | | | | | | | | | |
| 6-4373 | JKAA 8103U | | | | | JKAA 21101W | 13.0 | | 202 | | 52 |
| | " | | | | | " 21501W | 13.0 | | 174 | | 94 |
| | " | | | | | " 21502W | 10.1 | | 194 | | 102 |
| | AJCM 2425T(1) | | | | | YAP 21902W | 11.9 | | 192 | | 81 |
| | " | | | | | " 21904W | 10.2 | | 199 | | 93 |
| | " | | | | | " 21906W | 11.9 | | 173 | | 110 |
| | " | | | | | " 21908W | 13.7 | | 191 | | 60 |
| | JKAA 8103U | | | | | NP 22803W | 12.7 | | 177 | | 94 |
| | " | | | | | JKAA 23302W | 14.5 | | 168 | | 84 |
| | " | | | | | " 23303W | 12.9 | | 183 | | 82 |
| | VBSF 304U(1) | | | | | " 23403W | 13.6 | | 182 | | 75 |
| | " | | | | | " 23404W | 15.0 | | 179 | | 61 |
| | " | | | | | " 23503W | 10.2 | | 183 | | 117 |
| | JKAA 8103U | | | | | " 23603W | 11.4 | | 182 | | 103 |
| | " | | | | | " 23604W | 11.2 | | 181 | | 107 |
| | " | | | | | " 24004W | 13.6 | | 173 | | 88 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE 90 KG | INDE |
|--|------------------------|--|----------------|---------------|--------------|----------|---------------|---------------|-----------------|--------------|------|
| | | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| Papenhuyzen, C. Stony Plain 963-4358 | 12 month average | | | | | | 34 Pigs | (13.4) | (173) | 100 | |
| | ASUS 49S | | +0.1 | +12.1 | 57 | 88 | ASUS | 560W 11.5 | 181 | 108 | |
| | " | | " | " | " | " | " | 561W 10.2 | 186 | 111 | |
| | " | | | | | | " | 582W 11.0 | 166 | 141 | |
| | " | | | | | | " | 584W 12.3 | 159 | 138 | |
| | " | | | | | | " | 586W 13.8 | 170 | 101 | |

DUROC

| | | | | | | | | | | | |
|--|------------------|--|------|------|----|----|-----------------|-----------|-------|-----|--|
| Knobben, John Jarvie 954-2167 | 12 month average | | | | | | (not available) | | | | |
| | HILL 292U | | | | | | AREE 430W | 11.0 | 154 | | |
| Maschmeyer, Gerald Bruderheim 998-2845 | 12 month average | | | | | | 69 Pigs | (13.4) | (149) | 100 | |
| | HILL 292U | | | | | | HILL | 262W 14.7 | 150 | 84 | |
| | " | | | | | | " | 263W 11.9 | 142 | 133 | |
| | " | | | | | | " | 264W 12.2 | 150 | 111 | |
| | " | | | | | | " | 265W 12.4 | 149 | 111 | |
| | " | | -0.5 | +7.2 | 74 | 87 | " | 266W 13.2 | 160 | 84 | |
| | AOUD 1512R | | " | " | " | " | " | 271W 11.9 | 161 | 94 | |
| | " | | " | " | " | " | " | 272W 12.1 | 151 | 111 | |
| | HILL 114U | | | | | | " | 283W 12.7 | 143 | 124 | |
| | " | | | | | | " | 284W 11.0 | 145 | 133 | |
| | " | | | | | | " | 285W 14.5 | 151 | 84 | |
| | " | | | | | | " | 286W 10.3 | 150 | 111 | |
| Neufeld Farms Acme 546-3960 | 12 month average | | | | | | 51 Pigs | (13.4) | (167) | 100 | |
| | AOUD 858T(1) | | | | | | NEUF | 186W 11.3 | 173 | 124 | |
| | " | | | | | | " | 187W 9.9 | 165 | 144 | |
| | " | | | | | | " | 191W 12.9 | 165 | 104 | |
| Vandenberg, Joe Camrose 672-6177 | 12 month average | | | | | | 28 Pigs | (14.6) | (154) | 100 | |
| | ASCG 50W | | | | | | ASCG | 956W 12.6 | 139 | 144 | |

CROSSBRED

| | | | | | | | | | | | |
|--|------------------|--|--|--|--|--|---------|------------|-------|-----|--|
| Bloomsbury Farms Bloomsbury 674-3307 | 12 month average | | | | | | 55 Pigs | (14.7) | (142) | 100 | |
| | BL 311W | | | | | | 8KJ | 5306W 16.1 | 138 | 94 | |
| | " | | | | | | " | 5307W 15.7 | 131 | 111 | |
| | " | | | | | | " | 5308W 16.9 | 139 | 84 | |
| | " | | | | | | " | 5309W 20.6 | 134 | 64 | |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Ine, Bruce | 12 month average | | | | | (not available) | | | | | |
| noka | | | | | | | | | | | |
| 3-6695 | AJCM 2425T(1) | | | | | 4451W | 11.8 | 140 | | | |
| | " | | | | | 4452W | 10.6 | 143 | | | |
| nchview Test Barn | 12 month average | | | | | 902 Pigs | (13.2) | (155) | | | 100 |
| ntley | | | | | | | | | | | |
| 8-3802 | VBSF 304U(1) | | | | | 4984W | 9.6 | 162 | | | 131 |
| | " | | | | | 4985W | 12.5 | 163 | | | 93 |
| | AJCM 2425T(1) | | | | | 5000W | 11.7 | 150 | | | 127 |
| | " | | | | | 5002W | 12.6 | 156 | | | 104 |
| | " | | | | | 5004W | 12.9 | 161 | | | 92 |
| | RITR 924T(1) | | | | | 5012W | 12.8 | 151 | | | 112 |
| | KKEF 2332T(1) | | | | | 5021W | 12.3 | 155 | | | 111 |
| | " | | | | | 5022W | 11.8 | 159 | | | 110 |
| | " | | | | | 5032W | 14.3 | 151 | | | 92 |
| | " | | | | | 5034W | 10.6 | 149 | | | 141 |
| | " | | | | | 5037W | 11.0 | 152 | | | 132 |
| | " | | | | | 5038W | 13.1 | 149 | | | 111 |
| | " | | | | | 5042W | 16.5 | 159 | | | 51 |
| | " | | | | | 5045W | 13.3 | 153 | | | 102 |
| | " | | | | | 5047W | 10.7 | 157 | | | 127 |
| | RFAA 3271T | | | | | 5052W | 10.3 | 154 | | | 137 |
| | KKEF 2332T(1) | | | | | 5061W | 13.1 | 158 | | | 95 |
| | " | | | | | 5073W | 12.9 | 153 | | | 108 |
| | " | | | | | 5074W | 14.5 | 150 | | | 93 |
| | VBSF 304U(1) | | | | | 5084W | 15.8 | 140 | | | 94 |
| | RFAA 2165T | | | | | 5091W | 13.2 | 153 | | | 90 |
| | RFAA 2165T | | | | | 5151W | 13.5 | 142 | | | 120 |
| | " 3271T | | | | | 5171W | 17.0 | 143 | | | 74 |
| | VBSF 304U(1) | | | | | 5191W | 13.3 | 143 | | | 121 |
| | RFAA 3523T | | | | | 5211W | 13.7 | 148 | | | 105 |
| | " | | | | | 5214W | 13.4 | 144 | | | 117 |
| | " | | | | | 5215W | 13.4 | 146 | | | 113 |
| | " | | | | | 5217W | 13.1 | 139 | | | 131 |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Barrett, R. & A. Ponoka 783-5192 | (not available) | | | 9 | 14.0 | 145 |
| Bloomsbury Farms Bloomsbury 674-3307 | 148 | 16.3 | 148 | 12 | 15.0 | 146 |
| Five Lakes Farms Mayerthorpe 786-4373 | 293 | 13.7 | 173 | 27 | 12.4 | 184 |
| Gwynne Vista Farms Gwynne 352-2998 | 236 | 13.9 | 166 | 10 | 12.6 | 166 |
| Knobben, Gary Jarvie 954-2125 | 55 | 13.0 | 165 | 1 | 12.8 | 172 |
| Knobben, John Jarvie 954-2647 | 45 | 12.7 | 157 | 3 | 13.0 | 152 |
| Maschmeyer, Douglas Bruderheim 998-2845 | 63 | 14.9 | 149 | 9 | 16.5 | 143 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 62 | 15.3 | 151 | 8 | 18.2 | 143 |
| Matejka, George Sylvan Lake 887-2656 | 298 | 13.1 | 177 | 18 | 11.2 | 160 |
| Milne, Bruce Ponoka 783-6695 | 156 | 13.2 | 152 | 4 | 10.9 | 155 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | AVG. BACKFAT |
|--|------------------|-----------------|---------------|-------------------|-----------------|-----------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | |
| Papenhuyzen, C. Stony Plain 963-4358 | 33 | 18.0 | 170 | 4 | 17.3 | |
| Turko, Daniel Newbrook 576-2315 | 51 | 16.3 | 161 | 13 | 15.7 | |
| Vandenberg, Joe Camrose 672-6177 | 37 | 16.6 | 158 | 6 | 16.6 | |
| Norest, F.S. Radway 736-3790 | 39 | 14.5 | 156 | 2 | 15.5 | |
| Wilhelm, Len Vermilion 853-2411 | | | | 3 | 19.5 | |
| <u>LANDRACE</u> | | | | | | |
| Barrett, R.&A. Ponoka 783-5192 | 98 | 14.6 | 140 | 4 | 14.0 | |
| Knobben, Gary Jarvie 954-2125 | (not available) | | | 6 | 11.7 | |
| Knobben, John Jarvie 954-2647 | (not available) | | | 3 | 11.4 | |
| Lakeland College Vermilion 853-8597 | 203 | 15.3 | 164 | 7 | 15.5 | |
| Maschmeyer, Gerald Bruderheim 998-2845 | 27 | 14.1 | 146 | 4 | 13.5 | |
| Milne, Bruce Ponoka 783-6695 | 95 | 12.5 | 151 | 9 | 11.6 | |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>LACOMBE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 235 | 16.1 | 142 | 43 | 17.3 | 141 |
| Glengranum Farms Red Deer 347-0850 | (not available) | | | 6 | 16.1 | 137 |
| Gwynne Vista Farms Gwynne 352-2998 | 125 | 14.3 | 168 | 7 | 12.1 | 172 |
| <u>HAMPSHIRE</u> | | | | | | |
| Five Lakes Farms Mayerthorpe 786-4373 | 94 | 13.2 | 177 | 8 | 11.7 | 188 |
| Papenhuyzen, C. Stony Plain 963-4358 | 39 | 14.9 | 173 | 7 | 13.6 | 177 |
| <u>DUROC</u> | | | | | | |
| Knobben, John Jarvie 954-2647 | (not available) | | | 1 | 13.2 | 158 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 59 | 14.5 | 153 | 6 | 13.2 | 153 |
| Matejka, Steven Sylvan Lake 887-2656 | (not available) | | | 5 | 15.4 | 159 |
| <u>CROSSBRED</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 104 | 16.0 | 142 | 7 | 15.8 | 138 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Chauvet, M. Legal 961-2578 | 103 | 15.5 | 148 | 6 | 16.3 | 14 |
| Gwynne Vista Farms Gwynne 352-2998 | 162 | 14.0 | 164 | 14 | 12.0 | 15 |
| Neufeld Farms Acme 546-3960 | 123 | 14.2 | 158 | 25 | 12.8 | 14 |
| Ranchview Test Barn Bentley 748-3802 | 522 | 13.8 | 170 | 43 | 13.7 | 16 |
| Ranchview Farms B Bentley 748-3802 | 569 | 14.1 | 163 | 14 | 13.2 | 15 |
| Norest Farms Radway 736-3790 | 295 | 15.2 | 154 | 25 | 15.9 | 16 |

Alberta Swine Improvement Program

CANADIANA

JUN 14 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

MAY 15 - 31, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . . **Alberta**
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

R O A R S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE 90 KG | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|--------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| <u>YORKSHIRE</u> | | | | | | | | | | |
| Adia Breeders | 12 month average | | | | | 61 Pigs | (12.7) | (147) | | 100 |
| combe | | | | | | ACA 402W | 11.7 | 154 | | 97 |
| 2-2836 | JKAA13804U | | | | | " 412W | 9.0 | 151 | | 138 |
| | " | | | | | " 413W | 14.0 | 149 | | 81 |
| | " | | | | | " 415W | 12.9 | 152 | | 89 |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | " 426W | 13.8 | 138 | | 104 |
| | " | " | " | " | " | " 436W | 13.5 | 143 | | 98 |
| | ARHL 96W | | | | | " 301X | 14.0 | 141 | | 96 |
| | " | | | | | " 303X | 12.9 | 134 | | 124 |
| ownlee, Jim | 12 month average | | | | | 71 Pigs | (13.8) | (163) | | 100 |
| ry Hill | | | | | | AHKP 749W | 12.9 | 190 | | 76 |
| 8-2313 | RITR 574U | | | | | " 754W | 15.9 | 186 | | 55 |
| | " | | | | | " 756W | 14.1 | 187 | | 69 |
| | " | | | | | " 771W | 13.0 | 188 | | 77 |
| | " | | | | | " 782W | 14.5 | 158 | | 99 |
| | " | | | | | " 785W | 17.3 | 169 | | 62 |
| | " | | | | | " 786W | 14.8 | 183 | | 67 |
| | " | | | | | " 787W | 13.8 | 169 | | 92 |
| | " | | | | | " 791W | 15.4 | 159 | | 89 |
| | " | | | | | " 795W | 13.7 | 174 | | 87 |
| | " | | | | | " 797W | 11.6 | 167 | | 114 |
| ve Lakes Farms | 12 month average | | | | | | (12.8) | (167) | | 100 |
| erthorpe | | | | | | JKAA23106W | 8.8 | 193 | | 103 |
| 6-4373 | ARHL 707U | | | | | " 23904W | 14.0 | 180 | | 67 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | " 24201W | 10.5 | 177 | | 109 |
| | " | | | | | " 24204W | 9.9 | 187 | | 100 |
| | " | | | | | " 24207W | 10.3 | 175 | | 114 |
| | ARHL 707U | | | | | " 24503W | 13.4 | 168 | | 92 |
| | " | | | | | " 24504W | 14.3 | 181 | | 62 |
| | " | | | | | " 25101W | 10.1 | 173 | | 119 |
| | " | | | | | " 25103W | 11.0 | 166 | | 120 |
| | RITR 97W | | | | | " 25202W | 10.1 | 165 | | 131 |
| | " | | | | | " 25207W | 11.5 | 156 | | 130 |
| | " | | | | | " 25208W | 13.2 | 178 | | 79 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE 90 KG | INDEX |
|---|---|----------------|---------------|--------------|----------|--|---|---|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| Five Lakes Farms Cont'd | JKAA 5005U " " " ARHL 707U " | -1.4 | -6.5 | 150 | 72 | " 25501W " 25502W " 25503W " 25504W " 25602W " 25801W | 12.8 13.9 11.4 13.6 13.5 14.2 | 154 168 175 121 168 167 | 119 86 102 85 91 85 | |
| Gwynne Vista Farms Gwynne 352-2998 | 12 month average AOGK 741T " " " RITR 1174W(1) " JKAA 4308U " RITR 924T(1) " " " " " " " JKAA 4308U " GWYN 6303U " " | -1.6 | -3.8 | 144 | 88 | 147 Pigs GWYN17401W " 17402W " 17403W " 17406W " 17901W " 17902W " 18001W " 18002W " 18201W " 18203W " 18204W " 18205W " 18401W " 18402W " 18403W " 18405W " 18407W " 102X " 105X " 201X " 203X " 204X | (12.2) 7.2 9.5 9.1 12.0 13.0 11.4 8.9 10.1 12.2 11.7 11.4 11.6 9.2 9.2 7.8 8.6 8.8 8.4 7.2 8.5 9.6 10.3 | (164) 158 167 168 166 160 160 169 158 161 161 159 149 158 158 164 157 145 155 161 155 154 155 | 100 154 120 122 99 98 113 124 128 104 109 114 126 136 136 141 141 151 141 151 141 131 | |
| Maschmeyer, Douglas Bruderheim 998-2845 | 12 month average HILL 54T " | -0.2 | +1.4 | 98 | 79 | 67 Pigs DOUG 23X " 24X | (14.1) 17.1 15.5 | (145) 133 140 | 10 10 10 | |
| Reiter Farms Iron Springs 738-4472 | 12 month average JKAA19904U " RITR 664T " ARHL 795U " | -1.6 | -1.9 | 137 | 90 | 212 Pigs RITR 2113W " 2114W " 2125W " 2127W " 2179W " 4X | (12.5) 11.4 9.4 8.3 10.9 12.1 11.7 | (143) 160 145 150 153 145 139 | 10 7 12 12 9 9 11 | |

| EDER ELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---------------------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| ter Farms t'd | KKEF 440T | -1.3 | +0.1 | 124 | 94 | RITR 14X | 11.0 | 143 | | 116 | |
| | RITR 664T | -1.6 | -1.9 | 137 | 90 | " 44X | 13.4 | 143 | | 92 | |
| | ARRK 2186U(1) | | | | | " 166X | 11.0 | 123 | | 158 | |
| | " | | | | | " 168X | 8.2 | 133 | | 167 | |
| | RITR 664T | -1.6 | -1.9 | 137 | 90 | " 192X | 13.0 | 132 | | 118 | |
| ske, Murray omdale -4938 | 12 month average | | | | | 62 Pigs | (13.4) | (148) | | 100 | |
| | KKEF 1490T(1) | -1.2 | -13.7 | 176 | 80 | ROSE 534W | 12.5 | 139 | | 128 | |
| | " | " | " | " | " | " 535W | 13.7 | 134 | | 125 | |
| | " 2332T(1) | 0.0 | -8.4 | 133 | 89 | " 546W | 11.7 | 137 | | 142 | |
| esen, R. ham -2421 | 12 month average | | | | | (not available) | | | | | |
| | ASCG 5U | | | | | RON 131W | 14.5 | 173 | | | |
| | " | | | | | " 133W | 16.4 | 167 | | | |
| | " | | | | | " 143W | 16.8 | 163 | | | |
| | " | | | | | " 145W | 18.2 | 152 | | | |
| | " | | | | | " 147W | 13.9 | 155 | | | |
| | " | | | | | " 148W | 15.5 | 161 | | | |
| denberg, Joe rose -6177 | 12 month average | | | | | 62 Pigs | (15.0) | (155) | | 100 | |
| | ASCG 520T | | | | | 56X | 15.7 | 132 | | 130 | |
| <u>LANDRACE</u> | | | | | | | | | | | |
| dia Breeders ombe -2836 | 12 month average | | | | | 68 Pigs | (12.5) | (145) | | 100 | |
| | ARHL 1044U | | | | | ACA 393W | 9.9 | 163 | | 100 | |
| | " 739U | | | | | " 404W | 13.0 | 147 | | 90 | |
| | " | | | | | " 406W | 12.9 | 150 | | 86 | |
| | " | | | | | " 407W | 11.6 | 152 | | 98 | |
| | " 1044U | | | | | " 421W | 13.0 | 147 | | 89 | |
| | ROYS 13W | | | | | " 406X | 12.0 | 132 | | 131 | |
| ter Farms n Springs -4472 | 12 month average | | | | | 25 Pigs | (12.6) | (146) | | 100 | |
| | TONY 615U | +1.6 | -3.3 | 87 | 73 | RITR 2104W | 9.7 | 151 | | 117 | |
| | " | " | " | " | " | " 2135W | 14.0 | 145 | | 89 | |
| | " | " | " | " | " | " 2136W | 15.4 | 144 | | 79 | |
| | " | " | " | " | " | " 2137W | 12.8 | 158 | | 79 | |
| | " | " | " | " | " | " 2143W | 13.2 | 153 | | 83 | |
| | " | " | " | " | " | " 2144W | 12.5 | 149 | | 96 | |
| | " | " | " | " | " | " 2145W | 13.4 | 146 | | 94 | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Reiter Farms Cont'd | TONY 615U | +1.6 | -3.3 | 87 | 73 | RITR 2146W | 12.8 | | 157 | | 80 |
| | " | " | " | " | " | " 2147W | 13.1 | | 152 | | 86 |
| | " | " | " | " | " | " 2210W | 14.2 | | 145 | | 88 |
| | " | " | " | " | " | " 2215W | 12.6 | | 151 | | 93 |
| | " | " | " | " | " | " 2217W | 13.8 | | 149 | | 89 |
| Wakeena Farm Bentley 748-4252 | 12 month average | | | | | 23 Pigs | (13.2) | | (159) | | 100 |
| | KEEN 186U | | | | | KEEN 530W | 10.5 | | 166 | | 112 |
| | " | | | | | " 531W | 9.9 | | 171 | | 106 |
| <u>LACOMBE</u> | | | | | | | | | | | |
| Five Lakes Farms Mayerthorpe 786-4373 | 12 month average | | | | | (not available) | | | | | |
| | KR 1303S | -1.9 | -0.5 | 142 | 95 | JA24603W | 10.1 | | 175 | | 116 |
| | " | " | " | " | " | " 25001W | 9.6 | | 173 | | 124 |
| | BL 2504U | | | | | " 25901W | 14.8 | | 165 | | 74 |
| | " | | | | | 25902W | 14.1 | | 160 | | 87 |
| Glengranum Farm Red Deer 347-0850 | 12 month average | | | | | (not available) | | | | | |
| | BL 505W | | | | | IM 302W | 14.6 | | 138 | | |
| | " | | | | | " 303W | 15.0 | | 149 | | |
| | " | | | | | " 310W | 12.3 | | 155 | | |
| | " | | | | | " 402X | 15.0 | | 140 | | |
| | " | | | | | " 403X | 13.6 | | 137 | | |
| | " | | | | | " 405X | 15.3 | | 144 | | |
| | " | | | | | " 406X | 13.7 | | 143 | | |
| | " | | | | | " 407X | 13.9 | | 139 | | |
| | " | | | | | " 409X | 15.0 | | 142 | | |
| | " | | | | | " 102X | 17.4 | | 133 | | |
| | " | | | | | " 103X | 16.9 | | 135 | | |
| | " | | | | | " 107X | 16.7 | | 134 | | |
| | " | | | | | " 203X | 19.1 | | 133 | | |
| | " | | | | | " 204X | 16.4 | | 127 | | |
| | " | | | | | " 206X | 20.0 | | 125 | | |
| | " | | | | | " 207X | 15.7 | | 131 | | |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| ynne Vista Farms ynne 2-2998 | 12 month average | | | | | 75 Pigs | (12.5) | (162) | | | 100 |
| | KR12802U | | | | | KR 17701W | 9.6 | 166 | | | 123 |
| | " | | | | | " 17702W | 8.6 | 161 | | | 140 |
| | " | | | | | " 17705W | 13.5 | 166 | | | 85 |
| | " | | | | | " 17706W | 11.3 | 147 | | | 138 |
| | "11806U | | | | | " 18501W | 10.1 | 166 | | | 117 |
| | " | | | | | " 18502W | 13.0 | 151 | | | 114 |
| | " | | | | | " 18503W | 14.1 | 161 | | | 87 |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| wnlee, Jim ry Hill -2313 | 12 month average | | | | | 27 Pigs | (12.0) | (169) | | | 100 |
| | BUFA 27U | | | | | AHKP 741W | 10.3 | 179 | | | 107 |
| | AOVX 32U | | | | | " 745W | 10.3 | 207 | | | 71 |
| | " | | | | | " 801W | 12.5 | 168 | | | 96 |
| e Lakes Farms erthorpe -4373 | 12 month average | | | | | | (12.6) | (177) | | | 100 |
| | JKAA 8103U | | | | | JKAA22002W | 9.7 | 107 | | | 111 |
| | " | | | | | NP22805W | 13.0 | 192 | | | 72 |
| | " | | | | | JKAA23305W | 13.9 | 191 | | | 61 |
| | VBSF 304U(1) | | | | | " 23401W | 12.7 | 184 | | | 88 |
| | " | | | | | " 23701W | 11.8 | 195 | | | 85 |
| | JKAA 8103U | | | | | " 24001W | 11.1 | 184 | | | 110 |
| | " | | | | | " 24003W | 11.5 | 178 | | | 113 |
| | " | | | | | " 24005W | 11.1 | 184 | | | 110 |
| | " | | | | | " 24006W | 13.8 | 184 | | | 73 |
| | " | | | | | " 24101W | 12.4 | 190 | | | 84 |
| | " | | | | | " 24102W | 13.2 | 188 | | | 75 |
| | " | | | | | " 24104W | 10.6 | 181 | | | 122 |
| | " | | | | | YAP24701W | 11.1 | 170 | | | 130 |
| | " | | | | | " 24703W | 10.5 | 183 | | | 120 |
| | " | | | | | NP25401W | 11.4 | 175 | | | 119 |
| nhuyzen, C. y Plain 4358 | 12 month average | | | | | 35 Pigs | (13.0) | (171) | | | 100 |
| | ASUS 41S | | | | | ASUS 601W | 10.3 | 178 | | | 117 |
| er Farms Springs 4472 | 12 month average | | | | | (not available) | | | | | |
| | AHKF 580T | -0.1 | +5.0 | 88 | 67 | RITR 55X | 12.9 | 142 | | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|-----------------|-----------------|-------|--|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| DUROC | | | | | | | | | | | |
| Giltline Farms | 12 month average | | | | | | (not available) | | | | |
| Acme | | | | | | | | | | | |
| 546-4461 | ASCG 351U | | | | | GLFL 188W | 12.0 | | 159 | | |
| | " | | | | | " 190W | 15.0 | | 152 | | |
| | " | | | | | " 199W | 14.5 | | 152 | | |
| | " | | | | | " 202W | 13.8 | | 154 | | |
| Maschmeyer, Gerald | 12 month average | | | | | 69 Pigs | (13.4) | | (151) | | 100 |
| Bruderheim | | | | | | | | | | | |
| 998-2845 | AODU 1512R | -0.5 | +7.2 | 74 | 87 | HILL 6X | 14.2 | | 147 | | 98 |
| | " | | | | | " 7X | 13.7 | | 133 | | 129 |
| Reiter Farms | 12 month average | | | | | | (not available) | | | | |
| Iron Springs | | | | | | | | | | | |
| 738-4472 | HILL 161T | -0.5 | -2.1 | 123 | 66 | RITR 2226W | 13.3 | | 157 | | |
| Vandenberg, Joe | 12 month average | | | | | 28 Pigs | (14.6) | | (154) | | 100 |
| Camrose | | | | | | | | | | | |
| 672-6177 | ASCG 50W | | | | | ASCG 10X | 13.4 | | 135 | | 140 |
| | " | | | | | " 11X | 12.9 | | 142 | | 133 |
| | " | | | | | " 15X | 13.3 | | 137 | | 138 |
| | " | | | | | " 16X | 14.6 | | 132 | | 134 |
| | " 121W | | | | | " 20X | 14.7 | | 138 | | 123 |
| Gwynne Vista Farms | 12 month average | | | | | | (not available) | | | | |
| Gwynne | | | | | | | | | | | |
| 352-2998 | AOGK 741T | | | | | 8 BT 708X | 12.5 | | 145 | | |
| Milne, Bruce | 12 month average | | | | | | (not available) | | | | |
| Ponoka | | | | | | | | | | | |
| 783-6695 | AJCM 2425T(1) | | | | | 8DM 4453W | 10.0 | | 142 | | |
| | " | | | | | " 4455W | 13.1 | | 153 | | |
| Ranchview Farms B | 12 month average | | | | | 129 Pigs | (12.7) | | (159) | | 100 |
| Bentley | | | | | | | | | | | |
| 748-3802 | RFAA 2977U | | | | | 6296W | 9.9 | | 172 | | 111 |
| | KKEF 2332T(1) | | | | | 6582W | 10.9 | | 165 | | 111 |
| | RFAA 3227U | | | | | 6653W | 11.9 | | 160 | | 109 |
| | KKEF 2332T(1) | | | | | 6702W | 13.3 | | 161 | | 39 |
| | RFAA 5825U | | | | | 6737W | 10.9 | | 156 | | 128 |
| | " | | | | | 6738W | 11.8 | | 163 | | 104 |
| | " | | | | | 67310W | 13.0 | | 152 | | 112 |
| | KKEF 2332T(1) | | | | | 6783W | 9.8 | | 154 | | 146 |

| OWNER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | |
|--------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | INDEX | INDEX |
| Chview B | RFAA29310U | | | | | 6799W | 11.9 | 148 | | 132 |
| t'd | " 73413U | | | | | 6945W | 12.2 | 147 | | 130 |
| | " | | | | | 6948W | 12.4 | 140 | | 140 |
| | KKEF 2332T(1) | | | | | 18X | 11.4 | 140 | | 154 |
| | " | | | | | 77X | 13.4 | 147 | | 114 |
| Chview Test Barn | 12 month average | | | | | 902 Pigs | (13.2) | (155) | | 100 |
| tley | | | | | | | | | | |
| -3802 | RFAA 3523T | | | | | 4978W | 11.5 | 172 | | 89 |
| | VBSF 304U(1) | | | | | 4983W | 11.4 | 169 | | 96 |
| | RFAA 3523T | | | | | 5104W | 11.7 | 154 | | 120 |
| | " | | | | | 5107W | 11.3 | 165 | | 105 |
| | DINN 7U(1) | | | | | 5251W | 12.0 | 150 | | 123 |
| | KKEF 2332T(1) | | | | | 5261W | 11.7 | 148 | | 130 |
| | " | | | | | 5262W | 12.0 | 147 | | 130 |
| | " | | | | | 5265W | 11.5 | 154 | | 123 |
| | " | | | | | 5267W | 12.4 | 147 | | 124 |
| | RFAA 3523T | | | | | 5272W | 13.7 | 147 | | 107 |
| | " | | | | | 5274W | 11.7 | 144 | | 138 |
| | " 3522T | | | | | 5295W | 12.7 | 147 | | 120 |
| denberg, Joe | 12 month average | | | | | 26 Pigs | (14.4) | (151) | | 100 |
| rose | | | | | | | | | | |
| -6177 | ASCG 121W | | | | | 047X | 14.4 | 129 | | 140 |
| | " | | | | | 48X | 15.0 | 130 | | 132 |
| | " 63T | | | | | 87X | 16.4 | 128 | | 119 |
| | " | | | | | 88X | 15.2 | 132 | | 126 |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 79 | 13.4 | 150 | 1 | 10.8 | 160 |
| Brownlee, Jim Hairy Hill 768-2313 | 66 | 15.2 | 164 | 15 | 14.4 | 167 |
| Five Lakes Farms Mayerthorpe 786-4373 | | 13.6 | 174 | 12 | 12.8 | 184 |
| Giltline Farm Ltd Acme 546-4461 | (not available) | | | 6 | 13.7 | 165 |
| Glengranum Farm Red Deer 347-0850 | (not available) | | | 20 | 17.3 | 143 |
| Gwynne Vista Farms Gwynne 352-2998 | 223 | 13.7 | 165 | 19 | 11.7 | 161 |
| Maschmeyer, Douglas Bruderheim 998-2845 | 63 | 14.9 | 149 | 5 | 17.4 | 147 |
| Reiter Farms Iron Springs 738-4472 | 310 | 13.4 | 157 | 17 | 12.6 | 151 |
| Roeske, Murray Alcomdale 939-4938 | 170 | 15.0 | 158 | 14 | 15.0 | 159 |
| Thiessen, R. Wanham 694-2421 | (not available) | | | 7 | 15.7 | 162 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>CROSSBRED</u> | | | | | | |
| Baert, Martin Barrhead 674-3953 | 64 | 15.4 | 149 | 9 | 14.3 | 154 |
| Eidse, Louis Crooked Creek 957-2446 | 28 | 13.7 | 158 | 26 | 15.6 | 155 |
| Giltline Farm Acme 546-4461 | 59 | 14.4 | 161 | 30 | 13.8 | 154 |
| Gwynne Vista Farms Gwynne 352-2998 | 130 | 13.9 | 167 | 16 | 13.4 | 157 |
| Milne, Bruce Ponoka 783-6695 | 198 | 13.4 | 149 | 6 | 11.3 | 151 |
| Olds College Olds 556-8327 | 491 | 15.6 | 157 | 43 | 16.1 | 164 |
| Ranchview Farms B Bentley 748-3802 | 560 | 14.1 | 163 | 42 | 13.0 | 151 |
| Ranchview Test Barn Bentley 748-3802 | 522 | 13.8 | 170 | 6 | 12.5 | 164 |
| Reiter Farms Iron Springs 738-4472 | (not available) | | | 2 | 11.0 | 141 |
| Thiessen, R. Wanham 694-2421 | (not available) | | | 1 | 15.9 | 131 |

Alberta Swine Improvement Program

CANADIANA

JUL - 8 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

JUNE 1 - 15, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . . Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>YORKSHIRE</u> | | | | | | | | | | | |
| adla Breeders | 12 month average | | | | | 61 Pigs | (12.7) | (147) | | | 100 |
| combe | | | | | | | | | | | |
| 8-2836 | RITR 505U | 0.0 | -9.3 | 136 | 82 | ACA 427W | 13.8 | 171 | | | 139 |
| | JKAA13804U | | | | | " 432W | 10.3 | 165 | | | 95 |
| | ARHL 96W | | | | | " 302X | 13.0 | 156 | | | 79 |
| | JKAA13804U | | | | | " 602X | 13.0 | 139 | | | 111 |
| | " | | | | | " 603X | 13.0 | 160 | | | 71 |
| | " | | | | | " 605X | 12.4 | 139 | | | 120 |
| | ARHL 890U | | | | | " 701X | 14.6 | 154 | | | 63 |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | " 1001X | 13.1 | 138 | | | 112 |
| | JKAA13804U | | | | | " 1203X | 14.4 | 146 | | | 80 |
| rett, R. & A | 12 month average | | | | | 30 Pigs | (12.5) | (143) | | | 100 |
| oka | | | | | | | | | | | |
| 8-5192 | ROYS 75W | | | | | ROYS 1X | 13.1 | 147 | | | 89 |
| | " | | | | | " 3X | 12.9 | 153 | | | 80 |
| | " | | | | | " 4X | 11.5 | 143 | | | 109 |
| | " | | | | | " 5X | 14.1 | 150 | | | 75 |
| | " | | | | | " 12X | 9.3 | 148 | | | 120 |
| | " | | | | | " 13X | 12.1 | 153 | | | 87 |
| | " | | | | | " 21X | 13.9 | 146 | | | 81 |
| | " | | | | | " 22X | 13.7 | 142 | | | 91 |
| omsbury Farms | 12 month average | | | | | 121 Pigs | (14.6) | (145) | | | 100 |
| omsbury | | | | | | | | | | | |
| 8-3307 | WM 205W | | | | | WM 104X | 13.4 | 142 | | | 115 |
| | " | | | | | " 105X | 13.8 | 148 | | | 101 |
| | " | | | | | " 107X | 12.7 | 141 | | | 123 |
| | " | | | | | " 108X | 14.8 | 151 | | | 87 |
| | " | | | | | " 109X | 12.4 | 141 | | | 126 |
| | " | | | | | " 505X | 12.8 | 124 | | | 152 |
| | " | | | | | " 506X | 14.4 | 136 | | | 117 |
| | " | | | | | " 507X | 15.4 | 132 | | | 115 |
| | " | | | | | " 508X | 11.1 | 134 | | | 150 |
| | " | | | | | " 606X | 15.0 | 130 | | | 122 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | 109 Pigs | (11.0) | (151) | | 100 |
| | ARBF 784T | | | | | ARBF 799W | 13.0 | 180 | | 37 |
| | ANZI 3863P | -2.0 | +9.6 | 99 | 97 | ARBF 803W | 10.0 | 152 | | 110 |
| | " | " | " | " | " | " 40X | 13.2 | 147 | | 82 |
| Eringfield, B. Coaldale | 12 month average | | | | | 49 Pigs | (13.1) | (164) | | 100 |
| | RITR 84W | | | | | AOGK 1151W | 11.9 | 171 | | 101 |
| | AREE 192U | | | | | " 1162W | 12.0 | 180 | | 84 |
| Five Lakes Farms Mayerthorpe 786-2187 | 12 month average | | | | | 226 Pigs | (12.8) | (167) | | 100 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | JKAA24206W | 12.4 | 210 | | 39 |
| | RITR 97W | | | | | " 25201W | 9.6 | 193 | | 94 |
| | " | | | | | " 25206W | 8.9 | 192 | | 103 |
| | JKAA 5005U | -1.4 | -6.5 | 150 | 72 | " 25504W | 10.8 | 107 | | 76 |
| | ARHL 707U | | | | | " 25605W | 10.9 | 166 | | 121 |
| | " | | | | | " 25607W | 11.6 | 184 | | 87 |
| | " | | | | | " 25701W | 10.5 | 191 | | 88 |
| | " | | | | | " 25802W | 12.6 | 177 | | 87 |
| | " | | | | | " 25804W | 10.4 | 182 | | 103 |
| | " | | | | | " 25805W | 12.8 | 184 | | 74 |
| | RITR 964T | | | | | " 26001W | 11.8 | 176 | | 97 |
| | ARHL 707U | | | | | " 26101W | 10.8 | 180 | | 101 |
| | " | | | | | " 102X | 10.1 | 169 | | 125 |
| | " | | | | | " 105X | 11.7 | 173 | | 102 |
| | RITR 97W | | | | | " 602X | 11.7 | 163 | | 117 |
| Knobben, Gary Jarvie 054-2125 | 12 month average | | | | | 61 Pigs | (11.9) | (151) | | 100 |
| | GARY 22W | | | | | GARY 10X | 16.1 | 139 | | 66 |
| | " | | | | | " 22X | 14.1 | 126 | | 108 |
| Knobben, John Jarvie 954-2647 | 12 month average | | | | | 49 Pigs | (11.7) | (152) | | 100 |
| | ROSE 106U | +2.0 | +1.6 | 57 | 79 | AREE 420W | 8.6 | 176 | | 87 |
| | " | " | " | " | " | " 421W | 8.5 | 180 | | 79 |
| | " | " | " | " | " | " 422W | 10.3 | 176 | | 67 |
| | GARY 22W | | | | | " 51X | 13.9 | 136 | | 107 |
| | " | | | | | " 52X | 14.6 | 140 | | 100 |
| | " | | | | | " 55X | 11.2 | 121 | | 171 |
| | " | | | | | " 56X | 13.9 | 121 | | 137 |
| Papenhuyzen, C. Stony Plain 963-4358 | 12 month average | | | | | 26 Pigs | (16.1) | (164) | | 100 |
| | DASA 1052T | +0.5 | +5.2 | 71 | 72 | ASUS 70X | 15.6 | 137 | | 147 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--------------------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| ter Farms Ltd on Springs -4472 | 12 month average | | | | | 200 Pigs | (12.5) | (143) | | | 100 |
| | JKAA19904U | | | | | RITR 65X | 8.1 | 146 | | | 138 |
| | " | | | | | " 66X | 9.2 | 152 | | | 113 |
| | ARHL 795U | | | | | " 77X | 13.5 | 147 | | | 80 |
| | ARRK 2186U(1) | | | | | " 124X | 10.8 | 161 | | | 78 |
| | " | | | | | " 125X | 11.4 | 156 | | | 82 |
| | " | | | | | " 126X | 10.8 | 152 | | | 97 |
| | ARHL 795U | | | | | " 134X | 11.0 | 142 | | | 117 |
| | KKEF 440T | -1.3 | +0.1 | 124 | 94 | " 145X | 13.1 | 142 | | | 95 |
| | ARRK 2186U(1) | | | | | " 176X | 10.6 | 147 | | | 111 |
| | RITR 664T | -1.6 | -1.9 | 137 | 90 | " 323X | 15.0 | 143 | | | 75 |
| | " | " | " | " | " | " 325X | 11.4 | 142 | | | 113 |
| | " | " | " | " | " | " 333X | 16.3 | 136 | | | 78 |
| | " | " | " | " | " | " 334X | 15.6 | 144 | | | 67 |
| | " | " | " | " | " | " 335X | 12.4 | 134 | | | 119 |
| ko, Daniel brook -2315 | 12 month average | | | | | 24 Pigs | (14.8) | (150) | | | 100 |
| | GARY 315T | +1.4 | -4.0 | 90 | 82 | DANY 281W | 14.1 | 142 | | | 120 |
| | " | " | " | " | " | " 282W | 12.7 | 149 | | | 129 |
| | " | " | " | " | " | " 10X | 14.4 | 163 | | | 86 |
| est Farms way -3790 | 12 month average | | | | | 34 Pigs | (13.1) | (149) | | | 100 |
| | KKEF 2104U | | | | | ATED 21X | 15.6 | 141 | | | 86 |
| <u>LANDRACE</u> | | | | | | | | | | | |
| dia Breeders ombe -2836 | 12 month average | | | | | 68 Pigs | (12.5) | (145) | | | 100 |
| | ARHL 1044U | | | | | ACA 201X | 12.9 | 146 | | | 94 |
| | ROYS 13W | | | | | " 401X | 12.6 | 150 | | | 89 |
| | " | | | | | " 402X | 12.6 | 150 | | | 89 |
| | " | | | | | " 408X | 11.3 | 159 | | | 89 |
| | ARHL 739U | | | | | " 803X | 13.2 | 156 | | | 69 |
| | ROYS 13W | | | | | " 1101X | 12.6 | 135 | | | 118 |
| | " | | | | | " 1104X | 13.0 | 138 | | | 107 |
| rett, R. & A. oka -5192 | 12 month average | | | | | 101 Pigs | (13.4) | (136) | | | 100 |
| | ROYS 273U | | | | | ROYS 41X | 10.4 | 145 | | | 115 |
| | " | | | | | " 43X | 12.3 | 130 | | | 106 |
| | " | | | | | " 53X | 10.5 | 123 | | | 161 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG | | BACKFAT | AGE | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|-----------------|--|---------------|-----------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | IDENT. | | 90 KG (MM) | 90 KG (DAYS) | |
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | (not available) | | | | |
| | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | ARBF 792W | | 16.2 | 154 | |
| Lakeland College Vermilion 853-8597 | 12 month average | | | | | 98 Pigs | | (14.4) | (157) | 100 |
| | ROYS 101S | -0.3 | +3.5 | 91 | 93 | ATAT 539W | | 14.2 | 156 | 104 |
| | " | " | " | " | " | " 541W | | 14.4 | 155 | 105 |
| | " | " | " | " | " | " 542W | | 12.2 | 166 | 108 |
| | " | " | " | " | " | " 543W | | 13.5 | 161 | 103 |
| | " | " | " | " | " | " 031X | | 14.4 | 155 | 104 |
| | " | " | " | " | " | " 032X | | 14.4 | 155 | 104 |
| <u>LACOMBE</u> | | | | | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 12 month average | | | | | 243 Pigs | | (15.2) | (140) | 100 |
| | BL 1107W | | | | | BL 304X | | 12.9 | 149 | 104 |
| | " 311W | | | | | " 410X | | 14.1 | 141 | 108 |
| | " 2303U | | | | | " 607X | | 11.7 | 133 | 146 |
| | " | | | | | " 609X | | 14.5 | 140 | 106 |
| | " | | | | | " 610X | | 16.1 | 133 | 104 |
| | " 1204W | | | | | " 706X | | 15.7 | 136 | 102 |
| | " | | | | | " 713X | | 13.3 | 135 | 127 |
| | " 1512T | | | | | " 808X | | 10.2 | 140 | 60 |
| | " | | | | | " 810X | | 13.6 | 146 | 103 |
| | " | | | | | " 812X | | 17.1 | 135 | 90 |
| | " 3112U | | | | | " 905X | | 14.1 | 136 | 117 |
| | " | | | | | " 906X | | 15.9 | 134 | 104 |
| | " | | | | | " 909X | | 14.8 | 140 | 103 |
| | " | | | | | " 1006X | | 16.1 | 128 | 113 |
| | " | | | | | " 1007X | | 19.5 | 129 | 78 |
| | " | | | | | " 1008X | | 16.0 | 131 | 108 |
| Five Lakes Farms Mayerthorpe 786-2187 | 12 month average | | | | | 97 Pigs | | (12.5) | (165) | 100 |
| | KR 1303S | -1.9 | -0.5 | 142 | 95 | JA24601W | | 9.1 | 187 | 114 |
| | " | " | " | " | " | " 24602W | | 8.9 | 196 | 106 |
| | JA11201U | | | | | " 24902W | | 12.0 | 202 | 63 |
| | KR 1303S | -1.9 | -0.5 | 142 | 95 | " 25002W | | 10.1 | 195 | 93 |
| | " | " | " | " | " | " 25003W | | 9.2 | 192 | 107 |
| | JA 5204U | | | | | " 25302W | | 11.1 | 185 | 93 |
| | " | | | | | " 25303W | | 10.4 | 189 | 96 |
| | KR 1303S | -1.9 | -0.5 | 142 | 95 | " 701X | | 12.7 | 156 | 108 |
| | " | " | " | " | " | " 703X | | 10.2 | 165 | 127 |
| | BL 2504U | | | | | " 1001X | | 14.6 | 151 | 92 |
| | " | | | | | " 1004X | | 13.8 | 153 | 99 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| oomsbury Farms | 12 month average | | | | | 113 Pigs | (12.9) | (151) | | | 100 |
| oomsbury | | | | | | | | | | | |
| -3307 | WM 4005U | | | | | WM 8504W | 11.4 | 169 | | | 84 |
| | " | | | | | " 8505W | 13.3 | 159 | | | 78 |
| | " 8304T | +0.1 | -6.3 | 115 | 63 | " 8708W | 12.2 | 149 | | | 113 |
| ve Lakes Farms | 12 month average | | | | | 129 Pigs | (12.6) | (172) | | | 100 |
| erthorpe | | | | | | | | | | | |
| -2187 | JKAA 8103U | | | | | NP 23202W | 8.1 | 219 | | | 102 |
| | VBSF 304U(1) | | | | | JKAA23505W | 11.7 | 225 | | | 43 |
| | JKAA 8103U | | | | | " 23602W | 8.4 | 224 | | | 90 |
| | VBSF 304U(1) | | | | | " 23701W | 11.8 | 216 | | | 55 |
| | JKAA 8103U | | | | | YAP24704W | 10.8 | 184 | | | 114 |
| | " | | | | | " 24705W | 9.4 | 191 | | | 124 |
| | " | | | | | NP 25402W | 9.0 | 197 | | | 121 |
| | " | | | | | " 26301W | 12.9 | 168 | | | 108 |
| | " | | | | | " 26302W | 11.0 | 171 | | | 130 |
| enhuyzen, C. | 12 month average | | | | | 35 Pigs | (13.0) | (171) | | | 100 |
| ny Plain | | | | | | | | | | | |
| -4358 | DASA 870T | +0.7 | -2.5 | 85 | 73 | ASUS 33X | 14.0 | 161 | | | 109 |
| | ASUS 49S | +0.1 | +12.1 | 57 | 88 | " 42X | 11.3 | 155 | | | 146 |
| ter Farms | 12 month average | | | | | (not available) | | | | | |
| n Springs | | | | | | | | | | | |
| -4472 | AHKP 580T | -0.1 | +5.0 | 88 | 67 | RITR 52X | 11.0 | 158 | | | |
| | " | " | " | " | " | " 53X | 13.9 | 156 | | | |
| | " | " | " | " | " | " 54X | 12.4 | 149 | | | |
| | " | " | " | " | " | " 56X | 12.9 | 153 | | | |
| | " | " | " | " | " | " 57X | 11.0 | 154 | | | |
| | " | " | " | " | " | " 102X | 13.4 | 146 | | | |
| | " | " | " | " | " | " 103X | 14.9 | 154 | | | |
| | " | " | " | " | " | " 104X | 12.7 | 159 | | | |
| <u>DUROC</u> | | | | | | | | | | | |
| at, J. | 12 month average | | | | | 24 Pigs | (13.0) | (144) | | | 100 |
| ldale | | | | | | | | | | | |
| -9757 | ARBF 64T | -0.8 | -1.0 | 125 | 71 | ARBF 756W | 10.9 | 172 | | | 49 |
| ter Farms | 12 month average | | | | | 28 Pigs | (12.3) | (146) | | | 100 |
| n Springs | | | | | | | | | | | |
| -4472 | HILL 161T | -0.5 | -2.1 | 123 | 66 | RITR 113X | 11.0 | 151 | | | 116 |
| | " | " | " | " | " | " 115X | 12.0 | 158 | | | 84 |
| | " | " | " | " | " | " 116X | 12.9 | 146 | | | 90 |
| | " | " | " | " | " | " 117X | 13.0 | 154 | | | 73 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDE |
|--|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|-----|------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>CROSSBRED</u> | | | | | | | | | | | |
| Braat, J. Coaldale 327-9757 | 12 month average | | | | | 76 Pigs | (12.9) | (143) | | 100 | |
| | ASDZ 541S | | | | | 782W | 13.4 | 162 | | 58 | |
| | " | | | | | 21X | 11.9 | 147 | | 102 | |
| | ANZI 3863P | | | | | 24X | 11.5 | 151 | | 98 | |
| | ARBF 656T | | | | | 28X | 12.4 | 140 | | 111 | |
| | " | | | | | 34X | 11.7 | 150 | | 99 | |
| | ANZI 3863P | | | | | 41X | 14.3 | 147 | | 79 | |
| | ARBF 64T | | | | | 43X | 13.6 | 144 | | 92 | |
| | " | | | | | 45X | 12.4 | 139 | | 113 | |
| | " | | | | | 46X | 12.8 | 142 | | 104 | |
| | " | | | | | 47X | 11.0 | 140 | | 125 | |
| Lakeland College Vermilion 853-8597 | 12 month average | | | | | 3 Pigs | (16.0) | (167) | | 100 | |
| | ATAT 096W | | | | | 8 GC 024X | 13.0 | 146 | | | |
| Ranchview Test Barn Bentley 748-3802 | 12 month average | | | | | 846 Pigs | (13.0) | (154) | | 100 | |
| | RFAA 3523T | | | | | 4977W | 12.0 | 179 | | 64 | |
| | " 3271T | | | | | 5058W | 12.9 | 164 | | 81 | |
| | " 3523T | | | | | 5123W | 12.4 | 162 | | 91 | |
| | " 3271T | | | | | 5175W | 14.5 | 158 | | 71 | |
| | VBSF 304U(1) | | | | | 5192W | 10.8 | 157 | | 123 | |
| | KKEF 2332T(1) | | | | | 5265W | 10.1 | 153 | | 139 | |
| | RFAA 3522T | | | | | 5294W | 13.4 | 147 | | 109 | |
| | " 6516U | | | | | 5311W | 13.6 | 157 | | 86 | |
| | " 6257U | | | | | 5324W | 14.0 | 156 | | 84 | |
| | " | | | | | 5325W | 12.5 | 160 | | 95 | |
| | KKEF 2332T(1) | | | | | 5333W | 14.1 | 156 | | 82 | |
| | " | | | | | 53314W | 11.6 | 149 | | 126 | |
| | ARHL 313T(1) | | | | | 11X | 12.6 | 152 | | 108 | |
| | " | | | | | 14X | 10.8 | 149 | | 138 | |
| | " | | | | | 15X | 12.9 | 154 | | 101 | |
| | RFAA 3523T | | | | | 25X | 15.0 | 151 | | 80 | |
| | KKEF 2332T(1) | | | | | 31X | 10.7 | 160 | | 117 | |
| | " | | | | | 41X | 12.2 | 155 | | 109 | |
| | " | | | | | 42X | 14.2 | 146 | | 100 | |
| | " | | | | | 43X | 11.5 | 150 | | 127 | |
| | " | | | | | 44X | 12.2 | 159 | | 100 | |
| | AJCM 2425T(1) | | | | | 63X | 12.2 | 156 | | 106 | |
| | " | | | | | 64X | 12.2 | 152 | | 115 | |

| ORDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | AGE | INDEX |
|--------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | |
| Chview Test Barn | | | | | | | | | |
| 'd | KKEF 2332T(1) | | | | | 81X | 13.1 | 143 | 119 |
| | " | | | | | 91X | 12.0 | 145 | 130 |
| | " | | | | | 93X | 12.3 | 151 | 115 |
| | VBSF 304U(1) | | | | | 101X | 11.0 | 153 | 128 |
| | RFAA 3271T | | | | | 143X | 12.9 | 144 | 121 |
| Chview Farm B | 12 month average | | | | | 142 Pigs | (12.5) | (158) | 100 |
| ley | | | | | | | | | |
| 3802 | KKEF 2332T(1) | | | | | 6678W | 12.4 | 166 | 85 |
| | EDJL 142U(1) | | | | | 6774W | 11.5 | 166 | 96 |
| | KKEF 2332T(1) | | | | | 67810W | 12.4 | 153 | 110 |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 79 | 13.4 | 149 | 12 | 13.3 | 148 |
| Barrett, R. & A. Ponoka 783-5192 | 24 | 13.9 | 148 | 8 | 13.8 | 152 |
| Bloomsbury Farm Bloomsbury 674-3307 | 148 | 16.3 | 148 | 5 | 17.3 | 134 |
| Braat, J. Coaldale 327-9757 | 186 | 12.1 | 158 | 10 | 12.9 | 171 |
| Eringfeld, B. Coaldale 345-3420 | 92 | 14.3 | 172 | 13 | 13.8 | 185 |
| Five Lakes Farms Mayerthorpe 786-2187 | 286 | 13.6 | 174 | 16 | 12.4 | 183 |
| Knobben, Gary Jarvie 954-2125 | 65 | 12.7 | 162 | 8 | 14.8 | 151 |
| Knobben, John Jarvie 954-2647 | 42 | 12.5 | 158 | 2 | 13.7 | 131 |
| Reiter Farms Ltd. Iron Springs 738-4472 | 309 | 13.3 | 155 | 36 | 12.1 | 157 |
| Roeske, Murray Alcomdale 939-4038 | 157 | 15.0 | 157 | 12 | 14.1 | 158 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Turko, Daniel Newbrook 576-2315 | 51 | 16.3 | 161 | 5 | 15.0 | 15.9 |
| <u>LANDRACE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 70 | 13.1 | 150 | 12 | 13.4 | 14.7 |
| Barrett, R. & A. Ponoka 783-5192 | 105 | 13.9 | 139 | 8 | 12.2 | 14.3 |
| Braat, J. Coaldale 327-9757 | (not available) | | | 1 | 13.4 | 17.7 |
| Eringfeld, B. Coaldale 345-3420 | (not available) | | | 1 | 13.7 | 19.8 |
| Lakeland College Vermilion 853-8597 | 179 | 15.2 | 165 | 32 | 14.8 | 15.9 |
| <u>LACOMBE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 235 | 16.1 | 142 | 34 | 16.5 | 14.1 |
| Five Lakes Farms Mayerthorpe 786-2187 | 118 | 13.5 | 172 | 18 | 11.9 | 14.1 |
| <u>HAMPSHIRE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 111 | 13.5 | 153 | 3 | 13.9 | 14.1 |
| Five Lakes Farms Mayerthorpe 786-2187 | 102 | 13.1 | 179 | 11 | 10.6 | 14.1 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Papenhuyzen, Charles Stony Plain 963-4358 | 37 | 14.2 | 174 | 3 | 10.7 | 194 |
| Reiter Farms Ltd Iron Springs 738-4472 | 54 | 13.4 | 159 | 1 | 11.4 | 153 |
| <u>DUROC</u> | | | | | | |
| Braat, J. Coaldale 327-9757 | 30 | 15.0 | 148 | 1 | 12.1 | 170 |
| Reiter Farms Ltd. Iron Springs 738-4472 | 22 | 14.8 | 155 | 4 | 13.4 | 150 |
| <u>CROSSBRED</u> | | | | | | |
| Braat, J. Coaldale 327-9757 | 122 | 13.7 | 152 | 19 | 14.4 | 153 |
| Chauvet, M. Legal 961-2578 | 103 | 15.5 | 148 | 7 | 15.2 | 167 |
| Eringfeld, B. Coaldale 345-3420 | (not available) | | | 2 | 15.3 | 185 |
| Lakeland College Vermilion 853-8597 | 11 | 15.6 | 150 | 10 | 13.6 | 155 |
| Olds College Olds 556-8327 | 513 | 15.6 | 157 | 23 | 16.8 | 162 |
| Ranchview Test Barn Bentley 748-3802 | 558 | 13.6 | 170 | 5 | 13.4 | 155 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Ranchview Farms B Bentley 748-3802 | 580 | 13.7 | 160 | 26 | 13.0 | 16 |
| Norest Farms Radway 736-3790 | 307 | 15.0 | 153 | 7 | 13.8 | 16 |

Alberta Swine Improvement Program

CANADIANA

JUL 20 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

JUNE 15 - 30, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . .

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | AGE | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | |
| <u>YORKSHIRE</u> | | | | | | | | | |
| oomsbury Farms | 12 month average | | | | | 121 Pigs | (14.6) | (145) | 100 |
| oomsbury | | | | | | | | | |
| 4-3307 | WM 2107W | | | | | WM 201X | 13.7 | 166 | 71 |
| | " | | | | | " 211X | 15.6 | 168 | 51 |
| | " | | | | | " 213X | 13.0 | 174 | 63 |
| | " 205W | | | | | " 504X | 9.3 | 152 | 134 |
| | " | | | | | " 604X | 12.2 | 149 | 114 |
| | " | | | | | " 605X | 9.8 | 147 | 138 |
| | " | | | | | " 607X | 13.5 | 142 | 115 |
| | " 2108W | | | | | " 803X | 13.2 | 134 | 131 |
| | " | | | | | " 805X | 12.2 | 128 | 150 |
| | " 205W | | | | | " 1005X | 9.8 | 134 | 161 |
| | " | | | | | " 1006X | 12.9 | 126 | 148 |
| | " | | | | | " 1008X | 11.2 | 129 | 158 |
| aat, J. | 12 month average | | | | | 109 Pigs | (11.0) | (151) | 100 |
| aldale | | | | | | | | | |
| 7-9757 | ARBF 784T | -1.6 | +6.1 | 105 | 88 | ARBF 57X | 9.6 | 145 | 125 |
| ve Lakes Farms | 12 month average | | | | | 226 Pigs | (12.8) | (167) | 100 |
| yerthorpe | | | | | | | | | |
| 6-2187 | ARHL 707U | | | | | JKAA 201X | 8.4 | 196 | 103 |
| | " | | | | | " 302X | 9.8 | 176 | 118 |
| | " | | | | | " 303X | 9.1 | 179 | 121 |
| | " | | | | | " 305X | 9.5 | 173 | 126 |
| | " | | | | | " 508X | 11.1 | 179 | 100 |
| | RITR 97W | | | | | " 603X | 11.0 | 174 | 108 |
| | " | | | | | " 604X | 12.5 | 178 | 86 |
| | ARHL 707U | | | | | " 1101X | 14.8 | 179 | 60 |
| | " | | | | | " 1105X | 13.2 | 180 | 76 |
| | RITR 97W | | | | | " 1805X | 12.1 | 158 | 121 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|-------------------------------------|------------------------|----------------|---------------|--------------|----------|---------------|-----------------|-----------------|-------|-----|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| GiltLine Farm Ltd 12 month average | | | | | | | (not available) | | | | |
| Acme | | | | | | GLFL | 9X | 13.9 | | 170 | |
| 546-4042 | NPD 320W | | | | | " | 10X | 12.1 | | 148 | |
| | " | | | | | " | 16X | 13.5 | | 165 | |
| | MILN 327T | | | | | " | 21X | 11.5 | | 164 | |
| | NPD 320W | | | | | " | 22X | 12.2 | | 154 | |
| | " | | | | | " | 23X | 14.3 | | 158 | |
| | " | | | | | " | 24X | 11.4 | | 163 | |
| | " | | | | | " | 25X | 14.8 | | 161 | |
| | " | | | | | " | 28X | 12.8 | | 146 | |
| | " | | | | | " | 29X | 11.4 | | 149 | |
| | " | | | | | " | 30X | 12.6 | | 147 | |
| | " | | | | | " | 41X | 14.3 | | 152 | |
| | " | | | | | " | 42X | 13.6 | | 154 | |
| | " | | | | | " | 53X | 15.0 | | 152 | |
| | " | | | | | " | 55X | 16.7 | | 145 | |
| | " | | | | | " | 56X | 17.4 | | 152 | |
| | " | | | | | " | 57X | 14.8 | | 151 | |
| Gwynne Vista Farms 12 month average | | | | | | | 147 Pigs | (12.2) | (164) | | 10 |
| Gwynne | | | | | | GWYN | 502X | 13.3 | | 167 | 8 |
| 352-2998 | GWYN 6303U | | | | | " | 901X | 14.5 | | 158 | 8 |
| | AOGK 741T | -1.6 | -3.8 | 144 | 88 | " | 902X | 12.4 | | 164 | 9 |
| | " | " | " | " | " | " | 903X | 15.2 | | 163 | 7 |
| | " | " | " | " | " | " | 904X | 11.9 | | 155 | 11 |
| | " | " | " | " | " | " | 906X | 11.3 | | 159 | 11 |
| | " | " | " | " | " | " | 1402X | 12.1 | | 149 | 12 |
| | " | " | " | " | " | " | 1403X | 13.1 | | 153 | 10 |
| | " | " | " | " | " | " | 1405X | 13.1 | | 153 | 10 |
| | " | " | " | " | " | " | 1406X | 12.4 | | 151 | 11 |
| | " | " | " | " | " | " | 1407X | 12.6 | | 160 | 10 |
| | JKAA 4308U | | | | | " | 1501X | 13.5 | | 157 | 9 |
| | " | | | | | " | 1503X | 13.2 | | 148 | 11 |
| | " | | | | | " | 1505X | 9.6 | | 147 | 14 |
| Maschmeyer, D. 12 month average | | | | | | | 67 Pigs | (14.1) | (145) | | 10 |
| Bruderheim | | | | | | DOUG | 41X | 15.0 | | 135 | 10 |
| 998-2845 | DOUG 55U | | | | | " | 43X | 15.4 | | 154 | 6 |
| | " | | | | | " | 44X | 13.8 | | 148 | 9 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG | | BACKFAT | AGE | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------|--|---------------|-----------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | IDENT. | | 90 KG (MM) | 90 KG (DAYS) | |
| schmeyer, Gerald | 12 month average | | | | | 49 Pigs | | (14.2) | (144) | 100 |
| uderheim | | | | | | | | | | |
| 8-2845 | DOUG 800T | +0.9 | -3.7 | 99 | 70 | HILL 27X | | 15.3 | 147 | 85 |
| tejka, George | 12 month average | | | | | 383 Pigs | | (12.0) | (161) | 100 |
| lvan Lake | | | | | | | | | | |
| 7-2656 | ATCH 469U(2) | | | | | KKEF 110X | | 15.9 | 145 | 85 |
| | " | | | | | " 112X | | 17.6 | 137 | 79 |
| | " | | | | | " 113X | | 16.1 | 149 | 77 |
| | " | | | | | " 118X | | 13.1 | 147 | 112 |
| | " | | | | | " 123X | | 13.9 | 159 | 98 |
| | KKEF 1725W | | | | | " 141X | | 12.1 | 157 | 105 |
| | " 1567W | | | | | " 143X | | 10.4 | 157 | 123 |
| | ATCH 469U(2) | | | | | " 161X | | 18.8 | 139 | 64 |
| | " | | | | | " 162X | | 17.8 | 143 | 67 |
| | " | | | | | " 181X | | 14.1 | 151 | 94 |
| | " | | | | | " 182X | | 16.0 | 147 | 80 |
| | " | | | | | " 194X | | 14.8 | 146 | 94 |
| | KKEF 2567U | | | | | " 201X | | 13.5 | 148 | 104 |
| | " | | | | | " 202X | | 12.7 | 156 | 100 |
| | " | | | | | " 203X | | 9.9 | 159 | 125 |
| | " | | | | | " 205X | | 10.6 | 156 | 123 |
| | " | | | | | " 211X | | 12.0 | 149 | 119 |
| | " | | | | | " 213X | | 12.0 | 144 | 127 |
| | " | | | | | " 217X | | 12.3 | 159 | 99 |
| ne, Bruce | 12 month average | | | | | 131 Pigs | | (12.3) | (149) | 100 |
| noka | | | | | | | | | | |
| 8-6695 | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | MILN 12X | | 9.2 | 141 | 158 |
| | " | " | " | " | " | " 13X | | 8.0 | 144 | 165 |
| | " | " | " | " | " | " 15X | | 7.7 | 137 | 186 |
| | " | " | " | " | " | " 21X | | 8.9 | 135 | 174 |
| | " | " | " | " | " | " 22X | | 9.8 | 142 | 148 |
| | " | " | " | " | " | " 23X | | 11.8 | 145 | 114 |
| | " | " | " | " | " | " 24X | | 10.5 | 139 | 145 |
| | " | " | " | " | " | " 25X | | 10.5 | 139 | 145 |
| | MILN 588U | | | | | " 57X | | 10.8 | 133 | 154 |
| | " | | | | | " 58X | | 8.8 | 134 | 179 |
| | " 694S | | | | | " 64X | | 11.7 | 130 | 149 |
| | " | | | | | " 66X | | 10.2 | 136 | 155 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|--|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Vandenberg, Joe Camrose 672-6177 | 12 month average | | | | | 72 Pigs | (14.6) | | (154) | | 10 |
| | ASCG 520U | | | | | ASCG 51X | 15.6 | | 156 | | 8 |
| | " 175U | | | | | " 60X | 13.3 | | 145 | | 12 |
| | " 180T | +0.6 | -3.4 | 101 | 67 | " 70X | 15.0 | | 149 | | 10 |
| | " | " | " | " | " | " 73X | 12.7 | | 150 | | 12 |
| | " | " | " | " | " | " 74X | 13.4 | | 151 | | 11 |
| | " | " | " | " | " | " 76X | 10.5 | | 153 | | 14 |
| | " | " | " | " | " | " 78X | 15.0 | | 149 | | 10 |
| | " 520U | | | | | " 90X | 15.8 | | 151 | | 9 |
| | " | | | | | " 91X | 17.2 | | 139 | | 9 |
| | " 175U | | | | | " 97X | 16.4 | | 133 | | 11 |
| | " 520U | | | | | " 101X | 15.0 | | 146 | | 10 |
| | " | | | | | " 102X | 16.0 | | 149 | | 9 |
| Wakeena Farm Bentley 748-4252 | 12 month average | | | | | (not available) | | | | | |
| | RITR 512U | -1.5 | +0.8 | 124 | 61 | KEEN 3X | 12.3 | | 167 | | |
| Weber Farms Ltd Castor 881-2572 | 12 month average | | | | | 35 Pigs | (14.8) | | (164) | | 10 |
| | AWGF 517U | | | | | AWGF 53X | 10.7 | | 139 | | 18 |
| <u>LANDRACE</u> | | | | | | | | | | | |
| Barrett, R. & A. Ponoka 783-5192 | 12 month average | | | | | 101 Pigs | (13.4) | | (136) | | 10 |
| | ROYS 273U | | | | | ROYS 50X | 14.4 | | 144 | | 7 |
| | " | | | | | " 51X | 12.7 | | 144 | | 9 |
| | " | | | | | " 57X | 15.2 | | 124 | | 10 |
| | " | | | | | " 58X | 12.3 | | 127 | | 13 |
| | " | | | | | " 60X | 14.7 | | 132 | | 9 |
| | " | | | | | " 61X | 12.5 | | 135 | | 11 |
| | " | | | | | " 66X | 16.2 | | 141 | | 5 |
| | " | | | | | " 67X | 14.6 | | 135 | | 8 |
| | " | | | | | " 68X | 11.4 | | 141 | | 11 |
| | " | | | | | " 69X | 13.0 | | 133 | | 11 |
| | " 92W | | | | | " 82X | 15.4 | | 133 | | 8 |
| | " | | | | | " 83X | 14.0 | | 137 | | 9 |
| | " | | | | | " 89X | 14.1 | | 127 | | 11 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| uff, Donald | 12 month average | | | | | 64 Pigs | (13.6) | (151) | | | 100 |
| ort Saskatchewan | | | | | | | | | | | |
| 08-3101 | ARHL 52U | | | | | DUFF 10X | 13.5 | 143 | | | 118 |
| | " 544T | | | | | " 20X | 17.0 | 159 | | | 49 |
| | " 973U | | | | | " 50X | 14.6 | 152 | | | 89 |
| | " | | | | | " 51X | 14.2 | 146 | | | 105 |
| ltLine Farm Ltd | 12 month average | | | | | (not available) | | | | | |
| me | | | | | | | | | | | |
| 6-4042 | MILN 322U | | | | | GLFL 6X | 13.3 | 154 | | | |
| | NPD 1257W | | | | | " 46X | 14.5 | 148 | | | |
| | " | | | | | " 48X | 15.0 | 148 | | | |
| keland College | 12 month average | | | | | 98 Pigs | (14.4) | (157) | | | 100 |
| ermilion | | | | | | | | | | | |
| 63-8597 | ARHL 956U(1) | | | | | ATAT 042X | 14.0 | 159 | | | 100 |
| | " | | | | | " 043X | 15.0 | 152 | | | 104 |
| | " | | | | | " 044X | 11.7 | 138 | | | 162 |
| | " | | | | | " 080X | 12.4 | 146 | | | 142 |
| | " | | | | | " 081X | 13.8 | 148 | | | 124 |
| | " | | | | | " 082X | 13.0 | 143 | | | 140 |
| | ATAT 510U | | | | | " 088X | 13.2 | 145 | | | 134 |
| | " | | | | | " 093X | 13.8 | 137 | | | 142 |
| | " | | | | | " 107X | 14.2 | 144 | | | 126 |
| | " | | | | | " 110X | 14.4 | 139 | | | 132 |
| lne, Bruce | 12 month average | | | | | 92 Pigs | (11.8) | (145) | | | 100 |
| onoka | | | | | | | | | | | |
| 83-6695 | MILN 122W | | | | | MILN 1X | 9.8 | 137 | | | 139 |
| | " | | | | | " 2X | 8.5 | 143 | | | 145 |
| | " | | | | | " 3X | 10.7 | 148 | | | 108 |
| | " 121W | | | | | " 39X | 10.5 | 137 | | | 131 |
| | " 122W | | | | | " 47X | 9.6 | 142 | | | 134 |
| | " | | | | | " 49X | 9.7 | 143 | | | 131 |
| | " | | | | | " 51X | 9.6 | 147 | | | 124 |
| akeena Farm | 12 month average | | | | | 26 Pigs | (12.8) | (158) | | | 100 |
| entley | | | | | | | | | | | |
| 8-4252 | KEEN 22W | | | | | KEEN 30X | 12.6 | 152 | | | 121 |
| | " | | | | | " 33X | 12.7 | 149 | | | 128 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|-----|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>LACOMBE</u> | | | | | | | | | | | |
| Bloomsbury Farms | 12 month average | | | | | 243 Pigs | (15.2) | (140) | | 100 | |
| Bloomsbury | | | | | | BL 1108X | 14.8 | 139 | | 100 | |
| 674-3307 | BL 1605W | | | | | " 1208X | 17.9 | 133 | | 80 | |
| | " | | | | | " 1209X | 16.9 | 131 | | 100 | |
| | " 15611T | +0.7 | -6.0 | 106 | 66 | " 1305X | 12.9 | 130 | | 140 | |
| | " | " | " | " | " | " 1308X | 15.0 | 135 | | 110 | |
| | " | " | " | " | " | " 1309X | 13.0 | 128 | | 140 | |
| | " | " | " | " | " | " 1310X | 15.0 | 127 | | 120 | |
| Five Lakes Farms | 12 month average | | | | | 97 Pigs | (12.5) | (165) | | 100 | |
| Mayerthorpe | | | | | | JA 704X | 11.2 | 177 | | 100 | |
| 786-2187 | KR 1303S | | | | | " 1006X | 12.3 | 168 | | 90 | |
| | BL 2504U | | | | | " 1401X | 11.7 | 167 | | 100 | |
| | KR 1303S | | | | | " 1402X | 14.1 | 168 | | 70 | |
| | " | | | | | " 1407X | 12.9 | 160 | | 100 | |
| Gwynne Vista Farms | 12 month average | | | | | 75 Pigs | (12.5) | (162) | | 100 | |
| Gwynne | | | | | | KR 801X | 12.4 | 168 | | 90 | |
| 352-2998 | KR 11896U | | | | | " 803X | 15.8 | 164 | | 60 | |
| | " | | | | | " 807X | 16.8 | 173 | | 40 | |
| | " | | | | | " 1303X | 15.0 | 165 | | 70 | |
| | " | | | | | " 1304X | 15.8 | 149 | | 90 | |
| | " | | | | | " 1305X | 16.0 | 152 | | 80 | |
| | " | | | | | " 1601X | 13.3 | 158 | | 90 | |
| | " | | | | | " 1602X | 13.4 | 152 | | 100 | |
| | " | | | | | " 1605X | 14.4 | 161 | | 80 | |
| | " | | | | | " 1606X | 11.9 | 156 | | 110 | |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| Bloomsbury Farms | 12 month average | | | | | 113 Pigs | (12.9) | (151) | | 100 | |
| Bloomsbury | | | | | | WM 405X | 12.4 | 143 | | 110 | |
| 674-3307 | WM 1009W | | | | | " 406X | 12.1 | 152 | | 100 | |
| | " | | | | | " 407X | 11.8 | 150 | | 110 | |
| | " | | | | | " 408X | 12.3 | 140 | | 120 | |
| | " | | | | | " 409X | 11.4 | 142 | | 130 | |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--|-----------------|--|-----------------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Wynne Vista Farms | 12 month average | | | | | | | | | | (not available) |
| Wynne | | | | | | GWYN 302X | 9.2 | | 171 | | |
| 2-2998 | AJCM 2425T(1) | | | | | " 305X | 11.7 | | 179 | | |
| | " | | | | | " 401X | 10.4 | | 167 | | |
| | " | | | | | " 402X | 12.9 | | 155 | | |
| | " | | | | | " 403X | 13.1 | | 165 | | |
| penhuyzen, C | 12 month average | | | | | 35 Pigs | (13.0) | | (171) | | 100 |
| ony Plain | | | | | | | | | | | |
| 3-4358 | ASUS 49S | +0.1 | +12.1 | 57 | 88 | ASUS 40X | 9.5 | | 171 | | 137 |
| | " | " | " | " | " | " 44X | 13.4 | | 169 | | 99 |
| | " | " | " | " | " | " 60X | 10.8 | | 153 | | 155 |
| | " | " | " | " | " | " 64X | 12.6 | | 157 | | 129 |
| <u>DUROC</u> | | | | | | | | | | | |
| schmeyer, Gerald | 12 month average | | | | | 69 Pigs | (13.4) | | (151) | | 100 |
| uderheim | | | | | | | | | | | |
| 8-2845 | HILL 123U | | | | | HILL 14X | 11.9 | | 141 | | 135 |
| | " | | | | | " 15X | 10.4 | | 134 | | 164 |
| | " | | | | | " 16X | 13.3 | | 137 | | 127 |
| ndenbergh, Joe | 12 month average | | | | | 24 Pigs | (14.3) | | (154) | | 100 |
| mrose | | | | | | | | | | | |
| 2-6177 | ASCG 124W | | | | | ASCG 24X | 2.01 | | 150 | | 58 |
| | " | | | | | " 25X | 14.8 | | 150 | | 101 |
| <u>CROSSBRED</u> | | | | | | | | | | | |
| ert, Martin | 12 month average | | | | | | | | | | (not available) |
| rrhead | | | | | | | | | | | |
| 4-3953 | AVON 417U(1) | | | | | 8MB 233X | 13.2 | | 139 | | |
| oomsbury Farms | 12 month average | | | | | 55 pigs | (14.7) | | (142) | | 100 |
| oomsbury | | | | | | | | | | | |
| 4-3307 | BL 311W | | | | | 8KJ 5305W | 13.4 | | 150 | | 96 |
| | " | | | | | " 5310W | 12.9 | | 148 | | 104 |
| | " 1104W | | | | | " 307X | 13.1 | | 138 | | 120 |
| | " | | | | | " 308X | 13.7 | | 136 | | 118 |
| aat, J. | 12 month average | | | | | 76 Pigs | (12.9) | | (143) | | 100 |
| aldale | | | | | | | | | | | |
| 7-9757 | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | 8JR 77X | 13.6 | | 135 | | 109 |
| | " | " | " | " | " | " 79X | 13.0 | | 138 | | 109 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | IND |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-------|--|-----|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| (not available) | | | | | | | | | | | |
| Chauvet, M. | 12 month average | | | | | | | | | | |
| Legal | | | | | | 7803X | 13.8 | | 144 | | |
| 961-2578 | WM 3008U | | | | | 7811X | 13.4 | | 145 | | |
| | " | | | | | | | | | | |
| (not available) | | | | | | | | | | | |
| Eidse, Louis | 12 month average | | | | | | | | | | |
| Crooked Creek | | | | | | 8LE | 75X | 12.2 | 155 | | 12 |
| 957-2446 | WM 205W | | | | | " | 76X | 13.8 | 162 | | 8 |
| | " | | | | | " | 77X | 10.8 | 174 | | 8 |
| | " | | | | | | | | | | |
| (not available) | | | | | | | | | | | |
| Lakeland College | 12 month average | | | | | | | | | | |
| Vermilion | | | | | | 8GC | 070X | 16.8 | 145 | | 13 |
| 853-8597 | ATAT 096W | | | | | " | 071X | 12.9 | 143 | | 16 |
| | " | | | | | " | 130X | 14.8 | 137 | | 15 |
| | " 064W | | | | | " | 131X | 15.9 | 129 | | 15 |
| | " | | | | | " | 132X | 15.4 | 132 | | 15 |
| | " | | | | | | | | | | |
| (not available) | | | | | | | | | | | |
| Ranchview Test Barn | 12 month average | | | | | 846 Pigs | | (13.0) | (154) | | 10 |
| Bentley | | | | | | | | | | | |
| 748-3802 | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | 8RF | 5264W | 11.3 | 176 | | 8 |
| | 8 RF 3522T | | | | | " | 5294W | 11.3 | 164 | | 10 |
| | " 6477U | | | | | " | 5302W | 10.2 | 167 | | 11 |
| | " 6257U | | | | | " | 5322W | 13.7 | 175 | | 5 |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | " | 121X | 11.1 | 162 | | 10 |
| | 8 RF 3271T | | | | | " | 139X | 10.6 | 163 | | 11 |
| | " 6257U | | | | | " | 193X | 16.3 | 166 | | 3 |
| | " 3271T | | | | | " | 245X | 13.0 | 159 | | 9 |
| | VBSF 304U(1) | | | | | " | 272X | 13.5 | 151 | | 9 |
| | AVON 417U(1) | | | | | " | 302X | 11.9 | 155 | | 11 |
| | VBSF 304U(1) | | | | | " | 321X | 14.2 | 147 | | 9 |
| | " | | | | | " | 322X | 12.2 | 141 | | 13 |
| | NPD 8714T(1) | +0.2 | +5.3 | 76 | 86 | " | 343X | 12.6 | 156 | | 10 |
| | 8 RF 6257U | | | | | " | 355X | 12.6 | 144 | | 12 |
| | " 3523T | | | | | " | 372X | 13.3 | 143 | | 11 |
| | " | | | | | " | 373X | 14.8 | 155 | | 7 |
| | " | | | | | " | 374X | 12.9 | 150 | | 10 |
| | NPD 8714T(1) | +0.2 | +5.3 | 76 | 86 | " | 382X | 12.1 | 148 | | 12 |
| | 8 RF 2165T | | | | | " | 394X | 11.0 | 153 | | 12 |
| | " 3523T | | | | | " | 401X | 13.4 | 142 | | 11 |
| | " | | | | | " | 402X | 14.6 | 152 | | 8 |
| | " | | | | | " | 403X | 14.5 | 140 | | 10 |
| | " 6460U | | | | | " | 415X | 12.2 | 150 | | 11 |
| | " 3522T | | | | | " | 421X | 14.7 | 149 | | 8 |
| | " | | | | | " | 422X | 11.0 | 149 | | 11 |
| | " | | | | | " | 423X | 11.1 | 134 | | 11 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|-----------------------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| anchview Test Barn | | | | | | | | | | | |
| ont'd | DINN 7U(1) | | | | | 8 RF 432X | 11.3 | | 150 | | 131 |
| | " | | | | | " 435X | 12.9 | | 147 | | 115 |
| | 8 RF 6257U | | | | | " 443X | 11.6 | | 145 | | 135 |
| | " 3522T | | | | | " 472X | 15.0 | | 139 | | 104 |
| | " | | | | | " 477X | 15.5 | | 144 | | 87 |
| | AOUD 858T(1) | | | | | " 502X | 14.7 | | 144 | | 99 |
| anchview Barns B 12 month average | | | | | | 142 Pigs | (12.5) | | (158) | | 100 |
| entley | | | | | | | | | | | |
| 8-3802 | AVON 417U(1) | | | | | 8 RF 4610X | 13.7 | | 159 | | 84 |
| | 8 RF73413U | | | | | " 707X | 12.4 | | 141 | | 133 |
| | " 5824U | | | | | " 634X | 12.4 | | 143 | | 130 |
| | " | | | | | " 636X | 12.9 | | 150 | | 112 |
| | " | | | | | " 637X | 12.2 | | 153 | | 113 |
| | " 5825U | | | | | " 675X | 11.1 | | 144 | | 142 |
| | " | | | | | " 676X | 13.3 | | 152 | | 102 |
| | " | | | | | " 678X | 13.8 | | 145 | | 110 |
| | " 2165W | | | | | " 689X | 11.5 | | 150 | | 127 |
| | ARHL 956U(1) | | | | | " 695X | 10.4 | | 138 | | 162 |
| niessen, R. & L 12 month average | | | | | | (not available) | | | | | |
| anham | | | | | | | | | | | |
| 04-2421 | ROYS 470U | | | | | 8 RT 163X | 15.6 | | 141 | | |
| | " | | | | | " 164X | 16.1 | | 148 | | |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Baert, Martin Barrhead 674-3953 | (not available) | | | 3 | 12.2 | 154 |
| Bloomsbury Farms Bloomsbury 674-3307 | 148 | 16.3 | 148 | 11 | 15.5 | 147 |
| Braat, J. Coaldale 327-9757 | 186 | 12.1 | 158 | 3 | 11.2 | 153 |
| Five Lakes Farms Mayerthorpe 786-2187 | 286 | 13.6 | 174 | 19 | 11.6 | 174 |
| GiltLine Farm Ltd Acme 546-4042 | (not available) | | | 10 | 14.4 | 159 |
| Gwynne Vista Farms Gwynne 352-2998 | 223 | 13.7 | 165 | 8 | 11.2 | 170 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 63 | 15.3 | 151 | 6 | 15.8 | 143 |
| Matejka, George Sylvan Lake 887-2656 | 289 | 13.0 | 177 | 9 | 13.9 | 179 |
| Milne, Bruce Ponoka 783-6695 | 154 | 13.1 | 150 | 10 | 11.1 | 142 |
| Papenhuyzen, Charles Stony Plain 963-4358 | 30 | 17.3 | 167 | 2 | 16.3 | 153 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Thiessen, R. & L. Wanham 694-2421 | (not available) | | | 1 | 16.8 | 143 |
| Vandenberg, Joe Camrose 672-6177 | 35 | 16.7 | 158 | 7 | 18.3 | 150 |
| Wakeena Farm Bentley 748-4252 | 39 | 14.3 | 162 | 2 | 13.3 | 156 |
| Weber Farms Ltd. Castor 882-2572 | 54 | 15.3 | 167 | 9 | 13.4 | 161 |
| <u>LANDRACE</u> | | | | | | |
| Barrett, R. & A. Ponoka 783-5192 | 105 | 13.9 | 139 | 11 | 13.7 | 136 |
| Duff, Donald Ft. Sask. 998-3101 | 131 | 14.1 | 152 | 9 | 14.0 | 153 |
| GiltLine Farm Ltd. Acme 546-4042 | (not available) | | | 1 | 14.6 | 164 |
| Lakeland College Vermilion 853-8597 | 179 | 15.2 | 165 | 11 | 15.0 | 151 |
| Matejka, Tony Sylvan Lake 887-2656 | 23 | 13.4 | 174 | 2 | 14.4 | 167 |
| Milne, Bruce Ponoka 783-6695 | 94 | 12.4 | 151 | 12 | 12.6 | 143 |
| Wakeena Farm Bentley 784-4252 | 72 | 13.0 | 167 | 7 | 13.4 | 162 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>LACOMBE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 235 | 16.1 | 142 | 13 | 17.0 | 142 |
| Gwynne Vista Farms Gwynne 352-2998 | 130 | 13.9 | 167 | 8 | 15.8 | 169 |
| Five Lakes Farms Mayerthorpe 786-2187 | 118 | 13.5 | 172 | 4 | 14.2 | 163 |
| <u>HAMPSHIRE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 111 | 13.5 | 153 | 4 | 13.6 | 156 |
| Gwynne Vista Farms Gwynne 352-2998 | (not available) | | | 5 | 11.2 | 175 |
| Papenhuyzen, Charles Stony Plain 963-4358 | 37 | 14.2 | 174 | 5 | 11.2 | 173 |
| <u>DUROC</u> | | | | | | |
| Lakeland College Vermilion 853-8597 | (not available) | | | 3 | 12.2 | 165 |
| Maschmeyer, Gerald Bruderheim 998-2845 | 61 | 14.5 | 153 | 2 | 14.1 | 139 |
| <u>CROSSBRED</u> | | | | | | |
| Baert, Martin Barrhead 674-3953 | 50 | 15.4 | 150 | 7 | 14.8 | 157 |
| Bloomsbury Farms Bloomsbury 674-3307 | 104 | 16.0 | 142 | 22 | 16.5 | 140 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Barrett. R. & A. Ponoka 783-5192 | (not available) | | | 2 | 14.8 | 123 |
| Chauvet, M. Legal 961-2578 | 169 | 15.1 | 153 | 15 | 15.6 | 140 |
| Eidse, Louis Crooked Creek 957-2446 | 28 | 13.7 | 158 | 8 | 13.7 | 165 |
| GiltLine Farm Ltd Acme 546-4042 | 59 | 14.4 | 161 | 41 | 14.4 | 157 |
| Gwynne Vista Farms Gwynne 352-2998 | 177 | 13.8 | 164 | 7 | 12.8 | 168 |
| Lakeland College Vermilion 853-8597 | (not available) | | | 4 | 17.0 | 143 |
| Mclenaghan, Murray Barrhead 674-3907 | (not available) | | | 16 | 16.9 | 148 |
| Milne, Bruce Ponoka 783-6695 | 155 | 13.3 | 147 | 9 | 9.7 | 149 |
| Olds College Olds 556-8327 | 513 | 15.6 | 157 | 43 | 15.3 | 157 |
| Ranchview Test Barn Bentley 748-3802 | 558 | 13.6 | 170 | 15 | 13.5 | 161 |
| Ranchview Farms B Bentley 748-3802 | 580 | 13.7 | 160 | 6 | 13.9 | 157 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Thiessen, R. & L. Wanham 694-2421 | (not available) | | | 7 | 15.3 | 149 |
| Weber Farms Ltd. Castor 882-2572 | 115 | 15.1 | 161 | 5 | 17.1 | 139 |

Alberta Swine Improvement Program

CANADIANA

AUG - 2 1988

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT
JULY 01 - 15, 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)



Agriculture
Canada

/2 . . .

Alberta
AGRICULTURE

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R S

| EEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | AGE | INDEX |
|--|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | |
| YORKSHIRE | | | | | | | | | |
| adia Breeders combe 2-2836 | 12 month average | | | | | 61 Pigs | (12.7) | (147) | 100 |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | ACA 1003X | 10.2 | 162 | 101 |
| | JKAA13804U | | | | | " 1201X | 12.0 | 159 | 85 |
| | ARHL 890U | | | | | " 1701X | 12.4 | 149 | 100 |
| | " | | | | | " 1704X | 13.4 | 149 | 86 |
| | " | | | | | " 1705X | 12.2 | 150 | 99 |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | " 1801X | 14.6 | 149 | 74 |
| | " | " | " | " | " | " 1802X | 15.4 | 149 | 63 |
| | ARHL 96W | | | | | " 2001X | 10.7 | 145 | 128 |
| | " | | | | | " 2002X | 12.8 | 163 | 67 |
| | JKAA13804U | | | | | " 2301X | 13.7 | 149 | 83 |
| | " | | | | | " 2302X | 12.9 | 150 | 92 |
| | ARHL 890U | | | | | " 2401X | 13.8 | 150 | 81 |
| | " | | | | | " 2402X | 11.5 | 160 | 88 |
| | " 96U | | | | | " 2601X | 11.3 | 156 | 100 |
| | " | | | | | " 2602X | 13.3 | 140 | 107 |
| | " | | | | | " 2802X | 12.1 | 140 | 121 |
| | JKAA13804U | | | | | " 2902X | 15.2 | 148 | 67 |
| | RITR 505U | 0.0 | -9.3 | 136 | 82 | " 3001X | 14.0 | 150 | 79 |
| | " | " | " | " | " | " 3501X | 13.3 | 143 | 100 |
| | JKAA13804U | | | | | " 3604X | 13.0 | 140 | 110 |
| oomsbury Farms Ltd oomsbury 4-3307 | 12 month average | | | | | 121 Pigs | (14.6) | (145) | 100 |
| | WM 2608W | | | | | WM 1102X | 13.8 | 150 | 98 |
| | " 2604W | | | | | " 1701X | 13.5 | 141 | 116 |
| aat, J. aldale 7-9757 | 12 month average | | | | | 109 Pigs | (11.0) | (151) | 100 |
| | ANZI 3863P | -2.0 | +9.6 | 99 | 97 | ARBF 86X | 11.5 | 156 | 87 |
| | " | " | " | " | " | " 111X | 11.3 | 143 | 109 |
| ownlee, Jim iry Hill 6-2313 | 12 month average | | | | | 61 Pigs | (14.0) | (163) | 100 |
| | RITR 574U | | | | | AHKP 807W | 16.1 | 173 | 69 |
| | " | | | | | " 808W | 13.7 | 172 | 91 |
| | " | | | | | " 810W | 13.8 | 173 | 89 |
| | " | | | | | " 10X | 12.1 | 168 | 112 |
| | " | | | | | " 11X | 13.3 | 157 | 114 |
| | " | | | | | " 13X | 13.6 | 171 | 94 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | INDEX |
|--|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| Brownlee, Jim Cont'd | RITR 574U | | | | | AHKP 14X | 15.6 | 172 | | 75 |
| | " | | | | | " 16X | 12.9 | 166 | | 107 |
| | " | | | | | " 17X | 15.8 | 178 | | 65 |
| | DANY 121U | | | | | " 29X | 14.0 | 176 | | 85 |
| | KKEF 1930T | -0.4 | -2.7 | 119 | 56 | " 32X | 12.9 | 173 | | 99 |
| | RITR 574U | | | | | " 35X | 16.5 | 157 | | 85 |
| | KKEF 1930T | -0.4 | -2.7 | 119 | 56 | " 71X | 15.0 | 162 | | 92 |
| Eringsfield, B. Coalddale 345-3420 | 12 month average | | | | | 49 Pigs | (13.1) | (164) | | 100 |
| | RITR 84W | | | | | AOGK 81X | 13.2 | 171 | | 87 |
| | " | | | | | " 82X | 11.1 | 168 | | 113 |
| Giltline Farm Ltd Acme 546-4042 | 12 month average | | | | | (not available) | | | | |
| | MILN 375T | | | | | GLFL 60X | 14.6 | 156 | | 104 |
| | " | | | | | " 61X | 16.7 | 158 | | 79 |
| | " | | | | | " 64X | 21.1 | 141 | | 54 |
| | " | | | | | " 65X | 18.6 | 149 | | 71 |
| | " 327T | | | | | " 75X | 13.3 | 156 | | 117 |
| | " | | | | | " 77X | 15.0 | 156 | | 100 |
| | " | | | | | " 78X | 13.8 | 159 | | 108 |
| | " | | | | | " 81X | 18.0 | 157 | | 68 |
| NPD 320W | | | | | | | | | | |
| Knobben, Gary Jarvie 954-2125 | 12 month average | | | | | 61 Pigs | (11.9) | (151) | | 100 |
| | GARY 22W | | | | | GARY 20X | 12.8 | 147 | | 95 |
| | " | | | | | " 30X | 12.1 | 140 | | 113 |
| | " | | | | | " 31X | 14.8 | 148 | | 69 |
| | " | | | | | " 32X | 11.4 | 157 | | 98 |
| | " | | | | | " 33X | 12.0 | 150 | | 101 |
| Matejka, George Sylvan Lake 887-2656 | 12 month average | | | | | 383 Pigs | (12.0) | (161) | | 100 |
| | KKEF 2642U | | | | | KKEF 225X | 13.8 | 165 | | 73 |
| | " | | | | | " 230X | 10.7 | 171 | | 97 |
| | " | | | | | " 233X | 12.8 | 157 | | 98 |
| | " | | | | | " 235X | 12.7 | 168 | | 80 |
| | " | | | | | " 236X | 12.1 | 163 | | 95 |
| | DOUG 354T | -1.9 | +5.4 | 113 | 72 | " 286X | 14.3 | 147 | | 97 |
| | KKEF 1882U | | | | | " 294X | 14.8 | 155 | | 80 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Line, Bruce | 12 month average | | | | | 131 Pigs | (12.3) | | (149) | | 100 |
| Moaka | | | | | | MILN 96X | 10.1 | | 141 | | 147 |
| 8-6695 | ARRK 2186U(1) | | | | | " 116X | 9.0 | | 130 | | 184 |
| | " | | | | | " 124X | 11.8 | | 131 | | 145 |
| | MILN 588S | | | | | | | | | | |
| West Farms | 12 month average | | | | | 34 Pigs | (13.1) | | (149) | | 100 |
| Midway | | | | | | ATED 19X | 14.4 | | 173 | | 58 |
| 6-3790 | KKEF 2104U | | | | | " 20X | 13.0 | | 172 | | 73 |
| | " | | | | | | | | | | |
| Penhuyzen, C. | 12 month average | | | | | 26 Pigs | (16.1) | | (164) | | 100 |
| ony Plain | | | | | | ASUS 72X | 18.8 | | 171 | | 63 |
| 8-4358 | DASA 1052T | +0.5 | +5.2 | 71 | 72 | " 73X | 15.6 | | 169 | | 99 |
| | " | " | " | " | " | " 84X | 15.2 | | 165 | | 108 |
| | " | " | " | " | " | " 111X | 14.8 | | 163 | | 115 |
| | " | " | " | " | " | " 137X | 16.8 | | 161 | | 97 |
| | TVW 252U | | | | | | | | | | |
| Witter Farms Ltd | 12 month average | | | | | 200 Pigs | (12.5) | | (143) | | 100 |
| on Springs | | | | | | RITR 382X | 10.7 | | 144 | | 115 |
| 8-4472 | RITR 664T | -1.6 | -1.9 | 137 | 90 | " 383X | 13.5 | | 145 | | 84 |
| | " | " | " | " | " | " 415X | 9.8 | | 147 | | 118 |
| | ARHL 795U | | | | | " 454X | 13.2 | | 152 | | 74 |
| | " | | | | | " 455X | 10.3 | | 147 | | 113 |
| | " | | | | | " 503X | 9.3 | | 147 | | 121 |
| | KKEF 440T | -1.3 | +0.1 | 124 | 94 | | | | | | |
| Eske, Murray | 12 month average | | | | | 64 Pigs | (13.0) | | (148) | | 100 |
| Comdale | | | | | | ROSE 31X | 12.4 | | 137 | | 128 |
| 9-4938 | IMP 6010T(4) | | | | | " 34X | 14.6 | | 149 | | 76 |
| | " | | | | | " 56X | 12.2 | | 128 | | 146 |
| | " | | | | | " 61X | 13.9 | | 144 | | 94 |
| | " | | | | | " 62X | 14.3 | | 138 | | 100 |
| | " | | | | | " 63X | 13.8 | | 138 | | 107 |
| | ARRK 2186U(1) | | | | | " 81X | 13.8 | | 140 | | 105 |
| | " | | | | | " 83X | 12.0 | | 135 | | 136 |
| | " | | | | | " 84X | 9.9 | | 137 | | 159 |
| | RITR 924T(1) | -1.1 | -12.8 | 169 | 64 | " 103X | 14.9 | | 119 | | 129 |
| | " | " | " | " | " | " 104X | 13.8 | | 115 | | 149 |
| Keena Farm | 12 month average | | | | | (not available) | | | | | |
| Wentley | | | | | | KEEN 42X | 12.0 | | 158 | | |
| 8-4252 | RITR 512U | -1.5 | -0.8 | 124 | 61 | | | | | | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Weber Farms Ltd. | 12 month average | | | | | 35 Pigs | (14.8) | | (164) | | 100 |
| Castor | | | | | | AWGF 109X | 15.9 | | 147 | | 119 |
| 882-2572 | AWGF 517U | | | | | " 112X | 13.1 | | 146 | | 146 |
| | " 789U | | | | | " 115X | 12.8 | | 144 | | 153 |
| | " | | | | | " 116X | 12.0 | | 151 | | 148 |
| Wilhelm, Leonard | 12 month average | | | | | (not available) | | | | | |
| Vermilion | | | | | | LWAS 100X | 18.4 | | 160 | | |
| 853-2411 | LWAS 3W | | | | | " 103X | 19.4 | | 164 | | |
| | " | | | | | " 104X | 18.2 | | 180 | | |
| | " | | | | | " 106X | 16.1 | | 165 | | |
| <u>LANDRACE</u> | | | | | | | | | | | |
| Acadia Breeders | 12 month average | | | | | 68 Pigs | (12.5) | | (145) | | 100 |
| Lacombe | | | | | | ACA 801X | 10.4 | | 163 | | 92 |
| 782-2836 | ARHL 739U | | | | | " 1103X | 11.5 | | 181 | | 43 |
| | ROYS 13W | | | | | " 1301X | 12.1 | | 163 | | 71 |
| | AOUD 1803U | | | | | " 1303X | 13.3 | | 153 | | 75 |
| | " | | | | | " 1304X | 11.9 | | 155 | | 88 |
| | " | | | | | " 1305X | 11.1 | | 163 | | 83 |
| | " | | | | | " 1401X | 11.1 | | 161 | | 88 |
| | ARHL 1044U | | | | | " 1404X | 9.7 | | 154 | | 119 |
| | " | | | | | " 1405X | 9.4 | | 163 | | 105 |
| | " | | | | | " 1902X | 9.1 | | 161 | | 113 |
| | " 739U | | | | | " 1903X | 9.4 | | 154 | | 122 |
| | " | | | | | " 2201X | 14.1 | | 139 | | 90 |
| | " 1044U | | | | | " 3102X | 15.0 | | 159 | | 42 |
| | " 739U | | | | | " 3103X | 14.4 | | 160 | | 47 |
| | " | | | | | " 3104X | 12.0 | | 162 | | 74 |
| | " | | | | | " 3202X | 10.8 | | 151 | | 111 |
| | " 1044U | | | | | " 3203X | 15.4 | | 150 | | 55 |
| | " | | | | | " 3301X | 11.5 | | 137 | | 128 |
| | " 739U | | | | | " 3302X | 15.2 | | 146 | | 64 |
| | " | | | | | " 3304X | 13.3 | | 142 | | 95 |
| | " | | | | | " 3801X | 11.8 | | 135 | | 129 |
| | " 84W | | | | | | | | | | |
| Barrett, R. & A. | 12 month average | | | | | 101 Pigs | (13.4) | | (136) | | 100 |
| Ponoka | | | | | | ROYS 99X | 12.7 | | 145 | | 94 |
| 783-5192 | ROYS 92W | | | | | " 100X | 14.0 | | 146 | | 80 |
| | " | | | | | " 130X | 12.0 | | 121 | | 140 |
| | " 273U | | | | | " 133X | 11.1 | | 122 | | 147 |
| | " | | | | | " 135X | 12.3 | | 129 | | 125 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| aat, J. | 12 month average | | | | | (not available) | | | | | |
| aldale | | | | | | | | | | | |
| 7-9757 | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | ARBF 67X | 11.7 | | 157 | | |
| | " | " | " | " | " | " 101X | 14.4 | | 139 | | |
| | " | " | " | " | " | " 102X | 14.7 | | 149 | | |
| eterman, Bill | 12 month average | | | | | (not available) | | | | | |
| ruce Grove | | | | | | | | | | | |
| 3-3663 | EDJL 142U(1) | | | | | ATJA 15X | 13.8 | | 131 | | |
| ff, Donald | 12 month average | | | | | 64 Pigs | (13.6) | (151) | | 100 | |
| . Saskatchewan | | | | | | | | | | | |
| 3-3101 | ARHL 973U | | | | | DUFF 70X | 9.3 | | 158 | 132 | |
| | " 52W | | | | | " 100X | 13.8 | | 145 | 111 | |
| | DUFF 544T | -0.1 | -1.1 | 105 | 92 | " 110X | 14.1 | | 144 | 111 | |
| | " | " | " | " | " | " 160X | 14.1 | | 151 | 96 | |
| ingfield, B. | 12 month average | | | | | (not available) | | | | | |
| aldale | | | | | | | | | | | |
| 5-3420 | TONY 1155W | | | | | AOGK 141X | 16.1 | | 150 | | |
| ltLine Farm Ltd. | 12 month average | | | | | (not available) | | | | | |
| me | | | | | | | | | | | |
| 6-4042 | NPD 1257W | | | | | GLFL 33X | 15.0 | | 168 | | |
| | " | | | | | " 34X | 14.8 | | 167 | | |
| | " | | | | | " 35X | 15.0 | | 178 | | |
| | " | | | | | " 44X | 14.6 | | 174 | | |
| | " | | | | | " 45X | 17.0 | | 166 | | |
| keland College | 12 month average | | | | | 98 Pigs | (14.4) | (157) | | 100 | |
| rmillion | | | | | | | | | | | |
| 3-8597 | EDJL 142U(1) | | | | | ATAT 061X | 14.4 | | 175 | 68 | |
| | " | | | | | " 062X | 12.3 | | 173 | 95 | |
| | " | | | | | " 065X | 14.4 | | 175 | 68 | |
| | ATAT 510U | | | | | " 090X | 15.2 | | 166 | 76 | |
| | " | | | | | " 110X | 14.3 | | 147 | 120 | |
| | " | | | | | " 149X | 15.6 | | 152 | 97 | |
| lne, Bruce | 12 month average | | | | | 92 Pigs | (11.8) | (145) | | 100 | |
| hoka | | | | | | | | | | | |
| 3-6695 | MILN 122W | | | | | MILN 74X | 12.2 | | 137 | 110 | |
| | ARHL 956W(1) | | | | | " 87X | 9.8 | | 128 | 156 | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE 90 KG | INDEX |
|-------------------------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|--------------|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | |
| Neufeld Farms Ltd. 12 month average | | | | | | (not available) | | | | |
| Acme | | | | | | | | | | |
| 546-3960 | NEUF 1U | | | | | NEUF 1X | 12.7 | 164 | | |
| | " | | | | | " 5X | 13.3 | 172 | | |
| | " | | | | | " 6X | 13.2 | 175 | | |
| Norest Farms 12 month average | | | | | | (not available) | | | | |
| Radway | | | | | | | | | | |
| 736-3790 | DUFF 2W | | | | | LAST 13X | 18.6 | 144 | | |
| Reiter Farms Ltd 12 month average | | | | | | 27 Pigs | (12.9) | (144) | | 100 |
| Iron Springs | | | | | | | | | | |
| 738-4472 | ARHL 956U(1) | | | | | RITR 490X | 9.6 | 139 | | 138 |
| | " | | | | | " 499X | 9.5 | 142 | | 133 |
| Wakeena Farm 12 month average | | | | | | 26 Pigs | (12.8) | (158) | | 100 |
| Bentley | | | | | | | | | | |
| 748-4252 | DUFF 171U | -1.8 | +2.4 | 119 | 84 | KEEN 64X | 11.9 | 167 | | 81 |
| | " | " | " | " | " | " 71X | 13.5 | 164 | | 74 |
| | " | " | " | " | " | " 76X | 11.8 | 162 | | 96 |
| | " | " | " | " | " | " 81X | 14.2 | 152 | | 106 |
| | " | " | " | " | " | " 107X | 11.3 | 163 | | 98 |
| <u>LACOMBE</u> | | | | | | | | | | |
| Bloomsbury Farms 12 month average | | | | | | 243 Pigs | (15.2) | (140) | | 100 |
| Bloomsbury | | | | | | | | | | |
| 674-3307 | BL 1605W | | | | | BL 1210X | 12.7 | 143 | | 117 |
| | " | | | | | " 1211X | 16.9 | 148 | | 67 |
| | " | | | | | " 1212X | 16.6 | 153 | | 61 |
| | " 15611T | +0.7 | -6.0 | 106 | 66 | " 1306X | 14.4 | 146 | | 95 |
| | " 2107W | | | | | " 1506X | 16.6 | 141 | | 84 |
| | " 2806W | | | | | " 1605X | 17.8 | 132 | | 89 |
| | " | | | | | " 1606X | 15.2 | 131 | | 116 |
| | " | | | | | " 1607X | 15.6 | 127 | | 120 |
| | " | | | | | " 1608X | 16.3 | 125 | | 117 |
| | " | | | | | " 1609X | 14.6 | 128 | | 128 |
| | " | | | | | " 1803X | 14.2 | 125 | | 137 |
| <u>HAMPSHIRE</u> | | | | | | | | | | |
| Bloomsbury Farms 12 month average | | | | | | 113 Pigs | (12.9) | (151) | | 100 |
| Bloomsbury | | | | | | | | | | |
| 674-3307 | WM 305U | | | | | WM 904X | 15.4 | 150 | | 67 |
| | " | | | | | " 905X | 12.7 | 157 | | 90 |

| FEEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|---|-----------------------------|-----------------------------|-------------------------|-------------------------|--|--|--|--|--|--------------------------------------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| aat, J. aldale 7-9757 | 12 month average BVA 2510W | | | | | 25 Pigs ARBF 119X | (12.5) 12.3 | | (145) 146 | | 100 100 |
| ownlee, Jim iry Hill 8-2313 | 12 month average AOVX 32U " " " BUFA 27U | | | | | 22 Pigs AHKP 3X " 7X " 06X " 014X " 22X | (11.9) 12.9 11.9 13.8 13.7 12.1 | | (177) 162 171 187 190 161 | | 100 110 108 69 65 119 |
| iter Farms Ltd. on Springs 8-4472 | 12 month average AHKP 580T " DINN 7U(1) " AHKP 580T " | -0.1 " " -0.1 " | -5.0 " " +5.0 " | 88 " " 88 " | 67 " " 67 " | (not available) RITR 446X " 449X " 484X " 485X " 516X " 518X | | | | | |
| | | | | | | | 12.1 12.8 12.7 11.4 11.4 14.2 | | 156 146 154 148 151 154 | | |
| <u>DUROC</u> | | | | | | | | | | | |
| aat, J. aldale 7-9757 | 12 month average ABBF 64T " " " " | -0.8 " " " " | -1.0 " " " " | 125 " " " " | 71 " " " " | 24 Pigs ARBF 94X " 95X " 96X " 125X " 126X | (13.0) 10.4 13.7 11.5 13.9 11.7 | | (143) 144 143 153 131 137 | | 100 117 93 88 120 122 |
| ufeld Farms Ltd. me 6-3960 | 12 month average NEUF 180T " " | -0.8 " " | -7.8 " " | 163 " " | 65 " " | 55 Pigs NEUF 1X " 16X " 17X | (13.5) 14.2 14.7 16.7 | | (166) 159 157 160 | | 100 98 95 63 |
| iter Farms Ltd. on Springs 8-4472 | 12 month average HILL 161T " | -0.5 " | -2.1 " | 123 " | 66 " | 28 Pigs RITR 351X " 352X | (12.3) 13.8 12.9 | | (146) 155 146 | | 100 55 90 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-----------------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>CROSSBRED</u> | | | | | | | | | | | |
| Baert, Martin | 12 month average | | | | | | | | | | (not available) |
| Barrhead | | | | | | 8MB 234X | 12.6 | 157 | | | |
| 674-3953 | AVON 417U(1) | | | | | " 237X | 11.9 | 160 | | | |
| | " | | | | | | | | | | |
| Barrett, R. & A. | 12 month average | | | | | | | | | | (not available) |
| Ponoka | | | | | | 8AL 110X | 12.3 | 132 | | | |
| 783-5192 | ROYS 92W | | | | | | | | | | |
| Bloomsbury Farms | 12 month average | | | | | 55 Pigs | (14.7) | (142) | | | 100 |
| Bloomsbury | | | | | | 8KJ 605X | 11.7 | 118 | | | 166 |
| 674-3307 | BL 2303U | | | | | " 606X | 14.1 | 125 | | | 135 |
| | " | | | | | " 607X | 16.0 | 122 | | | 125 |
| | " | | | | | " 1007X | 15.0 | 124 | | | 129 |
| | " 2107W | | | | | " 1008X | 11.7 | 125 | | | 154 |
| | " | | | | | " 1009X | 17.2 | 126 | | | 108 |
| | " | | | | | " 1010X | 13.6 | 120 | | | 147 |
| | " | | | | | | | | | | |
| Braat, J. | 12 month average | | | | | 76 Pigs | (12.9) | (143) | | | 100 |
| Coaldale | | | | | | 8JR 81X | 15.8 | 150 | | | 59 |
| 327-9757 | ASDZ 541S | +1.2 | +0.2 | 80 | 92 | | | | | | |
| Groot, Clarence | 12 month average | | | | | 96 Pigs | (12.3) | (162) | | | 100 |
| Neerlandia | | | | | | 8CL 6601W | 11.6 | 197 | | | 54 |
| 674-4077 | FGBE 508U(1) | | | | | " 6702W | 11.8 | 178 | | | 81 |
| | 8CL 5553W | | | | | " 6704W | 11.6 | 169 | | | 99 |
| | " | | | | | " 6710W | 14.4 | 173 | | | 57 |
| | " | | | | | " 6731W | 10.3 | 161 | | | 127 |
| | " | | | | | " 6743W | 13.7 | 165 | | | 77 |
| | " 4775U | | | | | " 6750W | 10.3 | 158 | | | 132 |
| | " 3991T | | | | | " 6752W | 11.6 | 164 | | | 105 |
| | " | | | | | " 6791W | 14.8 | 171 | | | 54 |
| | " 3083T | | | | | " 6802W | 14.5 | 165 | | | 68 |
| | " 4304U | | | | | " 6815W | 13.1 | 169 | | | 78 |
| | 3083T | | | | | " 6823W | 13.4 | 173 | | | 67 |
| | " 3991T | | | | | " 6884W | 14.0 | 183 | | | 43 |
| | " 5684W | | | | | " 6891W | 13.7 | 165 | | | 76 |
| | " 3083T | | | | | " 6915W | 12.3 | 152 | | | 118 |
| | " 4775U | | | | | " 6923W | 10.5 | 157 | | | 132 |

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---------------------------------------|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Root, Clarence ont'd | 8CL 3991T | | | | | 8CL 6930X | 11.8 | | 156 | | 117 |
| | " 5684W | | | | | " 6960X | 12.3 | | 146 | | 129 |
| | " | | | | | " 6961X | 12.5 | | 161 | | 98 |
| | " | | | | | " 6962X | 12.6 | | 158 | | 103 |
| | " | | | | | " 6963X | 13.3 | | 152 | | 105 |
| | " | | | | | " 6964X | 11.6 | | 147 | | 147 |
| Line, Bruce noka 3-6695 | 12 month average | | | | | (not available) | | | | | |
| | VBSF 304U(1) | | | | | 8DM 591X | 10.7 | | 131 | | |
| | " | | | | | " 592X | 12.1 | | 129 | | |
| ufeld Farms Ltd. me 6-3960 | 12 month average | | | | | 128 Pigs | (13.9) | | (158) | | 100 |
| | ARBF 843U(1) | | | | | 8GN 1X | 15.2 | | 175 | | 56 |
| | " | | | | | " 4X | 13.2 | | 193 | | 47 |
| | VBSF 304U(1) | | | | | " 6X | 12.7 | | 167 | | 98 |
| | 8GN 7W | | | | | " 9X | 18.0 | | 164 | | 42 |
| | " | | | | | " 11X | 15.9 | | 164 | | 67 |
| | " | | | | | " 12X | 16.6 | | 162 | | 63 |
| | " | | | | | " 14X | 13.7 | | 149 | | 119 |
| | VBSF 304U(1) | | | | | " 18X | 13.6 | | 160 | | 101 |
| | 8GN 332T | | | | | " 411X | 14.8 | | 148 | | 107 |
| | " | | | | | " 412X | 15.4 | | 154 | | 91 |
| inchview Test Barn ntley 8-3802 | 12 month average | | | | | 846 Pigs | (13.0) | | (154) | | 100 |
| | 8RF 3271T | | | | | 8RF 493X | 12.5 | | 146 | | 122 |
| | " | | | | | " 496X | 13.4 | | 161 | | 81 |
| | " | | | | | " 499X | 10.8 | | 153 | | 130 |
| | AOUD 858T(1) | | | | | " 501X | 15.2 | | 155 | | 70 |
| | 8RF 2165T | | | | | " 533X | 14.0 | | 156 | | 84 |
| | " | | | | | " 534X | 12.3 | | 155 | | 107 |
| | NPD 8714T(1) | +0.2 | +5.3 | 76 | 86 | " 543X | 14.8 | | 152 | | 80 |
| | " | " | " | " | " | " 544X | 14.4 | | 162 | | 65 |
| | " | " | " | " | " | " 545X | 14.3 | | 161 | | 70 |
| | VBSF 304U(1) | | | | | " 551X | 9.3 | | 156 | | 143 |
| | " | | | | | " 552X | 15.0 | | 150 | | 81 |
| | " | | | | | " 554X | 11.8 | | 159 | | 106 |
| | FGBE 508U(1) | | | | | " 565X | 12.6 | | 157 | | 100 |
| | 8RB 3271T | | | | | " 573X | 12.8 | | 155 | | 101 |
| | " 6257U | | | | | " 591X | 12.3 | | 158 | | 101 |
| | " | | | | | " 593X | 12.7 | | 147 | | 118 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|-----|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| Ranchview Test Barn | | | | | | | | | | | |
| Cont'd | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | 8RF 94X | 12.3 | 187 | | 44 | |
| | DINN 7U(1) | | | | | " 227X | 10.8 | 164 | | 109 | |
| | RITR 1174U(1) | | | | | " 235X | 14.1 | 167 | | 61 | |
| | 8RF 6257U | | | | | " 351X | 12.1 | 158 | | 103 | |
| | " | | | | | " 352X | 10.5 | 165 | | 111 | |
| | " | | | | | " 353X | 11.4 | 153 | | 122 | |
| | " 2165T | | | | | " 394X | 15.0 | 154 | | 75 | |
| | " 6460U | | | | | " 419X | 12.2 | 157 | | 103 | |
| | " 6257U | | | | | " 445X | 13.1 | 155 | | 96 | |
| | DINN 7U(1) | | | | | " 463X | 12.6 | 173 | | 68 | |
| | 8RF 3522T | | | | | " 473X | 13.7 | 153 | | 92 | |
| | " | | | | | " 474X | 11.5 | 155 | | 117 | |
| | " | | | | | " 475X | 15.0 | 164 | | 54 | |
| | " 6477U | | | | | " 482X | 12.1 | 144 | | 131 | |
| | " 3271T | | | | | " 491X | 13.5 | 155 | | 91 | |
| | " | | | | | " 492X | 11.4 | 145 | | 139 | |
| | " 3523T | | | | | " 613X | 12.2 | 156 | | 107 | |
| | " | | | | | " 614X | 12.9 | 148 | | 113 | |
| | " | | | | | " 616X | 14.0 | 154 | | 88 | |
| | VBSF 304U(1) | | | | | " 623X | 10.6 | 155 | | 129 | |
| | NPD 8714T(1) | +0.2 | +5.3 | 76 | 86 | " 635X | 13.4 | 151 | | 100 | |
| | 8RF 6460U | | | | | " 681X | 14.8 | 161 | | 63 | |
| | NPD 8714T(1) | +0.2 | +5.3 | 76 | 86 | " 742X | 12.8 | 142 | | 126 | |
| | " | " | " | " | " | " 743X | 14.0 | 143 | | 109 | |
| | " | " | " | " | " | " 746X | 15.3 | 142 | | 93 | |
| | " | " | " | " | " | " 747X | 12.7 | 144 | | 122 | |
| | 8RF 3271T | | | | | " 761X | 13.5 | 136 | | 128 | |
| | " | | | | | " 766X | 12.9 | 143 | | 122 | |
| | NPD 8714T(1) | +0.2 | -5.3 | 76 | 86 | " 362X | 12.2 | 173 | | 73 | |
| | 8RF 2165T | | | | | " 395X | 11.9 | 169 | | 84 | |
| | " 6460U | | | | | " 512X | 13.2 | 165 | | 75 | |
| | VBSF 304U(1) | | | | | " 521X | 10.2 | 166 | | 112 | |
| | " | | | | | " 522X | 11.5 | 174 | | 80 | |
| | 8RF 2165T | | | | | " 534X | 13.8 | 162 | | 73 | |
| | 3523T | | | | | " 611X | 12.9 | 173 | | 65 | |
| | VBSF 304U(1) | | | | | " 622X | 10.0 | 167 | | 114 | |
| | NPD 8714T(1) | +0.2 | +5.3 | 76 | 86 | " 634X | 13.8 | 160 | | 78 | |
| | FGBE 508U(1) | | | | | " 654X | 13.2 | 146 | | 112 | |
| | 8RF 6460U | | | | | " 681X | 11.1 | 150 | | 131 | |
| | " 3523T | | | | | " 691X | 14.3 | 154 | | 83 | |
| | " 3271T | | | | | " 764X | 11.7 | 154 | | 117 | |
| | DINN 7U(1) | | | | | " 771X | 12.6 | 153 | | 107 | |

| FEEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| nchview Farms B 12 month average | | | | | | 142 Pigs | (12.5) | (158) | 100 | | |
| ntley 8-3802 | 8RF 2977U | | | | | 8RF 757X | 11.6 | 146 | 133 | | |
| | " 29310U | | | | | " 777X | 10.4 | 149 | 141 | | |
| | " 1602U | | | | | " 789X | 15.4 | 146 | 89 | | |
| | RITR 1174U(1) | | | | | " 899X | 12.5 | 147 | 120 | | |
| | " | | | | | " 9010X | 15.9 | 141 | 93 | | |
| | 8RF 5822U | | | | | " 927X | 12.7 | 150 | 112 | | |
| | " | | | | | " 929X | 13.1 | 149 | 110 | | |
| | " | | | | | " 9210X | 10.9 | 148 | 138 | | |
| | " 2977U | | | | | " 939X | 12.0 | 149 | 124 | | |
| | KKEF 2332T(1) | 0.0 | -8.4 | 133 | 89 | " 209X | 12.9 | 169 | 75 | | |
| | 8RF 1268W | | | | | " 355X | 14.6 | 155 | 82 | | |
| | AVON 417U(1) | | | | | " 466X | 13.3 | 152 | 102 | | |
| | " | | | | | " 468X | 13.7 | 152 | 97 | | |
| | 8RF 5825U | | | | | " 527X | 13.3 | 157 | 92 | | |
| | ARRk 2186U(1) | | | | | " 555X | 8.5 | 154 | 152 | | |
| | " | | | | | " 558X | 11.4 | 162 | 105 | | |
| | " | | | | | " 5510X | 12.2 | 157 | 105 | | |
| | 8RF 5822U | | | | | " 6100X | 14.8 | 157 | 75 | | |
| | " 5824U | | | | | " 638X | 13.3 | 146 | 114 | | |
| | " | | | | | " 639X | 12.6 | 155 | 104 | | |
| | ARHL 956U(1) | | | | | " 698X | 11.5 | 156 | 115 | | |
| | 8RF 2977U | | | | | " 754X | 11.8 | 157 | 110 | | |
| | " | | | | | " 755X | 15.0 | 157 | 73 | | |
| | " | | | | | " 756X | 13.2 | 149 | 108 | | |

G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>YORKSHIRE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 79 | 13.4 | 149 | 31 | 14.1 | 154 |
| Baert, Martin Barrhead 674-3953 | (not available) | | | 3 | 14.0 | 150 |
| Bloomsbury Farms Bloomsbury 674-3307 | 148 | 16.3 | 148 | 4 | 16.1 | 145 |
| Braat, J. Coaldale 327-9757 | 186 | 12.1 | 158 | 1 | 14.2 | 144 |
| Brownlee, Jim Hairy Hill 768-2313 | 71 | 15.5 | 165 | 4 | 16.5 | 172 |
| Eringfield, B. Coaldale 345-3420 | 92 | 14.3 | 172 | 4 | 15.3 | 163 |
| Giltline Farms Ltd Acme 546-4042 | (not available) | | | 5 | 15.8 | 171 |
| Matejka, George Sylvan Lake 887-2656 | 289 | 13.0 | 177 | 19 | 14.2 | 171 |
| Milne, Bruce Ponoka 783-6695 | 154 | 13.1 | 150 | 5 | 10.6 | 141 |
| Norest Farms Radway 736-3790 | 42 | 15.0 | 153 | 2 | 15.8 | 165 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG AGE |
| Papenhuyzen, Charles Stony Plain 963-4358 | 30 | 17.3 | 167 | 1 | 15.6 | 171 |
| Reiter Farms Ltd. Iron Springs 738-4472 | 309 | 13.3 | 155 | 29 | 11.9 | 157 |
| Roeske, Murray Alcomdale 939-4938 | 157 | 15.0 | 157 | 11 | 15.5 | 149 |
| Weber Farms Ltd. Castor 882-2572 | 54 | 15.3 | 167 | 12 | 13.5 | 155 |
| Wilhelm, Leonard Vermilion 853-2411 | (not available) | | | 1 | 19.4 | 164 |
| <u>LANDRACE</u> | | | | | | |
| Acadia Breeders Lacombe 782-2836 | 70 | 13.1 | 150 | 38 | 13.7 | 157 |
| Barrett, R. & A. Ponoka 783-5192 | 105 | 13.9 | 139 | 9 | 14.1 | 143 |
| Braat, J. Coaldale 327-9757 | (not available) | | | 4 | 15.2 | 158 |
| Dieterman, Bill Spruce Grove 963-3663 | (not available) | | | 4 | 14.4 | 138 |
| Duff, Brian Ft. Saskatchewan 998-3101 | (not available) | | | 1 | 10.8 | 158 |
| Duff, Donald Ft. Saskatchewan 998-3101 | 131 | 14.1 | 152 | 16 | 14.2 | 158 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Lakeland College Vermilion 853-8597 | 179 | 15.2 | 165 | 10 | 14.5 | 162 |
| Milne, Bruce Ponoka 783-6695 | 94 | 12.4 | 151 | 9 | 11.8 | 137 |
| Reiter Farms Ltd. Iron Springs 738-4472 | 36 | 14.1 | 154 | 6 | 10.2 | 143 |
| Wakeena Farm Bentley 748-4252 | 72 | 13.0 | 167 | 13 | 12.2 | 164 |
| <u>LACOMBE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 235 | 16.1 | 142 | 4 | 17.6 | 134 |
| <u>HAMPSHIRE</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 111 | 13.5 | 153 | 2 | 15.4 | 160 |
| Braat, J. Coaldale 327-9757 | 25 | 14.5 | 157 | 3 | 14.3 | 146 |
| Brownlee, Jim Hairy Hill 768-2313 | 23 | 12.7 | 181 | 5 | 11.9 | 184 |
| Papenhuyzen, Charles Stony Plain 963-4358 | 37 | 14.2 | 174 | 2 | 12.7 | 174 |
| Reiter Farms Ltd. Iron Springs 738-4472 | 24 | 13.4 | 159 | 3 | 14.3 | 150 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|---|------------------|-----------------|---------------|-------------------|-----------------|------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG AGE |
| <u>DUROC</u> | | | | | | |
| Baert, Martin Barrhead 674-3953 | (not available) | | | 1 | 15.0 | 144 |
| Reiter Farms Ltd. Iron Springs 738-4472 | 22 | 14.8 | 155 | 5 | 15.2 | 161 |
| <u>CROSSBRED</u> | | | | | | |
| Barrett, R. & A. Ponoka 783-5192 | (not available) | | | 6 | 13.0 | 138 |
| Bloomsbury Farms Bloomsbury 674-3307 | 104 | 16.0 | 142 | 13 | 15.9 | 129 |
| Braat, J. Coaldale 327-9757 | 122 | 13.7 | 152 | 8 | 13.9 | 158 |
| Chauvet, M. Legal 961-2578 | 160 | 15.1 | 153 | 8 | 16.0 | 150 |
| Giltline Farms Ltd. Acme 546-4042 | 59 | 14.4 | 161 | 10 | 14.2 | 166 |
| Groot, Clarence Neerlandia 674-4077 | 219 | 13.4 | 167 | 74 | 13.8 | 17 |
| Lakeland College Vermilion 853-8597 | (not available) | | | 5 | 15.1 | 14 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| Norest Farms Radway 736-3790 | 307 | 15.0 | 153 | 11 | 14.9 | 162 |
| Ranchview Test Barn Bentley 748-3802 | 558 | 13.6 | 170 | 17 | 13.7 | 164 |
| Ranchview Farms B Bentley 748-3802 | 580 | 13.7 | 160 | 13 | 13.0 | 155 |
| Weber Farms Ltd Castor 882-2572 | 115 | 15.1 | 161 | 5 | 14.2 | 154 |

Alberta Swine Improvement Program

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

CANADIANA

HOME TEST REPORT
JULY 15 - 31, 1988

AUG 17 1988

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

How To Use This Report

(See Reverse)

How To Use This Report

BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by: Lajos Hajdu
Senior Swine Technician
Alberta Agriculture, Pork Industry Branch
#204, 7000 - 113 Street
EDMONTON, Alberta
T6H 5T6
Phone: 427 - 5319

B O A R D S

| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|----------------------|------------------------|----------------|---------------|--------|----------|---------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>YORKSHIRE</u> | | | | | | | | | | | |
| oomsbury Farms | 12 month average | | | | | 121 Pigs | (14.6) | (145) | | | 100 |
| oomsbury | | | | | | | | | | | |
| 74-3307 | WM 2608W | | | | | WM 1101X | 14.8 | 158 | | | 75 |
| | " 2604W | | | | | " 1409X | 16.8 | 138 | | | 92 |
| | " | | | | | " 1410X | 16.7 | 126 | | | 115 |
| ive Lakes Farms | 12 month average | | | | | 226 Pigs | (12.8) | (16/) | | | 100 |
| ayerthorpe | | | | | | | | | | | |
| 86-2187 | ARHL 707U | -1.9 | -4.3 | 150 | 61 | JKAA 503X | 14.5 | 199 | | | 33 |
| | JKAA 1602W | | | | | " 901X | 12.4 | 188 | | | 72 |
| | ARHL 707U | -1.9 | -4.3 | 150 | 61 | " 1501X | 13.5 | 170 | | | 74 |
| | " | " | " | " | " | " 1705X | 10.9 | 173 | | | 111 |
| | " | " | " | " | " | " 1706X | 13.0 | 185 | | | 70 |
| | RITR 97W | | | | | " 1802X | 11.8 | 159 | | | 129 |
| | " | | | | | " 1806X | 10.4 | 167 | | | 125 |
| | " 964T | +1.7 | +0.7 | 67 | 93 | " 2001X | 11.4 | 178 | | | 98 |
| | " | " | " | " | " | " 2002X | 12.9 | 176 | | | 85 |
| | " | " | " | " | " | " 2003X | 11.6 | 176 | | | 108 |
| | " | " | " | " | " | " 2504X | 12.5 | 168 | | | 101 |
| | ARHL 707U | -1.9 | -4.3 | 150 | 61 | JKAA 2603X | 11.2 | 174 | | | 106 |
| | JKAA 1602W | | | | | " 2703X | 11.9 | 165 | | | 112 |
| | " | | | | | " 2805X | 14.1 | 160 | | | 83 |
| | RITR 964T | +1.7 | +0.7 | 67 | 93 | " 3701X | 13.6 | 160 | | | 102 |
| | " | " | " | " | " | " 3706X | 15.9 | 153 | | | 88 |
| | " | " | " | " | " | " 4003X | 13.2 | 156 | | | 112 |
| wynne Vista Farms | 12 month average | | | | | 147 Pigs | (12.2) | (164) | | | 100 |
| wynne | | | | | | | | | | | |
| 52-2998 | ARRK 2186U(1) | | | | | GWYN 2101X | 13.8 | 156 | | | 96 |
| | " | | | | | " 2102X | 7.7 | 169 | | | 134 |
| | " | | | | | " 2103X | 12.1 | 165 | | | 99 |
| | " | | | | | " 2105X | 13.7 | 169 | | | 80 |
| | " | | | | | " 2106X | 9.2 | 154 | | | 141 |
| | " | | | | | " 2108X | 13.1 | 158 | | | 100 |
| | GWYN 6303U | -1.0 | -2.3 | 127 | 64 | " 2301X | 12.4 | 155 | | | 111 |
| | " | " | " | " | " | " 2302X | 13.0 | 156 | | | 104 |
| | AOGK 741T | -1.3 | -1.8 | 132 | 92 | " 3002X | 11.3 | 155 | | | 121 |
| | GWYN 1701W | | | | | " 3602X | 10.7 | 153 | | | 129 |
| | " | | | | | " 3604X | 10.2 | 154 | | | 132 |
| | AOGK 741T | -1.3 | -1.8 | 132 | 92 | " 3702X | 17.8 | 147 | | | 72 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|---|------------------------|----------------|---------------|--------------|----------|---------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Maxchmeyer, Douglas Bruderheim 998-2845 | 12 month average | | | | | 67 Pigs | (14.1) | | (145) | | 100 |
| | DOUG 271U | | | | | DOUG 54X | 13.2 | | 164 | | 61 |
| | " | | | | | " 65X | 12.8 | | 149 | | 103 |
| | " | | | | | " 67X | 15.4 | | 155 | | 64 |
| Milne, Bruce Ponoka 783-6695 | 12 month average | | | | | 131 Pigs | (12.3) | | (149) | | 100 |
| | ARRK 2186U(1) | | | | | MILN 97X | 10.6 | | 154 | | 111 |
| | " | | | | | " 117X | 11.0 | | 147 | | 121 |
| | " | | | | | " 118X | 9.1 | | 148 | | 144 |
| | " | | | | | " 121X | 10.2 | | 150 | | 125 |
| | " | | | | | " 122X | 11.8 | | 150 | | 105 |
| | MILN 588S | | | | | " 125X | 12.3 | | 146 | | 107 |
| | " | | | | | " 128X | 12.9 | | 136 | | 121 |
| | ARRK 2186U(1) | | | | | " 156X | 10.6 | | 143 | | 135 |
| | " | | | | | " 157X | 10.7 | | 147 | | 123 |
| | " | | | | | " 158X | 8.0 | | 147 | | 158 |
| | " | | | | | " 159X | 10.9 | | 145 | | 128 |
| | " | | | | | " 166X | 9.4 | | 145 | | 147 |
| | " | | | | | " 167X | 8.7 | | 147 | | 150 |
| | " | | | | | " 168X | 8.4 | | 145 | | 160 |
| | MILN 856U | | | | | " 172X | 12.9 | | 144 | | 102 |
| | " | | | | | " 174X | 10.6 | | 139 | | 143 |
| Reiter Farms Ltd Iron Springs 737-4472 | 12 month average | | | | | 200 Pigs | (12.5) | | (143) | | 100 |
| | RITR 664T | -0.7 | -1.8 | 120 | 94 | RITR 575X | 11.9 | | 157 | | 76 |
| | KKEF 440T | -1.4 | +0.4 | 123 | 95 | " 590X | 10.1 | | 159 | | 89 |
| | " | " | " | " | " | " 593X | 11.3 | | 149 | | 99 |
| | " | " | " | " | " | " 594X | 11.6 | | 142 | | 110 |
| | " | " | " | " | " | " 598X | 14.6 | | 142 | | 81 |
| | " | " | " | " | " | " 599X | 10.3 | | 152 | | 102 |
| | ARHL 795U | -1.2 | -1.3 | 126 | 68 | " 603X | 10.7 | | 156 | | 89 |
| | " | " | " | " | " | " 623X | 11.6 | | 146 | | 101 |
| | " | " | " | " | " | " 625X | 11.0 | | 153 | | 93 |
| | " | " | " | " | " | " 626X | 11.1 | | 158 | | 81 |
| | " | " | " | " | " | " 636X | 12.3 | | 151 | | 85 |
| | RITR 664T | -0.7 | -1.8 | 120 | 94 | " 642X | 15.2 | | 146 | | 67 |
| | ARHL 795U | -1.2 | -1.3 | 126 | 68 | " 737X | 10.3 | | 151 | | 105 |
| | JKAA19904U | | | | | " 787X | 11.3 | | 146 | | 105 |
| | RITR 664T | -0.7 | -1.8 | 120 | 94 | " 812X | 16.5 | | 139 | | 69 |


| BREEDER TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| urko, Daniel ewbrook 76-3315 | 12 month average | | | | | (not available) | | | | | |
| | GARY 315T | +1.3 | -3.0 | 88 | 88 | DANY 25X | 15.3 | | 150 | | |
| | " | " | " | " | " | " 26X | 15.4 | | 146 | | |
| | " | " | " | " | " | " 27X | 15.5 | | 153 | | |
| | " | " | " | " | " | " 30X | 13.4 | | 147 | | |
| | " | " | " | " | " | " 43X | 15.4 | | 142 | | |
| | " | " | " | " | " | " 44X | 14.8 | | 135 | | |
| | " | " | " | " | " | " 45X | 13.8 | | 153 | | |
| | " | " | " | " | " | " 46X | 14.7 | | 136 | | |
| andenberg, Joe amrose 72-6177 | 12 month average | | | | | 72 Pigs | (14.6) | | (154) | | 100 |
| | ASCG 180T | +2.4 | -4.8 | 75 | 84 | ASCG 151X | 16.4 | | 140 | | 100 |
| | " | " | " | " | " | " 155X | 15.7 | | 141 | | 107 |
| | " | " | " | " | " | " 156X | 16.0 | | 148 | | 93 |
| | " | " | " | " | " | " 157X | 14.4 | | 147 | | 112 |
| | " 520U | " | " | " | " | " 160X | 14.4 | | 149 | | 111 |
| | " | " | " | " | " | " 161X | 14.6 | | 140 | | 121 |
| | " | " | " | " | " | " 162X | 15.5 | | 149 | | 97 |
| | " | " | " | " | " | " 163X | 15.0 | | 145 | | 110 |
| | " | " | " | " | " | " 167X | 13.4 | | 155 | | 112 |
| | " 175U | -0.1 | +1.2 | 97 | 59 | " 180X | 14.6 | | 138 | | 126 |
| | " | " | " | " | " | " 181X | 13.1 | | 144 | | 132 |
| | " | " | " | " | " | " 182X | 13.1 | | 146 | | 129 |
| | " 520U | " | " | " | " | " 205X | 18.8 | | 159 | | 43 |
| | " | " | " | " | " | " 206X | 17.4 | | 157 | | 63 |
| | " | " | " | " | " | " 208X | 18.4 | | 152 | | 58 |
| <u>LANDRACE</u> | | | | | | | | | | | |
| lne, Bruce onoka 83-6695 | 12 month average | | | | | 92 Pigs | (11.8) | | (145) | | 100 |
| | MILN 122W | | | | | MILN 74X | 12.4 | | 150 | | 83 |
| elter Farms Ltd. ron Springs 88-4472 | 12 month average | | | | | 27 Pigs | (12.9) | | (144) | | 100 |
| | TONY 615U | -1.5 | -2.1 | 83 | 88 | RITR 662X | 13.7 | | 146 | | 90 |
| | ARHL 173W | | | | | " 745X | 10.7 | | 141 | | 125 |
| | " | | | | | " 747X | 11.0 | | 142 | | 119 |
| | TONY 615U | +1.5 | -2.1 | 83 | 88 | " 764X | 9.9 | | 138 | | 137 |
| | " | " | " | " | " | " 765X | 10.5 | | 142 | | 124 |
| | ARHL 173W | | | | | " 797X | 9.8 | | 143 | | 128 |
| | TONY 615U | +1.5 | -2.1 | 83 | 88 | " 805X | 12.2 | | 143 | | 108 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDE |
|------------------------|------------------------|----------------|---------------|--------------|----------|---------------|---------------|-----------------|-----|-----|------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>LACOMBE</u> | | | | | | | | | | | |
| Bloomsbury Farms | 12 month average | | | | | 243 Pigs | (15.2) | (140) | | 100 | |
| Bloomsbury | | | | | | | | | | | |
| 674-3307 | BL 2107W | | | | | BL 1508X | 12.9 | 147 | | 108 | |
| | " | | | | | " 1707X | 14.0 | 141 | | 109 | |
| | " | | | | | " 1708X | 11.8 | 142 | | 128 | |
| | " | | | | | " 1712X | 17.1 | 134 | | 92 | |
| | " 3006W | | | | | " 1902X | 14.7 | 139 | | 106 | |
| | " | | | | | " 1910X | 16.7 | 135 | | 94 | |
| | " 15611T | +1.4 | -5.0 | 87 | 76 | " 2005X | 15.9 | 134 | | 104 | |
| | " | " | " | " | " | " 2006X | 17.8 | 128 | | 97 | |
| | " | " | " | " | " | " 2007X | 13.8 | 135 | | 122 | |
| | " | " | " | " | " | " 2009X | 16.2 | 135 | | 99 | |
| | " | " | " | " | " | " 2010X | 13.4 | 136 | | 124 | |
| | " 2510W | | | | | " 2208X | 17.9 | 121 | | 109 | |
| Five Lakes Farms | 12 month average | | | | | 97 Pigs | (12.5) | (165) | | 100 | |
| Mayerthorpe | | | | | | | | | | | |
| 786-2187 | KR 1303S | -1.6 | -2.5 | 144 | 96 | JA 1403X | 10.7 | 181 | | 102 | |
| | JA 5204U | +0.1 | +2.8 | 89 | 78 | " 2302X | 13.2 | 161 | | 97 | |
| | " | " | " | " | " | " 2304X | 11.9 | 162 | | 111 | |
| | " 7805U | | | | | " 3401X | 13.8 | 160 | | 91 | |
| | " 5204U | +0.1 | +2.8 | 89 | 78 | " 3801X | 12.8 | 154 | | 109 | |
| | " | " | " | " | " | " 3802X | 12.5 | 156 | | 111 | |
| | " | " | " | " | " | " 3803X | 13.8 | 161 | | 90 | |
| | " | " | " | " | " | " 4306X | 13.8 | 154 | | 98 | |
| Gwynne Vista Farms | 12 month average | | | | | 75 Pigs | (12.5) | (162) | | 100 | |
| Gwynne | | | | | | | | | | | |
| 352-2998 | KR 11806U | | | | | KR 1902X | 15.0 | 178 | | 50 | |
| | " 12001U | | | | | " 2001X | 12.1 | 165 | | 99 | |
| | " | | | | | " 2002X | 15.3 | 146 | | 100 | |
| | " | | | | | " 2003X | 13.6 | 161 | | 91 | |
| | " | | | | | " 2004X | 13.0 | 173 | | 77 | |
| | " | | | | | " 2005X | 14.8 | 162 | | 78 | |
| | JA 7805U | | | | | " 2505X | 2.01 | 153 | | 42 | |
| <u>HAMPSHIRE</u> | | | | | | | | | | | |
| Five Lakes Farms | 12 month average | | | | | 129 Pigs | (12.6) | (177) | | 100 | |
| Mayerthorpe | | | | | | | | | | | |
| 786-2187 | VBSF 304U(1) | | | | | NP 1301X | 11.0 | 187 | | 107 | |
| | NP 5404W | | | | | JKAA 1902X | 10.7 | 170 | | 136 | |
| | JKAA 8103U | -0.1 | +4.3 | 91 | 86 | " 2104X | 12.1 | 173 | | 112 | |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Five Lakes Farms Cont'd | JKAA 8103U | -0.1 | +4.3 | 91 | 86 | JKAA 2201X | 12.6 | | 182 | | 92 |
| | NP 5404W | | | | | " 2401X | 12.5 | | 169 | | 112 |
| | " | | | | | " 2402X | 13.8 | | 176 | | 84 |
| | " | | | | | NP 3004X | 12.6 | | 159 | | 125 |
| | " | | | | | JKAA 3104X | 13.8 | | 164 | | 101 |
| | DINN 7U(1) | | | | | " 3202X | 11.8 | | 170 | | 121 |
| Reiter Farms Ltd. Iron Springs 38-4472 | 12 month average | | | | | (not available) | | | | | |
| | AHKP 580T | +0.4 | +3.8 | 74 | 84 | RITR 544X | 11.0 | | 169 | | |
| | " | " | " | " | " | " 546X | 12.4 | | 159 | | |
| | " | " | " | " | " | " 556X | 11.0 | | 152 | | |
| <u>DUROC</u> | | | | | | | | | | | |
| Aschmeyer, Gerald Ruderheim 98-2845 | 12 month average | | | | | 69 Pigs | (13.4) | | (151) | | 100 |
| | HILL 292U | | | | | HILL 24X | 13.5 | | 169 | | 66 |
| | " | | | | | " 25X | 13.1 | | 157 | | 94 |
| | " | | | | | " 26X | 12.8 | | 164 | | 84 |
| | " | | | | | " 33X | 14.3 | | 165 | | 65 |
| | " | | | | | " 34X | 14.5 | | 155 | | 82 |
| | " | | | | | " 43X | 13.3 | | 155 | | 94 |
| | " | | | | | " 44X | 13.8 | | 162 | | 77 |
| Wilne, Bruce Tonoka 83-6695 | 12 month average | | | | | (not available) | | | | | |
| | ARBF 843U(1) | | | | | MILN 148X | 11.4 | | 151 | | |
| Reiter Farms Ltd. Iron Springs 38-4472 | 12 month average | | | | | 28 Pigs | (12.3) | | (146) | | 100 |
| | SMBL 300W | | | | | RITR 532X | 13.6 | | 152 | | 66 |
| Andenberg, Joe Amrose 72-6177 | 12 month average | | | | | 24 Pigs | (14.3) | | (154) | | 100 |
| | ASCG 50W | | | | | ASCG 144X | 12.8 | | 155 | | 109 |
| | " | | | | | " 147X | 14.1 | | 150 | | 107 |
| | " | | | | | " 171X | 11.6 | | 161 | | 110 |
| | " | | | | | " 172X | 13.9 | | 162 | | 90 |
| | " | | | | | " 174X | 13.4 | | 162 | | 94 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|--|------------------------|----------------|---------------|--------------|----------|-----------------|---------------|-----------------|-----|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV INDEX | % REP | | 90 KG (MM) | 90 KG (DAYS) | | | |
| <u>CROSSBRED</u> | | | | | | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 12 month average | | | | | 55 Pigs | (14.7) | (142) | | | 100 |
| | BL15611T | +1.4 | -5.0 | 87 | 76 | 8KJ 1406X | 13.2 | 134 | | | 126 |
| | " | " | " | " | " | " 1409X | 16.6 | 133 | | | 101 |
| | WM 1505W | | | | | " 1605X | 15.9 | 147 | | | 80 |
| | " | | | | | " 1608X | 15.0 | 145 | | | 92 |
| | BL 2303U | +0.3 | -9.3 | 125 | 71 | " 4308X | 13.2 | 126 | | | 140 |
| | " | " | " | " | " | " 4310X | 12.9 | 128 | | | 138 |
| Milne, Bruce Ponoka 783-6695 | 12 month average | | | | | (not available) | | | | | |
| | VBSF 304U(1) | | | | | 8DM 593X | 10.2 | 146 | | | |
| Ranchview Test Barn Bentley 748-3802 | 12 month average | | | | | 846 Pigs | (13.0) | (154) | | | 100 |
| | FGBE 508U(1) | | | | | 8RF 653X | 15.2 | 159 | | | 62 |
| | 8RF 3523T | | | | | " 693X | 12.0 | 150 | | | 120 |
| | RITR 1174U(1) | +0.3 | -11.7 | 139 | 70 | " 711X | 13.3 | 165 | | | 73 |
| | 8RF 3271T | | | | | " 762X | 12.5 | 159 | | | 97 |
| | DINN 7U(1) | | | | | " 772X | 13.3 | 154 | | | 96 |
| | 8RF 6516U | | | | | " 791X | 12.0 | 146 | | | 129 |
| | " | | | | | " 792X | 13.6 | 142 | | | 115 |
| | " | | | | | " 793X | 12.1 | 150 | | | 119 |
| | " 3271T | | | | | " 803X | 11.5 | 156 | | | 115 |
| | " | | | | | " 804X | 14.5 | 151 | | | 87 |
| | " | | | | | " 806X | 13.7 | 159 | | | 81 |
| | " 6654U | | | | | " 811X | 13.4 | 154 | | | 95 |
| | " 3523T | | | | | " 832X | 13.6 | 142 | | | 115 |
| | " | | | | | " 835X | 14.8 | 152 | | | 81 |
| | " 2165T | | | | | " 845X | 15.7 | 144 | | | 84 |
| | RITR 1174U(1) | +0.3 | -11.7 | 139 | 70 | " 853X | 13.6 | 150 | | | 100 |
| | NPD 8714T(1) | +0.2 | +4.3 | 80 | 92 | " 871X | 13.4 | 151 | | | 101 |
| | VBSF 304U(1) | | | | | " 903X | 12.7 | 150 | | | 112 |
| | 8RF 6460U | | | | | " 922X | 11.5 | 153 | | | 121 |
| | " 6477U | | | | | " 932X | 13.6 | 151 | | | 99 |
| | " 3271T | | | | | " 944X | 13.7 | 154 | | | 91 |
| | " 3522T | | | | | " 971X | 12.2 | 147 | | | 125 |
| | " | | | | | " 972X | 11.5 | 150 | | | 127 |
| | " | | | | | " 974X | 14.8 | 153 | | | 79 |
| | " 6519U | | | | | " 984X | 14.8 | 152 | | | 81 |
| | " 6516U | | | | | " 1012X | 14.1 | 146 | | | 100 |
| | " | | | | | " 1013X | 14.1 | 146 | | | 100 |
| | " 2165T | | | | | " 1061X | 14.8 | 144 | | | 95 |
| | " | | | | | " 1063X | 16.3 | 143 | | | 79 |

| BREEDER & TELEPHONE | SIRE IDENTIFICATION | SIRE E.B.V. | | SIRE'S | | PIG IDENT. | BACKFAT | | AGE | | INDEX |
|------------------------------------|------------------------|----------------|---------------|--------|----------|-----------------|---------------|--|-----------------|--|-------|
| | | FAT (MM) | AGE (DAYS) | EBV | % REP | | 90 KG (MM) | | 90 KG (DAYS) | | |
| Ranchview Barns B 12 month average | | | | | | 142 Pigs | (12.5) | | (158) | | 100 |
| Bentley | | | | | | | | | | | |
| 748-3802 | 8RF 2977U | | | | | 8RF 87X | 10.2 | | 200 | | 68 |
| | " 7196U | | | | | " 669X | 10.2 | | 168 | | 121 |
| | " 1268W | | | | | " 837X | 13.1 | | 165 | | 98 |
| | RITR 1174U(1) | +0.3 | -11.7 | 139 | 70 | " 897X | 10.8 | | 158 | | 131 |
| | 8RF29310U | | | | | " 968X | 9.6 | | 159 | | 141 |
| | NPD 8714T(1) | | | | | " 10910X | 12.3 | | 154 | | 124 |
| | 8RF 1268W | | | | | " 1164X | 12.1 | | 148 | | 134 |
| | " | | | | | " 1165X | 11.4 | | 147 | | 144 |
| | " | | | | | " 1168X | 13.1 | | 148 | | 125 |
| | RITR 1174U(1) | +0.3 | -11.7 | 139 | 70 | " 11710X | 11.7 | | 148 | | 138 |
| | " | " | " | " | " | " 11712X | 12.1 | | 147 | | 136 |
| | 8RF73413U | | | | | " 1199X | 13.5 | | 140 | | 134 |
| Feiter Farms Ltd. 12 month average | | | | | | (not available) | | | | | |
| Iron Springs | | | | | | | | | | | |
| 38-4472 | SMBL 300W | | | | | 8CB 521X | 13.0 | | 152 | | |
| | " | | | | | " 522X | 10.8 | | 153 | | |
| | " | | | | | " 523X | 12.9 | | 149 | | |
| | " | | | | | " 611X | 12.9 | | 149 | | |
| | " | | | | | " 612X | 10.9 | | 148 | | |
| | AHKP 580T | +0.4 | +3.8 | 74 | 84 | " 671X | 12.9 | | 133 | | |
| | SMBL 300W | | | | | " 692X | 11.4 | | 154 | | |
| | " | | | | | " 693X | 11.1 | | 152 | | |
| | " | | | | | " 694X | 13.8 | | 155 | | |



G I L T S

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--------------------------------|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |

YORKSHIRE

| | | | | | | |
|---|-----|------|-----|----|------|-----|
| Bloomsbury Farms Bloomsbury 674-3307 | 148 | 16.3 | 148 | 2 | 16.2 | 147 |
| Five Lakes Farms Mayerthorpe 786-2187 | 286 | 13.6 | 174 | 16 | 12.8 | 181 |
| Gwynne Vista Farms Gwynne 352-2998 | 223 | 13.7 | 165 | 9 | 14.7 | 173 |
| Maschmeyer, Douglas Bruderheim 998-2845 | 63 | 14.9 | 149 | 7 | 15.3 | 158 |
| Milne, Bruce Ponoka 783-6695 | 154 | 13.1 | 150 | 10 | 11.1 | 144 |
| Reiter Farms Ltd. Iron Springs 738-4472 | 309 | 13.3 | 155 | 17 | 13.0 | 158 |
| Turko, Daniel Newbrook 576-3315 | 44 | 16.4 | 155 | 10 | 15.0 | 153 |

LANDRACE

| | | | | | | |
|--|----|------|-----|---|------|-----|
| Milne, Bruce Ponoka 783-6695 | 94 | 12.4 | 151 | 2 | 12.3 | 155 |
| Reiter Farms Ltd Iron Springs 738-4472 | 36 | 14.1 | 154 | 1 | 14.5 | 151 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | |
|--|------------------|-----------------|---------------|-------------------|-----------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT |
| <u>LACOMBE</u> | | | | | |
| Bloomsbury Farms Ltd Bloomsbury 674-3307 | 235 | 16.1 | 142 | 14 | 15.0 |
| Five Lakes Farms Mayerthorpe 786-2187 | 118 | 13.5 | 172 | 7 | 13.6 |
| Gwynne Vista Farms Gwynne 352-2998 | 130 | 13.9 | 167 | 14 | 15.7 |
| <u>HAMPSHIRE</u> | | | | | |
| Bloomsbury Farms Ltd Bloomsbury 674-3307 | 111 | 13.5 | 153 | 1 | 15.6 |
| Five Lakes Farms Mayerthorpe 786-4373 | 102 | 13.1 | 180 | 4 | 11.6 |
| Reiter Farms Ltd Iron Springs 738-4472 | 24 | 13.4 | 159 | 5 | 13.6 |
| <u>DUROC</u> | | | | | |
| Maschmeyer, Gerald Bruderheim 998-2845 | 61 | 14.5 | 153 | 4 | 12.8 |
| Milne, Bruce Ponoka 783-6695 | (not available) | | | 5 | 12.6 |
| Reiter Farms Ltd. Iron Springs 738-4472 | 22 | 14.8 | 155 | 1 | 12.9 |
| Vandenberg, Joe Camrose 672-6177 | (not available) | | | 6 | 15.1 |

| BREEDER ADDRESS & TELEPHONE | 12 MONTH AVERAGE | | | THIS PROBE PERIOD | | |
|--|------------------|-----------------|---------------|-------------------|-----------------|-------------|
| | # PROBED | BACKFAT (MM) | AGE (DAYS) | # PROBED | AVG. BACKFAT | AVG. AGE |
| <u>CROSSBRED</u> | | | | | | |
| Bloomsbury Farms Bloomsbury 674-3307 | 104 | 16.0 | 142 | 26 | 15.2 | 134 |
| Gwynne Vista Farms Gwynne 352-2998 | 177 | 13.8 | 164 | 25 | 13.3 | 159 |
| Milne, Bruce Ponoka 783-6695 | 155 | 13.3 | 147 | 19 | 11.8 | 149 |
| Olds College Olds 556-8327 | 513 | 15.6 | 157 | 32 | 15.9 | 156 |
| Ranchview Test Barn Bentley 748-3802 | 558 | 13.6 | 170 | 12 | 13.9 | 152 |
| Ranchview Farms B Bentley 748-3802 | 580 | 13.7 | 160 | 37 | 13.1 | 160 |

